

Apexite, $\text{NaMg}(\text{PO}_4) \cdot 9\text{H}_2\text{O}$, a new struvite-type phase with a heteropolyhedral cluster

ANTHONY R. KAMPF^{1,*}, STUART J. MILLS², BARBARA P. NASH³, MARTIN JENSEN⁴
AND TONY NIKISCHER⁵

¹Mineral Sciences Department, Natural History Museum of Los Angeles County, 900 Exposition Boulevard, Los Angeles, California 90007, U.S.A.

²Geosciences, Museum Victoria, GPO Box 666, Melbourne 3001, Victoria, Australia

³Department of Geology and Geophysics, University of Utah, Salt Lake City, Utah 84112, U.S.A.

⁴8720 Rainbow Trout Court, Reno, Nevada 89523, U.S.A.

⁵Excalibur Mineral Corporation, 1885 Seminole Trail, Charlottesville, Virginia 22901, U.S.A.

ABSTRACT

Apexite (IMA2015-002), $\text{NaMg}(\text{PO}_4) \cdot 9\text{H}_2\text{O}$, is a new mineral from the Apex mine, Lander County, Nevada, U.S.A., where it occurs as a low-temperature secondary mineral on massive quartz matrix in association with andersonite, calcite, čejkaite, gaylussite, and goethite. Apexite forms colorless needles up to 0.5 mm in length. The streak is white. Crystals are transparent and have vitreous to satiny luster. The Mohs hardness is about 2, the tenacity is brittle, the fracture is curved, and crystals exhibit one perfect cleavage on $\{100\}$. The measured density is $1.74(1) \text{ g/cm}^3$ and the calculated density is 1.741 g/cm^3 . Electron microprobe analyses provided: Na_2O 9.26, MgO 14.42, P_2O_5 23.31, H_2O 53.01 (structure), total 100.00 wt% (normalized). The empirical formula (based on 13 O apfu) is: $\text{Na}_{0.91}\text{Mg}_{1.09}\text{P}_{1.00}\text{O}_{13.00}\text{H}_{17.91}$. Apexite is triclinic, $P\bar{1}$, $a = 6.9296(7)$, $b = 11.9767(13)$, $c = 14.9436(19) \text{ \AA}$, $\alpha = 92.109(6)$, $\beta = 102.884(7)$, $\gamma = 105.171(7)^\circ$, $V = 1160.9(2) \text{ \AA}^3$, and $Z = 4$. The eight strongest lines in the X-ray powder diffraction pattern are [d_{obs} in $\text{Å}(hkl)$]: 14.63(35)(001); 5.11(61)(021, $\bar{1}\bar{1}1$, 110, $\bar{1}20$); 4.68(75)(022, $\bar{1}12$, $1\bar{2}1$, $0\bar{1}3$); 4.301(96)(102, 013, 022, $\bar{1}13$); 4.008(44)($\bar{1}\bar{1}3$, $\bar{1}22$); 2.876(46)(040); 2.762(100)($\bar{2}\bar{1}3$, $2\bar{3}1$, $0\bar{3}4$, $\bar{2}04$, 015); and 2.507(30)(212, 025, $\bar{2}23$). Apexite is a new struvite-type phase with a unique structure ($R_1 = 4.44\%$ for 1401 $F_o > 4\sigma F$) consisting of four components: (1) a $[\text{Na}_2\text{Mg}_4(\text{H}_2\text{O})_{14}]^{10+}$ heteropolyhedral cation cluster; (2) a *trans* edge-sharing chain of $\text{Na}(\text{H}_2\text{O})_6$ octahedra; (3) an isolated PO_4 group; and (4) an isolated H_2O group. The structural components are linked to one another only via hydrogen bonds. Its structure is related to that of hazenite.

Keywords: Apexite, new mineral, crystal structure, struvite-type, heteropolyhedral cluster, hazenite, Apex mine, Nevada