American Mineralogist, Volume 100, pages 26-34, 2015

## **CROSSROADS IN EARTH AND PLANETARY MATERIALS**

## Microelectronic junctions in arsenian pyrite due to impurity and mixed sulfide heterogeneity

## JAMIE S. LAIRD<sup>1,2,3,\*</sup>, COLIN M. MACRAE<sup>1</sup>, ANGELA HALFPENNY<sup>4</sup>, ROSS LARGE<sup>2</sup> AND CHRIS G. RYAN<sup>1,2,3</sup>

<sup>1</sup>CSIRO, Mineral Resources National Research Flagship, Normanby Road, Clayton, Victoria 3168, Australia
<sup>2</sup>Centre of Excellence in Ore Deposits (CODES), University of Tasmania, Hobart 7001, Australia
<sup>3</sup>School of Physics, University of Melbourne, Melbourne, Victoria 3010, Australia
<sup>4</sup>Electron Microscopy Facility, Department of Imaging and Applied Physics, Curtin University, Perth, Western Australia 6845, Australia
<sup>5</sup>CSIRO, Processing Science and Engineering, Normanby Road, Clayton, Victoria 3168, Australia

## ABSTRACT

Impurities and crystal defects within the semiconducting bulk of a metal sulfide introduce energy levels within the forbidden bandgap. These levels in turn control semiconducting type and local electrical properties within single and multi-phased sulfide assemblages. Heterogeneity in sulfide semiconductivity linked to these impurities can lead to *p-n* micro-junction formation and potential distributions near the surface that may alter redox reactivity. Secondary gold ore genesis via a micro-galvanic effect related to heterogeneity has in the past been hypothetically linked to such micro-junctions. Understanding these regions and their interaction with weathering fluids in the regolith for example requires large-scale imaging of potential distributions. Here we investigate the existence of micro-electronic junctions in a mixed sulfide assemblage using scanning laser beam induced current (LBIC) and correlate them with pyrite-chalcopyrite interfaces mapped using combined energy-dispersive spectroscopy (EDS) and wavelength-dispersive spectroscopy (WDS) on an electron hyper-probe. Junctions in a natural assemblage are positively identified for the first time.

**Keywords:** Pyrite, heterogeneity, semiconductors, electrical properties, micro-junction, heterojunction, chalcopyrite, mixed sulfides, laser beam induced current, elemental mapping, metal ore genesis, electrochemical