

Compressibility of synthetic Mg-Al tourmalines to 60 GPa

ELEANOR J. BERRYMAN^{1,*}, DONGZHOU ZHANG², BERND WUNDER³, AND THOMAS S. DUFFY¹

¹Department of Geosciences, Princeton University, Princeton, New Jersey 08544, U.S.A.

²Hawai'i Institute of Geophysics and Planetology, University of Hawai'i at Manoa, Honolulu, Hawai'i 96822, U.S.A. Orcid 0000-0002-6679-892X

³Chemistry and Physics of Earth Materials, GFZ German Research Centre for Geosciences, 14473 Potsdam, Germany

ABSTRACT

High-pressure single-crystal X-ray diffraction patterns on five synthetic Mg-Al tourmalines with near end-member compositions [dravite $\text{NaMg}_3\text{Al}_6\text{Si}_6\text{O}_{18}(\text{BO}_3)_3(\text{OH})_3\text{OH}$, K-dravite $\text{KMg}_3\text{Al}_6\text{Si}_6\text{O}_{18}(\text{BO}_3)_3(\text{OH})_3\text{OH}$, magnesio-foitite $\square(\text{Mg}_2\text{Al})\text{Al}_6\text{Si}_6\text{O}_{18}(\text{BO}_3)_3(\text{OH})_3\text{OH}$, oxy-uvite $\text{CaMg}_3\text{Al}_6\text{Si}_6\text{O}_{18}(\text{BO}_3)_3(\text{OH})_3\text{O}$, and olenite $\text{NaAl}_3\text{Al}_6\text{Si}_6\text{O}_{18}(\text{BO}_3)_3\text{O}_3\text{OH}$, where \square represents an *X*-site vacancy] were collected to 60 GPa at 300 K using a diamond-anvil cell and synchrotron radiation. No phase transitions were observed for any of the investigated compositions. The refined unit-cell parameters were used to constrain third-order Birch-Murnaghan pressure-volume equation of states with the following isothermal bulk moduli (K_0 in GPa) and corresponding pressure derivatives ($K'_0 = \partial K_0 / \partial P$): dravite $K_0 = 97(6)$, $K'_0 = 5.0(5)$; K-dravite $K_0 = 109(4)$, $K'_0 = 4.3(2)$; oxy-uvite $K_0 = 110(2)$, $K'_0 = 4.1(1)$; magnesio-foitite $K_0 = 116(2)$, $K'_0 = 3.5(1)$; olenite $K_0 = 116(6)$, $K'_0 = 4.7(4)$. Each tourmaline exhibits highly anisotropic behavior under compression, with the *c* axis 2.8–3.6 times more compressible than the *a* axis at ambient conditions. This anisotropy decreases strongly with increasing pressure and the *c* axis is only ~14% more compressible than the *a* axis near 60 GPa. The octahedral *Y*- and *Z*-sites' composition exerts a primary control on tourmaline's compressibility, whereby Al content is correlated with a decrease in the *c*-axis compressibility and a corresponding increase in K_0 and K'_0 . Contrary to expectations, the identity of the *X*-site-occupying ion (Na, K, or Ca) does not have a demonstrable effect on tourmaline's compression curve. The presence of a fully vacant *X* site in magnesio-foitite results in a decrease of K'_0 relative to the alkali and Ca tourmalines. The decrease in K'_0 for magnesio-foitite is accounted for by an increase in compressibility along the *a* axis at high pressure, reflecting increased compression of tourmaline's ring structure in the presence of a vacant *X* site. This study highlights the utility of synthetic crystals in untangling the effect of composition on tourmaline's compression behavior.

Keywords: Tourmaline, synthetic, single-crystal X-ray diffraction, equation of state, diamond-anvil cell