

2003 Author Index

- Akaogi, M., see Sugawara and Akaogi, 1020
- Alberti, A., Fois, E., and Gamba, A.: A molecular dynamics study of the behavior of sodium in low albite, 1
- Alcock, J., Myer, K., and Muller, P.D.: Three-dimensional model of heat flow in the aureole of the Marcy anorthosite, Adirondack Highlands, New York: Implications for depth of emplacement, 474
- Allan, N.L., see Lavrentiev et al., 1522
- Allwardt, J.R., Lee, S.K., and Stebbins, J.F.: Bonding preferences of non-bridging O atoms: Evidence from ^{17}O MAS and 3QMAS NMR on calcium aluminate and low-silica Ca-aluminosilicate glasses, 949
- Alves, M.C.M., see Carvalho-e-Silva et al., 876
- Amonette, J.E., see Wang et al., 398
- Amthauer, G., see Grodzicki et al., 481
- Anand, M., see Taylor et al., 912
- Anderson, I.M., see Hiraga et al., 1015
- Andrault, D., Angel, R.J., Mosenfelder, J.L., and Le Bihan, T.: Equation of state of stishovite to lower mantle pressures, 301
- Angel, R.J., see Andrault et al., 301
- Argoul, P., see Muñoz et al., 694
- Arletti, R., Ferro, O., Quartieri, S., Sani, A., Tabacchi, G., and Vezzalin, G.: Structural deformation mechanisms of zeolites under pressure, 1416
- Armbruster, T., see Berlepsch et al., 450
- Armbruster, T., see Di Pierro et al., 1817
- Armbruster, T., see Döbelin and Armbruster, 527
- Armbruster, T., see Gnos et al., 189
- Artioli, G., Geiger, C.A., and Dapiaggi, M.: The crystal chemistry of julgoldite- Fe^{3+} from Bombay, India, studied using synchrotron X-ray powder diffraction and ^{57}Fe Mössbauer spectroscopy, 1084
- Aubourg, C., see Cairanne et al., 1385
- Ayers, J.C., DeLaCruz, K., Miller, C., and Switzer, O.: Experimental study of zircon coarsening in quartzite $\pm\text{H}_2\text{O}$ at 1.0 GPa and 1000 °C, with implications for geochronological studies of high-grade metamorphism, 365
- Baier, M., see Okrusch et al., 986
- Balan, E., Mauri, F., Pickard, C.J., Farnan, I., and Calas, G.: The aperiodic states of zircon: an ab initio molecular dynamics study, 1769
- Balan, E., see Farnan et al., 1663
- Bancroft, G.M., see Jackson et al., 890
- Bancroft, G.M., see Nesbitt et al., 1279
- Baron, D., see Drouet et al., 1949
- Barrès, O., see Pelletier et al., 1801
- Barrett, S., see Bickmore et al., 709
- Barron, L.M.: A simple model for the pressure preservation index of inclusions in diamond, 1615
- Barrón, V., Torrent, J., and Grave, E.: Hydromaghemite, an intermediate in the hydrothermal transformation of 2-line ferrihydrite into hematite, 1679
- Bass, J.D., see Wang et al., 1608
- Baxter, G., see Lesher et al., 1181
- Beane, R.J., see Bostick et al., 1709
- Beard, J.S., see Tracy and Beard, 740
- Beaufort, D., see Fialips et al., 837
- Becker, U., Jambor, J., Lumpkin, G., and Pasteris, J.: Introduction to the Environmental Mineralogy Special Issue, 1843
- Behrens, H., see Fechtelkord et al., 1046
- Behrens, H., see Fechtelkord et al., 47
- Behrens, H., and Schulze, F.: Pressure dependence of melt viscosity in the system $\text{NaAlSi}_3\text{O}_8\text{-CaMgSi}_2\text{O}_6$, 1351
- Benedetti, M., see Juillet et al., 509
- Benna, P. and Bruno, E.: Single-crystal in situ high-temperature structural investigation of the $I\bar{1}-I2/c$ phase transition in $\text{Ca}_{0.2}\text{Sr}_{0.8}\text{Al}_2\text{Si}_2\text{O}_8$ feldspar, 1532
- Benvenuti, M., see Costagliola et al., 1345
- Berlepsch, P., Armbruster, T., Makovicky, E., and Topa, D.: Another step toward understanding the true nature of sartorite: Determination and refinement of a ninefold superstructure, 450
- Bermanec, V., Furić, K., Rajić, M., and Kniewald, G.: Thermal stability and vibrational spectra of the sheet borate tuzlaita, $\text{NaCa}[\text{B}_5\text{O}_8(\text{OH})_2]\text{-3H}_2\text{O}$, 271
- Bern, A.M., see Meeker et al., 1955
- Bernardini, G.P., see Costagliola et al., 1345
- Bernasconi, S.M., see Di Pierro et al., 1817
- Berry, A.J., O'Neill, H.St.C., Jayasuriya, K.D., Campbell, S.J., and Foran, G.J.: XANES calibrations for the oxidation state of iron in a silicate glass, 967
- Besson, P., see Cairanne et al., 1385
- Bickmore, B.R., Rufe, E., Barrett, S., and Hochella Jr., M.F.: Measuring discrete feature dimensions in AFM images with image SXM, 709
- Bindi, L., Safonov, O.G., Yapaskurt, V.O., Perchuk, L.L., and Menchetti, S.: Ultratropic clinopyroxene from the Kumdy-Kol microdiamond mine, Kokchetav Complex, Kazakhstan: Occurrence, composition and crystal-chemical characterization, 464
- Bindi, L., see Bonazzi et al., 223
- Bindi, L., see Bonazzi et al., 1796
- Binu-Lal, S.S., see Santosh et al., 1689
- Bird, D.K., see Fridriksson et al., 277
- Bird, D.K., see Fridriksson et al., 1060
- Bird, D.K., see Neuhoff et al., 410
- Bish, D.L., see Dera et al., 1428
- Bish, D.L., see Fridriksson et al., 277
- Bish, D.L., see Fridriksson et al., 1060
- Bish, D.L., see Hou et al., 167
- Bish, D.L., Vaniman, D.T., Chipera, S.J., and Carey, J.W.: The distribution of zeolites and their effects on the performance of a nuclear waste repository at Yucca Mountain, Nevada, U.S.A., 1889
- Bismayer, U., see Shi et al., 1866
- Blum, J.D., see Utsunomiya et al., 1844
- Blundy, J.D., see McDade et al., 1825
- Bodnar, R.J.: Presentation of the Mineralogical Society of America Dana Medal for 2002 to Michael F. Hochella Jr., 945
- Boero-Goates, J., see Majzlan et al., 846
- Bohic, S., see Sanchez-Valle et al., 978
- Bonazzi, P., Bindi, L., and Parodi, G.: Gatelite-(Ce), a new REE-bearing mineral from Trimouns, French Pyrenees: Crystal structure and polysomatic relationships with epidote and törnebohmite-(Ce), 223
- Bonazzi, P., Bindi, L., Popova, V., Pratesi, G., and Menchetti, S.: Alacranite, As_2S_9 : structural study of the holotype and re-assignment of the original chemical formula, 1796
- Borda, M.J., Strongin, D.R., and Schoonen, M.A.: A vibrational spectroscopic study of the oxidation of pyrite by ferric iron, 1318
- Bosbach, D., see Tournassat et al., 1989
- Bostick, B.C., Jones, R.E., Ernst, W.G., Chen, C., Leech, M.L., and Beane, R.J.: Low-temperature microdiamond aggregates in the Maksyutov Metamorphic Complex, South Ural Mountains, Russia, 1709
- Botella, V., see Timón et al., 1788
- Bown, P.R., see Henriksen et al., 2040
- Bozhilov, K.N., Green II, H.W., and Dobrzinskaya, L.F.: Quantitative 3D measurement of ilmenite abundance in Alpe Arami olivine by confocal microscopy: Confirmation of high-pressure origin, 596
- Bozhilov, K.N., Jenkins et al., 1104
- Bracco, R., see Hughes et al., 1324
- Bradbury, S.E. and Williams, Q.: Contrasting bonding behavior of two hydroxyl-bear-

- ing metamorphic minerals under pressure: clinzozoisite and topaz, 1460
- Brady, J.B., Cheney, J.T., Rhodes, A.L., Vasquez, A., Green, C., Duvall, M., Kogut, A., Kaufman, L., and Kovaric, D.: Isotope geochemistry of Proterozoic talc occurrences in Archean marbles of the Ruby Mountains, southwest Montana, U.S.A., 246
- Brantley, S.L., see Tsomaia et al., 54
- Breit, U., see Hovis et al., 547
- Brenker, F.E., Meibom, A., and Frei, R.: On the formation of peridotite-derived Os-rich PGE alloys, 1731
- Brenker, F.E., Müller, W.F., and Brey, G.P.: Variation of antiphase domain size in omphacite: A tool to determine the temperature-time history of eclogites revisited, 1300
- Bretherton, J.L., see Fechtelkord et al., 1046
- Brey, G.P., see Brenker et al., 1300
- Brigatti, M.F., Guggenheim, S.G., and Poppi, M.: Crystal chemistry of the 1M mica polytype: The octahedral sheet, 667
- Bromiley, G.D. and Pawley, A.R.: The stability of antigorite in the systems $MgO-SiO_2-H_2O$ (MSH) and $MgO-Al_2O_3-SiO_2-H_2O$ (MASH): The effects of Al^{3+} substitution on high-pressure stability, 99
- Brouwer, D.H., see Groat et al., 195
- Brown, M., see Johnson et al., 624
- Brown Jr., G.E., see Juillet et al., 509
- Brownfield, I.K., see Meeker et al., 1955
- Brugger, J., Burns, P.C., and Meisser, N.: Contribution to the mineralogy of acid drainage of Uranium minerals: Marecottite and the zeppeite-group, 676
- Brummer, A., see Okrusch et al., 986
- Brunet, F., see Cairanne et al., 1385
- Bruno, E., see Beena and Bruno, 1532
- Buchwaldt, R., Tucker, R.D., and Dymek, R.F.: Geothermobarometry and U-Pb Geochronology of metapelitic granulites and pelitic migmatites from the Lokoko region, Northern Madagascar, 1753
- Bunge, H.-P.: Mantle convection in the earth and planets. By G. Schubert, D. L. Turcotte, and P. Olson, 256
- Burns, P.C., see Brugger et al., 676
- Burns, P.C., see Hughes and Burns, 962
- Burns, P.C., see Krivovichev et al., 424
- Burns, P.C., see Locock and Burns, 240
- Burns, P.C. and Hughes, K.-A.: Studtite, $[UO_2](O_2)(H_2O_2)(H_2O)$: The first structure of a peroxide mineral, 1165
- Buseck, P.R., see Konishi et al., 1718
- Bylaska, E.J., see Rustad et al., 436
- Cahill, C.L., see Post et al., 1697
- Cairanne, G., Brunet, F., Pozzi, J.-P., Besson, P., and Aubourg, C.: Magnetic monitoring of hydrothermal magnetite nucleation-and-growth: record of magnetic reversals, 1385
- Calas, G., see Balan et al., 1769
- Calas, G., see Juillet et al., 509
- Cámará, F., Carpenter, M.A., Domeneghetti, M.C., and Tazzoli, V.: Coupling between non-convergent ordering and transition temperature in the $C2/c \times P2_1/c$ phase transition in pigeonite, 1115
- Cámará, F., see Iezzi et al., 955
- Campbell, S.J., see Berry et al., 967
- Candela, P.A., see Simon et al., 1644
- Caporuscio, F., The 22nd edition of the manual of mineral science, by Cornelis Klein, 1400
- Caporuscio, F.: Emeralds of the World, Extralapis English #2: The Legendary Green Beryl. Alfredo Petrov and Günter Neumeier (translators). Christian Weise Verlag, Munich, and Lapis International, East Hampton, Connecticut, 2002, 1841
- Carey, J.W., see Bish et al., 1889
- Carey, J.W., see Fridriksson et al., 1060
- Carleton, L.E., see Gieré et al., 1853
- Carlson, S., see Dinnebier et al., 996
- Carlson, W.D., see Hirsch et al., 131
- Carlson, W.D., see Hirsch et al., 1173
- Carpenter, M.A., Meyer, H.-W., Sondergeld, P., Marion, S., and Knight, K.S.: Spontaneous strain variations through the low temperature phase transitions of deuterated lawsonite, 534
- Carpenter, M.A., see Cámará et al., 1115
- Carr, S.D., see Crowley et al., 930
- Carvalho-e-Silva, M.L., Ramos, A.Y., Tolentino, H.C.N., Enzweiler, J., Netto, S.M., and Alves, M.C.M.: Incorporation of Ni into natural goethite: An investigation by X-ray absorption spectroscopy, 876
- Castro, J.M., Cashman, K.V., and Manga, M.: A technique for measuring 3D crystal-size distributions of prismatic microlites in obsidian, 1230
- Cerný, P., Chapman, R., Teertstra, D.K., and Novák, M.: Rubidium- and cesium-dominant micas in granitic pegmatites, 1832
- Cesare, B., Cruciani, G., and Russo, U.: Hydrogen deficiency in Ti-rich biotite from anatectic metapelites (El Joyazo, SE Spain): Crystal-chemical aspects and implications for high-temperature petrogenesis, 583
- Chakoumakos, B.C., see Groat et al., 195
- Chakraborty, S., see Dohmen and Chakraborty, 1251
- Champallier, R., see Gaillard et al., 308
- Chang, S.J., see Jeong et al., 1872
- Chapman, R., see Černý et al., 1832
- Charlet, L., see Tournassat et al., 1989
- Charnock, J.M., Moyes, L.N., Patrick, R.A.D., Mosselmans, J.F.W., Vaughan, D.J., and Livens, F.R.: The structural evolution of mercury sulfide precipitate: an XAS and XRD study, 1197
- Chen, C., see Bostick et al., 1709
- Cheney, J.T., see Brady et al., 246
- Chipera, S.J., see Bish et al., 1889
- Chou, I.-M. and Seal, R.R. II: Acquisition and evaluation of thermodynamic data for morenosite-retgersite equilibria at 0.1 MPa, 1943
- Choudary, B.M., see Parthasarathy et al., 1983
- Cipriani, C., see Costagliola et al., 1345
- Cipriani, C., see Pratesi et al., 1778
- Clark, S.B., see Utsunomiya et al., 159
- Cody, G.D., see Mysen et al., 1668
- Cohen, R.E., see Gramsch et al., 257
- Conticelli, S., see Melluso et al., 1287
- Cornelius, S., see Gunter et al., 1970
- Costagliola, P., Di Benedetto, F., Benvenuti, M., Bernardini, G.P., Cipriani, C., Lattanzi, P.F., and Romanelli, M.: Chemical speciation of Ag in galena by EPR spectroscopy, 1345
- Couch, S.: Experimental investigation of crystallization kinetics in a haplogranite system, 1471
- Crowley, J.L., Ghent, E.D., Carr, S.D., Simony, P.S., and Hamilton M.A.: Multiple thermotectonic events in a continuous metamorphic sequence, Mica Creek area, southeastern Canadian Cordillera, 930
- Cruciani, G., see Cesare et al., 583
- Cultrone, G., see Rodriguez-Navarro et al., 713
- D'Antonio, M., see Melluso et al., 1287
- d'Espinose de la Caillerie, J.-B., see Pelletier et al., 1801
- Dalpé, C., see Klemme and Dalpé, 639
- Daniel, C.G., see Spear and Daniel, 245
- Daniel, I., see Sanchez-Valle et al., 978
- Dapiaggi, M., see Gualtieri et al., 1560
- Dapiaggi, M., see Artilo et al., 1084
- DeLaCruz, K., see Ayers et al., 365
- Della Ventura, G., see Iezzi et al., 955
- Del Tánago, C.J.G., La Iglesia, Á., Rius, J., and Fernández, S.: Calderonite, a new lead-iron-vanadate of the brackebuschite group, 1703
- Denton, M.B., see Origlieri, M.J., Erratum, 1632
- Denton, M.B., see Origlieri et al., 1025
- Dera, P., Prewitt, C.T., Japel, S., Bish, D.L., and Johnston, C.T.: Pressure-controlled polytypism in hydrous layered materials, 1428
- Dera, P., see Koch-Müller et al., 1436
- De Grave, E., see Eeckhout and De Grave, 1129
- De Grave, E., see Eeckhout and De Grave, 1138
- De Grave, E. and Eeckhout, S.G.: ^{57}Fe Mössbauer-effect studies of Ca-rich, Fe-bearing clinopyroxenes: Part III. Diopside, 1145
- De Stasio, G., see Gilbert et al., 763
- Dingwell, D.B., see Russell et al., 1390
- Dinnebier, R.E., Carlson, S., Hanfland, M., and Jansen, M.: Bulk moduli and high-pressure crystal structures of minium, Pb_3O_4 , determined by X-ray powder diffraction, 996
- Di Benedetto, F., see Costagliola et al., 1345
- Di Pierro, S., Gnos, E., Grobety, B.H., Arm-

- bruster, T., Bernasconi, S.M., and Ulmer, P.: Rock-forming moissanite (natural α -silicon carbide), 1817
- Döbelin, N. and Armbruster, T.: Stepwise dehydration of Sr-exchanged heulandite: A single-crystal X-ray study, 527
- Dobrzhinetskaya, L.F., see Bozhilov et al., 596
- Dódony, I., see Konishi et al., 1718
- Dohmen, R., and Chakraborty, S.: Mechanism and kinetics of element and isotopic exchange mediated by a fluid phase, 1251
- Dohnalkova, A.C., see Kukkadapu et al., 1903
- Domeneghetti, M.C., see Cámará et al., 1115
- Donelick, M.B., see Ketcham et al., 929
- Donelick, R.A., see Ketcham et al., 929
- Douglas, M., see Utsunomiya et al., 159
- Dove, M.T., see Sainz-Díaz et al., 1033
- Downs, R.T., see Origlieri, M.J., Erratum, 1632
- Downs, R.T., see Origlieri et al., 1025
- Downs, R.T., see Thompson and Downs, 653
- Downs, R.T.: Topology of the pyroxenes as a function of temperature, pressure, and composition as determined from the procrystal electron density, 556
- Downs, R.T. and Hall-Wallace, M.: The American Mineralogist crystal structure database, 247
- Drouet, C., Baron, D., and Navrotsky, A.: On the thermochemistry of the solid solution between jarosite and its chromate analog, 1949
- Duggal, A., see Jackson et al., 890
- Durakiewicz, T., see Sharp et al., 87
- Dutrow, B.L., see Henry et al., 1399
- Duvall, M., see Brady et al., 246
- Dyar, M.D., see Gunter et al., 1970
- Dymek, R.F., see Buchwaldt et al., 1753
- Eberl, D.D., see Kile and Eberl, 1514
- Ecckhout, S.G., see De Grave and Ecckhout, 1145
- Ecckhout, S.G. and De Grave, E.: ^{57}Fe Mössbauer-effect studies of Ca-rich, Fe-bearing clinopyroxenes: Part I. Paramagnetic spectra of magnesian hedenbergite, 1129
- Ecckhout, S.G. and De Grave, E.: ^{57}Fe Mössbauer-effect studies of Ca-rich, Fe-bearing clinopyroxenes: Part II. Magnetic spectra of magnesian hedenbergite, 1138
- Eiler, J.: Acceptance of the Mineralogical Society of America Award for 2002, 942
- Ellis, D., see Zhang et al., 1157
- Enami, M., see Yang and Enami, 604
- Enzweiler, J., see Carvalho-e-Silva et al., 876
- Ernst, W.G., see Bostick et al., 1709
- Ertl, A., Hughes, J.M., Prowatke, S., Rossman, G.R., London, D., and Fritz, E.A.: Mn-rich tourmaline from Austria: structure, chemistry, optical spectra, and relations to synthetic solid solutions, 1369
- Ewing, R.C., see Fayek et al., 1583
- Ewing, R.C., see Palenik et al., 770
- Ewing, R.C., see Utsunomiya et al., 159
- Ewing, R.C., see Utsunomiya et al., 1844
- Farges, F., see Muñoz et al., 694
- Farnan, I., Balan, E., Pickard, C.J., and Mauri, F.: The effect of radiation damage on local structure in the crystalline fraction of ZrSiO_4 : Investigating the ^{29}Si NMR response to pressure in zircon and reidite, 1663
- Farnan, I., see Balan et al., 1769
- Faure, F., Trolliard, G., and Soulestin, B.: TEM investigation of forsterite dendrites, 1241
- Fayek, M., Utsunomiya, S., Ewing, R.C., Riciputi, L.R., and Jensen, K.A.: Oxygen isotopic composition of nano-scale uraninite at the Oklo-Okélobondo natural fission reactors, Gabon, 1583
- Fechtelkord, M., Behrens, H., Holtz, F., Bretherton, J.L., Fyfe, C.A., Groat, L.A., and Raudsepp, M.: Influence of F content on the composition of Al-rich synthetic phlogopite: Part II. Probing the structural arrangement of aluminum in tetrahedral and octahedral layers by ^{27}Al MQMAS and $^1\text{H}/^1\text{F}-^{27}\text{Al}$ HETCOR and REDOR experiments, 1046
- Fechtelkord, M., Behrens, H., Holtz, F., Fyfe, C.A., Groat, L.A., and Raudsepp, M.: Influence of F content on the composition of Al-rich synthetic phlogopite: Part I. New information on structure and phase-formation from ^{29}Si , ^1H , and ^{19}F MAS NMR spectroscopies, 47
- Feeenstra, A., Ockenga, E., Rhede, D., and Wiedenbeck, M.: Li-rich zincostaurolite and its decompression-related breakdown products in a diasporite-bearing metabauxite from East Samos (Greece): An EMP and SIMS study, 789
- Fei, Y., see Koch-Müller et al., 1436
- Felmy, A.R., Mason, M.J., Gassman, P.L., and McCready, D.E.: The formation of Sr silicates at low temperature and the solubility product of tobermorite-like $\text{Sr}_5\text{Si}_6\text{O}_{16}(\text{OH})_2 \cdot 5\text{H}_2\text{O}$, 73
- Felmy, A.R., see Rustad et al., 436
- Fernández, S., see Del Tánago et al., 1703
- Fernández-Turiel, J.L., see Garcia-Vallès et al., 1996
- Ferraris, G., see Grice and Ferraris, 1620
- Ferro, O., see Arletti et al., 1416
- Fialips, C.-I., Majzlan, J., Beaufort, D., and Navrotsky, A.: New thermochemical evidence on the stability of dickite vs. kaolinite, 837
- Floss, C., see Taylor et al., 912
- Fois, E., Alberti et al., 1
- Foit, F.F. Jr., see Gunter et al., 1970
- Foran, G.J., see Berry et al., 967
- Förster, H.-J., see Harlov and Förster, 1209
- Fournelle, J., see Gilbert et al., 763
- Fransolet, A.-M., see Hatert et al., 211
- Frazer, B.H., see Gilbert et al., 763
- Fredrickson, J.K., see Kukkadapu et al., 1903
- Frei, R., see Brenker et al., 1731
- Fridriksson, T., Bish, D.L., and Bird, D.K.: Hydrogen-bonded water in laumontite I: X-ray powder diffraction study of water site occupancy and structural changes in laumontite during room-temperature iso-thermal hydration/dehydration, 277
- Fridriksson, T., Carey, J.W., Bish, D.L., Neuhoff, P.S., and Bird, D.K.: Hydrogen-bonded water in laumontite II: Experimental determination of site-specific thermodynamic properties of hydration of the W1 and W5 sites, 1060
- Friedrich, A., Mazzi, F., Wildner, M., and Tillmanns, E.: Isotypism of $\text{Co}(\text{H}_2\text{O})_6[\text{Sb}(\text{OH})_6]_2$ with brandholzite and bottinoite, 462
- Fritz, E.A., see Ertl et al., 1369
- Frost, D.J., see Smyth et al., 1402
- Frost, D.J.: Fe^{2+} -Mg partitioning between garnet, magnesiowüstite, and $(\text{Mg},\text{Fe})\text{SiO}_4$ phases of the transition zone, 387
- Frost, R.L., see Martens and Frost, 37
- Frost, R.L., see Martins et al., 501
- Fujii, N., see Furuchi et al., 926
- Furić, K., see Bermanec et al., 271
- Furuchi, H., Fujii, N., Ito, E., Kanno, Y., Watanabe, S., and Tanaka, H.: Transformation of SiO_2 to the amorphous state by shearing at high pressure, 926
- Fyfe, C.A., see Fechtelkord et al., 47
- Fyfe, C.A., see Fechtelkord et al., 1046
- Fyfe, C.A., see Groat et al., 195
- Gaillard, F., Pichavant, M., Mackwell, S., Champallier, R., Scaillet, B., and McCammon, C.: Chemical transfer during redox exchanges between H_2 and Fe-bearing silicate melts, 308
- Galan, G., see Llovet and Galan, 121
- Gale, J.D., see Rohr et al., 921
- Galoisy, L., see Juillot et al., 509
- Gamba, A., Alberti et al., 1
- Garcia-Vallès, M., Gimeno-Torrente, D., Martínez-Manent, S., and Fernández-Turiel, J.L.: Medieval stained glass in a Mediterranean climate: Typology, weathering and glass decay, and associated biomineralization processes and products, 1996
- Garvie, L.A.J.: Decay-induced biomineralization of the saguaro cactus (*Carnegiea gigantea*), 1879
- Gassman, P.L., see Felmy et al., 73
- Geiger, C.A., see Artiloi et al., 1084
- Geiger, C.A., see Kolesov and Geiger, 1364
- Geisler, T., Pidgeon, R.T., Kurtz, R., van Bronswijk, W., and Schleicher, H.: Experimental hydrothermal alteration of partially metamict zircon, 1496
- Gemmi, M., see Gualtieri et al., 1560
- Ghent, E.D., see Crowley et al., 930
- Gibbs, G.V., see Ross et al., 1452
- Gieré, R., Carleton, L.E., and Lumpkin, G.R.: Micro- and nanochemistry of fly ash from a coal-fired power plant, 1853
- Gilbert, B., Frazer, B.H., Naab, F., Fournelle,

- J., Valley, J.W., and De Stasio, G.: X-ray absorption spectroscopy of silicates for in situ, sub-micrometer mineral identification, 763
- Gimeno-Torrente, D., see Garcia-Vallès et al., 1996
- Giordano, D., see Russell et al., 1390
- Giudice, A.L., see Pratesi et al., 1778
- Gleeson, S.A., see Grant et al., 262
- Gnos, E., Armbruster, T., and Villa, I.M.: Norrishite, $K(Mn_{23}^{+6}Li)Si_4O_{10}(O)_2$, an oxymica associated with sugilite from the Wessels Mine, South Africa: Crystal chemistry and ^{40}Ar - ^{39}Ar dating, 189
- Gnos, E., see Di Pierro et al., 1817
- Golla-Schindler, U., see Kasama et al., 1190
- Gong, B., see Zheng et al., 1633
- Graham, C.M., see Peck et al., 1003
- Gramsch, S.A., Cohen, R.E., and Savrasov, S.Y.: Structure, metal-insulator transitions, and magnetic properties of FeO at high pressures, 257
- Grandjean, F., see Hatert et al., 211
- Grant, K., Gleeson, S.A., and Roberts, S.: The high-temperature behavior of defect hydrogen species in quartz: Implications for hydrogen isotope studies, 262
- Grassmann, O., Neder, R.B., Putnis, A., and Löbmann, P.: Biomimetic control of crystal assembly by growth in an organic hydrogel network, 647
- Grave, E., see Barrón et al., 1679
- Green, C., see Brady et al., 246
- Green II, H.W., see Bozhilov et al., 596
- Grevel, K.-D., see Majzlan et al., 855
- Grey, I.E., Mumme, W.G., Pekov, I.V., and Pushcharovsky, D.Yu.: The crystal structure of chromian kassite from the Saranskoye deposit, Northern Urals, Russia, 1331
- Grice, J.D., and Ferraris, G.: New minerals approved in 2002 and nomenclature modifications approved 1998–2002 by the Commission on New Minerals and Mineral Names, International Mineralogical Association, 1620
- Groat, L.A., and see Fechtelkord et al., 47
- Groat, L.A., Chakoumakos, B.C., Brouwer, D.H., Hoffman, C.M., Fyfe, C.A., Morell, H., and Schultz, A.J.: The amblygonite (LiAlPO_4F)-montebrasite (LiAlPO_4OH) solid solution: A combined powder and single-crystal neutron diffraction and solid-state ^7Li MAS, C
- Groat, L.A., see Fechtelkord et al., 1046
- Grobéty, B.: Polotypes and higher-order structures of antigorite: A TEM study, 27
- Grobety, B.H., see Di Pierro et al., 1817
- Grodzicki, M., Redhammer, G.J., Amthauer, G., Schünemann, V., Trautwein, A.X., Velickov, B., and Schmid-Beurmann, P.: Electronic structure of Fe-bearing lazulites, 481
- Groy, T.L., see Konishi et al., 1718
- Gualt, R.: Alkaline Rocks and Carbonatites of the World, Part 3: Africa. By A.R. Wooley, 480
- Gualtieri, A.F., Gemmi, M., and Dapiaggi, M.: Phase transformations and reaction kinetics during the temperature-induced oxidation of natural olivine, 1560
- Guggenheim, S.G., see Brigatti et al., 667
- Gunter, M.E., Dyar, M.D., Twamley, B., Foit, F.F. Jr., and Cornelius, S.: Composition, $\text{Fe}^{3+}/\Sigma\text{Fe}$, and crystal structure of non-asbestiform and asbestiform amphiboles from Libby, Montana, U.S.A., 1970
- Gunter, M.E., see Hughes et al., 1324
- Guo, Q., see Matthews et al., 701
- Hälenius, U., see Skogby and Hälenius, 489
- Hälenius, U., see Skogby et al., 1601
- Hall-Wallace, M., see Downs and Hall-Wallace, 247
- Hamilton, J.P., see Tsomaia et al., 54
- Hamilton M.A., see Crowley et al., 930
- Hanfland, M., see Dinnebier et al., 996
- Hanfland, M., see Levy et al., 93
- Hanson, J., see Post et al., 142
- Hanson, J.C., see Post et al., 782
- Harlov, D.E. and Förster, H.-J.: Fluid-induced nucleation of (Y+REE)-phosphate minerals within apatite: Nature and experiment. Part II. Fluorapatite, 1209
- Harlow, G.E., see Origlieri et al., 1025
- Harlow, G.E., see Origlieri, M.J., Erratum, 1632
- Harlow, G.E.: Diopside + F-rich phlogopite at high P and T: Systematics, crystal chemistry and the stability of KMgF_3 , clinohumite and chondrodite, 1625
- Harrison, R.J., Redfern, S.A.T., and Street, J.: The effect of transformation twins on the seismic-frequency mechanical properties of polycrystalline $\text{Ca}_{1-x}\text{Sr}_x\text{TiO}_3$ perovskite, 574
- Hatert, F., Hermann, R.P., Long, G.J., Fransolet, A.-M., and Grandjean, F.: An X-ray Rietveld, infrared, and Mössbauer spectral study of the $\text{NaMn}(\text{Fe}_{1-x}\text{In}_x)_2(\text{PO}_4)_3$ alluaudite-type solid solution, 211
- Hauri, E., see Koch-Müller et al., 1436
- Heaney, P.J., see Post et al., 142
- Heaney, P.J., see Post et al., 782
- Heaney, P.J., see Post et al., 1697
- Heasman, D.M., Sherman, D.M., and Ragnarsdóttir, K.V.: The reduction of aqueous Au^{3+} by sulfide minerals and green rust phases, 725
- Heinrich, C.A., see Simon et al., 1644
- Hemley, R.J., see Liu et al., 1412
- Henderson, G.S., see Peskleway et al., 18
- Henrikson, K., Stipp, S.L.S., Young, J.R., and Bown, P.R.: Tailoring calcite: Nanoscale AFM of coccolith biocrystals, 2040
- Henry, D.J., Dutrow, B.L., and Selverstone, J.: Compositional asymmetry in replacement tourmaline—An example from the Tauern Window, Eastern Alps, 1399
- Hermann, R.P., see Hatert et al., 211
- Hernández-Laguna, A., see Timón et al., 1788
- Hesse, R., see Shata et al., 748
- Hill, D.P.: Acceptance of the Distinguished Public Service Medal for 2002, 944
- Hiraga, T., Anderson, I.M., and Kohlstedt, D.L.: Chemistry of grain boundaries in mantle rocks, 1015
- Hirsch, D.M., Ketcham, R.A., and Carlson, W.D.: An evaluation of spatial correlation functions in textural analysis of metamorphic rocks, 1173
- Hirsch, D.M., Prior, D.J., and Carlson, W.D.: An overgrowth model to explain multiple, dispersed high-Mn regions in the cores of garnet porphyroblasts, 131
- Hochella Jr., M.F., see Bickmore et al., 709
- Hochella Jr., M.F., see Weaver and Hochella, 2016
- Hochella Jr., M.F.: Acceptance of the Dana Medal of the Mineralogical Society of America for 2002, 947
- Hock, R., see Okrusch et al., 986
- Hoefen, T.M., see Meeker et al., 1955
- Hoffman, C.M., see Groat et al., 195
- Holl, C.M., see Smyth et al., 1402
- Holt, G.S., see White et al., 316
- Holtz, F., see Fechtelkord et al., 47
- Holtz, F., see Fechtelkord et al., 1046
- Hörz, F., see Johnson et al., 1575
- Hou, X., Bish, D.L., Wang, S.-L., Johnston, C.T., and Kirkpatrick, R.J.: Hydration, expansion, structure, and dynamics of layered double hydroxides, 167
- Hovis, G.L., Kroll, H., Breit, U., and Yund, R.A.: Elastic strain enthalpies of exsolution: HF solution calorimetric experiments on alkali aluminosilicate and aluminogermanate feldspars, 547
- Hughes, J.M., Rakovan, J., Bracco, R., and Gunter, M.E.: The atomic arrangement of the ganophyllite-group modulated layer silicates as determined from the orthorhombic dimorph of tamaite, with the elusive 16.8 Å ganophyllite-group superstructure revealed, 1324
- Hughes, J.M., see Ertl et al., 1369
- Hughes, K.-A. and Burns, P.C.: A new uranyl carbonate sheet in the crystal structure of fontanite, $\text{Ca}[(\text{UO}_2)_3(\text{CO}_3)_2\text{O}_2](\text{H}_2\text{O})_6$, 962
- Humbert, B., see Pelletier et al., 1801
- Hunter, B.A., see Wallwork et al., 235
- Iezzi, G., Della Ventura, G., Cámará, F., Pedrazzi, G., and Robert, J.-L.: ^6Na - ^7Li solid-solution in A-site-vacant amphiboles: synthesis and cation ordering along the ferri-clinoferroholmquistite-riebeckite join, 955
- Ildefonse, P., see Juillet et al., 509
- Inoue, T., see Wang et al., 1608
- Ishida, K., Jenkins et al., 1104
- Ito, E., see Furuchi et al., 926
- Jackson, D.A., Nesbitt, H.W., Scaini, M.J.,

- Duggal, A., and Bancroft, G.M.: Gersdorffite (NiAsS) chemical state properties and reactivity toward air and aerated, distilled water, 890
- Jacobsen, S.D., see Smyth et al., 1402
- Jahn, B.-M., see Zheng et al., 1633
- Jambor, J., see Becker et al., 1843
- Jambor, J.L. and Roberts, A.C.: New Mineral Names, 251
- Jambor, J.L. and Roberts, A.C.: New Mineral Names, 475
- Jambor, J.L. and Roberts, A.C.: New Mineral Names, 931
- Jambor, J.L. and Roberts, A.C.: New Mineral Names, 1175
- Jambor, J.L. and Roberts, A.C.: New Mineral Names, 1626
- Jambor, J.L. and Roberts, A.C.: New Mineral Names, 1836
- Jansen, M., see Dinnebier et al., 996
- Japel, S., see Dera et al., 1428
- Japel, S.L., see Konzett and Japel, 1073
- Jayasuriya, K.D., see Berry et al., 967
- Jenkins, D.M., Bozhilov, K.N., and Ishida, K.: Infrared and TEM characterization of amphiboles synthesized near the tremolite-pargasite join in the ternary system tremolite-pargasite-cummingtonite, 1104
- Jenkins, D.M., see Pavlovich and Jenkins, 1486
- Jensen, K.A., see Fayek et al., 1583
- Jeong, G.Y., Kim, S.J., and Chang, S.J.: Black carbon pollution of speleothems by fine urban aerosols in tourist caves, 1872
- Jeong, G.Y. and Kim, H.B.: Mineralogy, chemistry, and formation of oxidized biotite in the weathering profile of granitic rocks, 352
- Jeong, G.Y. and Lee, B.Y.: Secondary mineralogy and microtextures of weathered sulfides and manganese carbonates in mine waste-rock dumps, with implications for heavy-metal fixation, 1933
- Jephcoat, A.P., see Kleppe et al., 567
- Jerz, J.K. and Rimstidt, J.D.: Efflorescent iron sulfate minerals: Paragenesis, relative stability, and environmental impact, 1919
- Jiang, W., see Zhang et al., 1157
- Johnson, C.A.: Stable isotope geochemistry by John W. Valley and David R. Cole, Eds., 710
- Johnson, E.A. and Rossman, G.R.: The concentration and speciation of hydrogen in feldspars using FTIR and ^1H MAS NMR spectroscopy, 901
- Johnson, J.R., Hörz, F., and Staid, M.I.: Thermal infrared spectroscopy and modeling of experimentally shocked plagioclase feldspars, 1575
- Johnson, T.E., Brown, M., and Solar, G.S.: Low-pressure subsolidus and suprasolidus phase equilibria in the Mn-NCKFMASH system: Constraints on conditions of regional metamorphism in western Maine, northern Appalachians, 624
- Johnston, C.T., see Dera et al., 1428
- Johnston, C.T., see Hou et al., 167
- Jones, R.E., see Bostick et al., 1709
- Juillet, F., Morin, G., Ildefonse, P., Trainor, T.P., Benedetti, M., Galois, L., Calas, G., and Brown Jr., G.E.: Occurrence of Zn/Al hydrotalcite in smelter-impacted soils from northern France: Evidence from EXAFS spectroscopy and chemical extractions, 1441
- Kagi, H., Nagai, T., Loveday, J.S., Wada, C., and Parise, J.B.: Pressure-induced phase transformation of kalicinitite (KHCO_3) at 2.8 GPa and local structural changes around hydrogen atoms, 1446
- Kagi, H., see Nagai et al., 1423
- Kalinichev, A.G., see Wang et al., 398
- Kampf, A.R., Merlini, S., and Pasero, M.: Order-disorder approach to calcioaravaipaite, [$\text{PbCa}_2\text{Al}(\text{F},\text{OH})_6$]: The crystal structure of the triclinic MDO polytypes, 430
- Kampf, A.R.: Handbook of Mineralogy, Volume V. Borates, Carbonates, Sulfates. By John W. Anthony, Richard A. Bideaux, Kenneth W. Bladh, and Monte C. Nichols. Mineral Data Publishing, Tucson, Arizona; 2003, 1842
- Kanno, Y., see Furuchi et al., 926
- Karner, J., Papike, J.J., and Shearer, C.K.: Olivine from planetary basalts: Chemical signatures that indicate planetary parentage and those that record igneous setting and process, 806
- Karner, J.M., see Papike et al., 469
- Kasama, T., Golla-Schindler, U., and Putnis, A.: High-resolution and energy-filtered TEM of the interface between hematite and ilmenite exsolution lamellae: Relevance to the origin of lamellar magnetism, 1190
- Kasama, T., see Murakami et al., 377
- Katayama, I. and Nakashima, S.: Hydroxyl in clinopyroxene from the deep subducted crust: Evidence for H_2O transport into the mantle, 229
- Kaufman, L., see Brady et al., 246
- Keppler, H.: Water solubility in carbonatite melts, 1822
- Kesson, S., see O'Neill et al., 860
- Ketcham, R.A., Donelick, R.A., and Donelick, M.B.: AFTSolve: A program for multi-kinetic modeling of apatite fission-track data, 929
- Ketcham, R.A., see Hirsch et al., 1173
- Ketcham, R.A.: Observations on the relationship between crystallographic orientation and biasing in apatite fission-track measurements, 817
- Kikegawa, T., see Nishihara et al., 80
- Kikegawa, T., see Vanpeteghem et al., 1408
- Kile, D.E. and Eberl, D.D.: On the origin of size-dependent and size-independent crystal growth: Influence of advection and diffusion, 1514
- Kim, H.B., see Jeong and Kim, 352
- Kim, S.J., see Jeong et al., 1872
- Kirkpatrick, R.J., see Hou et al., 167
- Kirkpatrick, R.J., see Wang et al., 398
- Kitamura, M., see Sakamoto et al., 1605
- Klemm, R.: Ultrahigh-pressure metamorphism in eclogites from the western Tianshan high-pressure belt (Xinjiang, western China)—Comment, 1153
- Klemme, S. and Dalpé, C.: Trace-element partitioning between apatite and carbonatite melt, 639
- Klemme, S. and van Miltenburg, J.C.: Thermo-dynamic properties of hercynite (FeAl_2O_4) based on adiabatic calorimetry at low temperatures, 68
- Kleppe, A.K., Jephcoat, A.P., and Welch, M.D.: The effect of pressure upon hydrogen bonding in chlorite: A Raman spectroscopic study of clinochlore to 26.5 GPa, 567
- Klocke, A., see Shi et al., 1866
- Kloprogge, J.T., see Martins et al., 501
- Kniewald, G., see Bermanec et al., 271
- Knight, K.S., see Carpenter et al., 534
- Koch-Müller, M., Dera, P., Fei, Y., Reno, B., Sobolev, N., Hauri, E., and Wysoczanski, R.: OH⁻ in synthetic and natural coesite, 1436
- Koděra, P., Murphy, P.J., and Rankin, A.H.: Retrograde mineral reactions in saline fluid inclusions: The transformation ferropyrosmalite \leftrightarrow clinopyroxene, 151
- Kogut, A., see Brady et al., 246
- Kohlstedt, D.L., see Hiraga et al., 1015
- Kohn, M.J.: Erratum to Why most “dry” rocks should cool “wet”, 1835
- Kolesov, B.A. and Geiger, C.A.: Molecules in the SiO_2 -clathrate melanophlogite: A single-crystal Raman study, 1364
- Kondo, T., see Vanpeteghem et al., 1408
- Konishi, H., Groy, T.L., Dódony, I., Miyawaki, R., Matsubara, S., and Buseck, P.R.: Crystal structure of protoanthophyllite: A new mineral from the Takase ultramafic complex, Japan, 1718
- Konzett, J., and Japel, S.L.: High P-T phase relations and stability of a (21)-hydrous clinopyribole in the system $\text{K}_2\text{O}-\text{Na}_2\text{O}-\text{CaO}-\text{MgO}-\text{Al}_2\text{O}_3-\text{SiO}_2-\text{H}_2\text{O}$: An experimental study to 18 GPa, 1073
- Kovaric, D., see Brady et al., 246
- Kristiansson, P., see Skogby et al., 1601
- Krivotichev, S.V., Yakovenchuk, V.N., Burns, P.C., Pakhomovsky, Y.A., and Menshikov, Y.P.: Cafetite, $\text{Ca}[\text{Ti}_2\text{O}_5](\text{H}_2\text{O})$: Crystal structure and revision of chemical formula, 424
- Kroll, H., see Hovis et al., 547
- Kubo, K., see Matsukage and Kubo, 1271
- Kukkadapu, R.K., Zachara, J.M., Fredrickson, J.K., Smith, S.C., Dohnalkova, A.C., and Russell, C.K.: Transformation of 2-line ferrihydrite to 6-line ferrihydrite under oxic and anoxic conditions, 1903
- Kunwar, A.C., see Parthasarathy et al., 1983

- Kunz, M., see Rath et al., 293
 Kurtz, R., see Geisler et al., 1496
 Lager, G., see Welch and Lager, 1401
 Lager, G.A., see Liu et al., 1412
 Lang, B.E., see Majzlan et al., 846
 Lange, R.A.: The fusion curve of albite revisited and the compressibility of $\text{NaAlSi}_3\text{O}_8$ liquid with pressure, 109
 Langenhorst, F., see Smyth et al., 1402
 Lattanzi, P.F., see Costagliola et al., 1345
 Lavrentiev, M.Y., Purton, J.A., and Allan, N.L.: Ordering in spinels—A Monte Carlo study, 1522
 La Iglesia, Á., see Del Tánago et al., 1703
 Lebedev, V.N., see Nadolinsky et al., 11
 Lee, B.Y., see Jeong and Lee, 1933
 Lee, M.R., Thompson, P., Poeml, P., and Parsons, I.: Peristeritic plagioclase in North Sea hydrocarbon reservoir rocks: implications for diagenesis, provenance and stratigraphic correlation, 866
 Lee, S.K., see Allwardt et al., 949
 Lee, S.K. and Stebbins, J.F.: O atom sites in natural kaolinite and muscovite: ^{17}O MAS and 3QMAS NMR study, 493
 Leech, M.L., see Bostick et al., 1709
 Lesher, C.E., Pickering-Witter, J., Baxter, G., and Walter, M.: Melting of garnet peridotite: Effects of capsules and thermocouples, and implications for the high-pressure mantle solidus, 1181
 Levy, D., Pavese, A., and Hanfland, M.: Synthetic MgAl_2O_4 (spinel) at high-pressure conditions (0.0001–30 GPa): A synchrotron X-ray powder diffraction study, 93
 Le Bihan, T., see Andrault et al., 301
 Li, B.: Compressional and shear wave velocities of ringwoodite $\gamma\text{-Mg}_2\text{SiO}_4$ to 12 GPa, 1312
 Linnen, R.L., see Matthews et al., 701
 Liou, J.G., see Zhang and Liou, 1591
 Liu, Y., see Zhang et al., 1741
 Liu, Z., Lager, G.A., Hemley, R.J., and Ross, N.L.: Synchrotron infrared spectroscopy of OH-chondrodite and OH-clinohumite at high pressure, 1412
 Livens, F.R., see Charnock et al., 1197
 Llovet, X. and Galan, G.: Correction of secondary X-ray fluorescence near grain boundaries in electron microprobe analysis: Application to thermobarometry of spinel ilherzolites, 121
 Löbmann, P., see Grassmann et al., 647
 Locock, A.J. and Burns, P.C.: The crystal structure of synthetic autunite, $\text{Ca}[(\text{UO}_2)(\text{PO}_4)_3](\text{H}_2\text{O})_{11}$, 240
 London, D., see Ertl et al., 1369
 Long, G.J., see Hatert et al., 211
 Loveday, J.S., see Kagi et al., 1446
 Lowers, H.A., see Meeker et al., 1955
 Lucier, A., see Mysen et al., 1668
 Lumpkin, G., see Becker et al., 1843
 Lumpkin, G.R., see Gieré et al., 1853
 Mackwell, S., see Gaillard et al., 308
 Majzlan, J., Grevel, K.-D., and Navrotsky, A.: Thermodynamics of Fe oxides: Part II. Enthalpies of formation and relative stability of goethite ($\alpha\text{-FeOOH}$), lepidocrocite ($\gamma\text{-FeOOH}$), and maghemite ($\gamma\text{-Fe}_2\text{O}_3$), 855
 Majzlan, J., Lang, B.E., Stevens, R., Navrotsky, A., Woodfield, B.F., and Boero-Goates, J.: Thermodynamics of Fe oxides: Part I. Entropy at standard temperature and pressure and heat capacity of goethite ($\alpha\text{-FeOOH}$), lepidocrocite ($\gamma\text{-FeOOH}$), and maghemite ($\gamma\text{-Fe}_2\text{O}_3$), 846
 Majzlan, J., see Fialips et al., 837
 Makovicky, E., see Berlepsch et al., 450
 Manfredotti, C., see Pratesi et al., 1778
 Mao, H.-K., see Meng et al., 1555
 Marion, S., see Carpenter et al., 534
 Martens, W.N., Frost, R.L., Kloprogge, J.T., and Williams, P.A.: The basic copper arsenate minerals olivenite, cornubite, cornwallite, and clinoclase: An infrared emission and Raman spectroscopic study, 501
 Martens, W. and Frost, R.L.: An infrared spectroscopic study of the basic copper phosphate minerals: Cornetite, libethenite, and pseudomalachite, 37
 Martin, R.F., see Shata et al., 748
 Martinez, I., see Sanchez-Valle et al., 978
 Martínez-Manent, S., see Garcia-Vallès et al. 1996
 Mason, M.J., see Felmy et al., 73
 Massonne, H.-J. and Nasdala, L.: Characterization of an early metamorphic stage through inclusions in zircon of a diamondiferous quartzofeldspathic rock from the Erzgebirge, Germany, 883
 Matsubara, S., see Konishi et al., 1718
 Matsukage, K., see Nishihara et al., 80
 Matsukage, K.N. and Kubo, K.: Chromian spinel during melting experiments of dry peridotite (KLB-1) at 1.0–2.5 GPa, 1271
 Matthews, W., Linnen, R.L., and Guo, Q.: A filler-rod technique for controlling redox conditions in cold-seal pressure vessels, 701
 Mauri, F., see Balan et al., 1769
 Mauri, F., see Farnan et al., 1663
 Mazzi, F., see Friedrich et al., 462
 McCammon, C., see Gaillard et al., 308
 McCammon, C.A., see Smyth et al., 1402
 McCammon, C.A., see Wilkins et al., 1336
 McCready, D.E. see Felmy et al., 73
 McDade, P., Blundy, J.D., and Wood, B.J.: Trace element partitioning between mantle wedge peridotite and hydrous MgO-rich melt, 1825
 Meeker, G.P., Bern, A.M., Brownfield, I.K., Lowers, H.A., Sutley, S.J., Hoefen, T.M., and Vance, J.S.: The composition and morphology of amphiboles from the Rainy Creek Complex, near Libby, Montana, 1955
 Meibom, A., see Brenker et al., 1731
 Meisser, N., see Brugger et al., 676
 Melluso, L., Conticelli, S., D'Antonio, M., Mirco, N.P., and Saccani, E.: Petrology and mineralogy of wollastonite- and melilite-bearing paralavas from the Central Apennines, Italy, 1287
 Menchetti, S., see Bindi et al., 464
 Menchetti, S., see Bonazzi et al., 1796
 Meng, Y., Newville, M., Sutton, S., Rakovan, J., and Mao, H.-K.: Fe and Ni impurities in synthetic diamond, 1555
 Menshikov, Y.P., see Krivovichev et al., 424
 Merlini, S., see Kampf et al., 430
 Meyer, H.-W., see Carpenter et al., 534
 Michot, L.J., see Pelletier et al., 1801
 Mikaelian, H., see Putirka et al., 1542
 Miletich, R., see Rath et al., 293
 Miller, C., see Ayers et al., 365
 Miroc, N.P., see Melluso et al., 1287
 Mirtič, B., see Šrot et al., 1809
 Miyawaki, R., see Konishi et al., 1718
 Moloy, E.C., see Navrotsky et al., 1612
 Morell, H., see Groat et al., 195
 Mori, Y., Nishiyama, T., and Yanagi, T.: Mass transfer and reaction paths in alteration zones around carbonate veins in the Nishisonogi Metamorphic Rocks, southwest Japan, 611
 Morin, G., see Juillet et al., 509
 Mosenfelder, J.L., see Andrault et al., 301
 Mosselmans, J.F.W., see Charnock et al., 1197
 Moyes, L.N., see Charnock et al., 1197
 Mueller, K.T., see Tsomaia et al., 54
 Muller, P.D., see Alcock et al., 474
 Müller, W.F., see Brenker et al., 1300
 Mumme, W.G., see Grey et al., 1331
 Muñoz, M., Argoul, P., and Farges, F.: Continuous Cauchy wavelet transform analyses of EXAFS spectra: A qualitative approach, 694
 Murad, E. and Rojík, P.: Iron-rich precipitates in a mine drainage environment: Influence of pH on mineralogy, 1915
 Murakami, T., Utsunomiya, S., Yokoyama, T., and Kasama, T.: Biotite dissolution processes and mechanisms in the laboratory and in nature: Early stage weathering environment and vermiculitization, 377
 Murphy, P.J., see Kodéra et al., 151
 Myer, K., see Alcock et al., 474
 Mysen, B.O., Lucier, A., and Cody, G.D.: The structural behavior of Al^{3+} in peralkaline melts and glasses in the system $\text{Na}_2\text{O}-\text{Al}_2\text{O}_3-\text{SiO}_2$, 1668
 Naab, F., see Gilbert et al., 763
 Nabelek, P.I., see Sirbescu and Nabelek, 1055
 Nadolinsky, V.A., Shatsky, V.S., Sobolev, N.V., Twitchen, D.J., Yuryeva, O.P., Vasilevsky, I.A., and Lebedev, V.N.: Observation and interpretation of paramagnetic defects in Brazilian and Central African carbonados, 11
 Nagai, T., Kagi, H., and Yamanaka, T.: Variation of hydrogen bonded O···O distances in

- goethite at high pressure, 1423
 Nagai, T., see Kagi et al., 1446
 Nakamura, M., see Okumura et al., 1657
 Nakashima, S., see Katayama and Nakashima, 229
 Nakashima, S., see Okumura et al., 1657
 Nasdala, L., see Massonne and Nasdala, 883
 Nasdala, L., see Palenik et al., 770
 Navrotsky, A., see Drouet et al., 1949
 Navrotsky, A., see Fialips et al., 837
 Navrotsky, A., see Majzlan et al., 846
 Navrotsky, A., see Majzlan et al., 855
 Navrotsky, A., Xu, H., Moloy, E.C., and Welch, M.D.: Thermochemistry of guest-free melanophlogite, 1612
 Neaman, A., see Tournassat et al., 1989
 Neder, R.B., see Grassmann et al., 647
 Nesbitt, H.W., see Jackson et al., 890
 Nesbitt, H.W., Uhlig, I., Bancroft, G.M., and Szargan, R.: Resonant XPS study of the pyrite valence band with implications for molecular orbital contributions, 1279
 Netto, S.M., see Carvalho-e-Silva et al., 876
 Neuhoff, P.S., see Fridriksson et al., 1060
 Neuhoff, P.S., Stebbins, J.F., and Bird, D.K.: Si-Al disorder and solid solutions in analcime, chabazite, and wairakite, 410
 Newville, M., see Meng et al., 1555
 Nishihara, Y., Takahashi, E., Matsukage, K., and Kikegawa, T.: Thermal equation of state of omphacite, 80
 Nishiyama, T., see Mori et al., 611
 Novák, M., see Černý et al. 1832
 Nozaka, T.: Compositional heterogeneity of olivine in thermally metamorphosed serpentinite from Southwest Japan, 1377
 O'Neill, H.S.C., Redfern, S.A.T., Kesson, S., and Short, S.: An *in situ* neutron diffraction study of cation disordering in synthetic quandilitite Mg_2TiO_4 at high temperatures, 860
 O'Neill, H.St.C., see Berry et al., 967
 Ockenga, E., see Feenstra et al., 798
 Ohtani, E., see Vanpeteghem et al., 1408
 Okrusch, M., Hock, R., Schüssler, U., Brummer, A., Baier, M., and Theisinger, H.: Intergrown niobian rutile phases with Sc- and W-rich ferrocolumbite: An electron-microprobe and Rietveld study, 986
 Okumura, S., Nakamura, M., and Nakashima, S.: Determination of molar absorptivity of IR fundamental OH-stretching vibration in rhyolitic glasses, 1657
 Onac, B.P. and White, W.B.: First reported sedimentary occurrence of berlinitite ($AlPO_4$) in phosphate-bearing sediments from Cioclovina Cave, Romania, 1395
 Ondruš, P., Skála, R., Veselovský, F., Sejkora, J., and Vitti, C.: Čejkaite, the triclinic polymorph of $Na_4(UO_2)(CO_3)_3$ —a new mineral from Jáchymov, Czech Republic, 686
 Origlieri, M.J., Downs, R.T., Thompson, R.M., Pommier, C.J.S., Denton, M.B., and Harlow, G.E.: Erratum to High-pressure crystal structure of kosmochlor, $NaCrSi_2O_6$, and systematics of anisotropic compression in pyroxenes, 1632
 Origlieri, M.J., Downs, R.T., Thompson, R.M., Pommier, C.J.S., Denton, M.B., and Harlow, G.E.: High-pressure crystal structure of kosmochlor, $NaCrSi_2O_6$, and systematics of anisotropic compression in pyroxenes, 1025
 Ozima, M: Noble gases in geochemistry and cosmochemistry by D. Porcelli, C.J. Ballentine, and R. Wieler (eds.), 1630
 Pakhomovsky, Y.A., see Krivovichev et al., 424
 Palenik, C.S., Nasdala, L., and Ewing, R.C.: Radiation damage in zircon, 770
 Palin, E.J., see Sainz-Díaz et al., 1033
 Pantano, C.G., see Tsomaia et al., 54
 Papelisk, C., see Um and Papelisk, 2028
 Papike, J.J., Karner, J.M., and Shearer, C.K.: Determination of planetary basalt parentage: A simple technique using the electron microprobe, 469
 Papike, J.J., see Karner et al., 806
 Papike, J.J., see Sharp et al., 87
 Parise, J.B., see Kagi et al., 1446
 Parker, D.F., see Ren et al., 1091
 Parker, D.F., see White et al., 316
 Parodi, G., see Bonazzi et al., 223
 Parsons, I., see Lee et al., 866
 Parthasarathy, G., Choudary, B.M., Sreedhar, B., Kunwar, A.C., and Srinivasan, R.: Ferrous saponite from the Deccan Trap, India, and its application in adsorption and reduction of hexavalent chromium, 1983
 Pasero, M., see Kampf et al., 430
 Pasteris, J. see Becker et al., 1843
 Patrick, R.A.D., see Charnock et al., 1197
 Pavese, A., see Levy et al., 93
 Pavlovich, M.S., Jr. and Jenkins, D.M.: Assessment of cation substitutions along the gallium and fluorine analogue of the tremolite-glaucophane join, 1486
 Pawley, A.R. see Bromiley and Pawley, 99
 Peck, W.H., Valley, J.W., and Graham, C.M.: Slow oxygen diffusion rates in igneous zircons from metamorphic rocks, 1003
 Pedrazzi, G., see Iezzi et al., 955
 Pekov, I.V., see Grey et al., 1331
 Pelletier, M., Michot, L.J., Humbert, B., Barrès, O., d'Espinose de la Caillerie, J.-B., and Robert, J.-L.: Influence of layer charge on the hydroxyl stretching of trioctahedral clay minerals: A vibrational study of synthetic Na- and K-saponites, 1801
 Perchuk, L.L., see Bindi et al., 464
 Peretyazhko, I.S., see Zagorsky et al., 830
 Peskieway, C.D., Henderson, G.S., and Wicks, F.J.: Dissolution of gibbsite: Direct observations using fluid cell atomic force microscopy, 18
 Peters, S.C., see Utsunomiya et al., 1844
 Pettke, T., see Simon et al., 1644
 Philippot, P., see Sanchez-Valle et al., 978
 Piccoli, P.M., see Simon et al., 1644
 Pichavant, M., see Gaillard et al., 308
 Pickard, C.J., see Balan et al., 1769
 Pickard, C.J., see Farnan et al., 1663
 Pickering-Witter, J., see Lesher et al., 1181
 Pidgeon, R.T., see Geisler et al., 1496
 Pironon, J., Teinturier and Pironon, 1204
 Poeml, P., see Lee et al., 866
 Pommier, C.J.S., see Origlieri, M.J., Erratum, 1632
 Pommier, C.J.S., see Origlieri et al., 1025
 Popova, V., see Bonazzi et al., 1796
 Poppi, M., see Brigatti et al., 667
 Post, J.E., Heaney, P.J., and Hanson, J.: Synchrotron X-ray diffraction study of the structure and dehydration behavior of todorokite, 142
 Post, J.E., Heaney, P.J., Cahill, C.L., and Woodruffe, L.W.F.: A new Mn oxide structure with 3×4 tunnels, 1697
 Post, J.E., Heaney, P.J., Von Dreele, R.B., and Hanson, J.C.: Neutron and temperature-re solved synchrotron X-ray powder diffraction study of akaganéite, 782
 Pozzi, J.-P., see Cairanne et al., 1385
 Pratesi, G., Giudice, A.L., Vishnevsky, S., Manfredotti, C., and Cipriani, C.: Cathodoluminescence investigations on the Popigai, Ries, and Lappajärvi impact diamonds, 1778
 Pratesi, G., see Bonazzi et al., 1796
 Prewitt, C.T., see Dera et al., 1428
 Pring, A., see Wallwork et al., 235
 Prior, D.J., see Hirsch et al., 131
 Promprated, P., see Taylor et al., 912
 Prowatke, S., see Ertl et al., 1369
 Purton, J.A., see Lavrentiev et al., 1522
 Pushcharovsky, D.Yu., see Grey et al., 1331
 Putirka, K.D., Mikaelian, H., Ryerson, R., and Shaw, H.: New clinopyroxene-liquid thermobarometers for mafic, evolved, and volatile-bearing lava compositions, with applications to lavas from Tibet and the Snake River Plain, Idaho, 1542
 Putnis, A., see Grassmann et al., 647
 Putnis, A., see Kasama et al., 1190
 Pyle, J.M. and Spear, F.S.: Four generations of accessory-phase growth in low-pressure migmatites from SW New Hampshire, 338
 Pyle, J.M. and Spear, F.S.: Yttrium zoning in garnet: Coupling of major and accessory phases during metamorphic reactions, 708
 Quartieri, S., see Arletti et al., 1416
 Ragnarsdóttir, K.V., see Heasman et al., 725
 Rajić, M., see Bermanec et al., 271
 Rakovan, J., see Hughes et al., 1324
 Rakovan, J., see Meng et al., 1555
 Ramos, A.Y., see Carvalho-e-Silva et al., 876
 Rankin, A.H., see Kodéra et al., 151
 Rath, S., Kunz, M., and Miletich, R.: Pressure-induced phase transition in malayaite, $CaSnOSiO_4$, 293
 Raudsep, M., see Fechtelkord et al., 1046

- Raudsepp, M., see Fechtelkord et al., 47
- Rečník, A., see Šrot et al., 1809
- Redfern, S.A.T., see Harrison et al., 574
- Redfern, S.A.T., see O'Neill et al., 860
- Redhammer, G.J., see Grodzicki et al., 481
- Ren, M., Parker, D.F., and White, J.C.: Partitioning of Sr, Ba, Rb, Y, and LREE between plagioclase and peraluminous silicic magma, 1091
- Ren, M., see White et al., 316
- Reno, B., see Koch-Müller et al., 1436
- Rhede, D., see Feenstra et al., 798
- Rhodes, A.L., see Brady et al., 246
- Riciputi, L.R., see Fayek et al., 1583
- Rickard, D., see Wolthers et al., 2007
- Rickers, K., see Schmidt and Rickers, 288
- Rimstidt, J.D., see Jerz and Rimstidt, 1919
- Rius, J., see Del Tánago et al., 1703
- Rivers, T., see Yang and Rivers, 1398
- Robert, J.-L., see Iezzi et al., 955
- Robert, J.-L., see Pelletier et al., 1801
- Roberts, A.C., see Jambor and Roberts, 251
- Roberts, A.C., see Jambor and Roberts, 475
- Roberts, A.C., see Jambor and Roberts, 931
- Roberts, A.C., see Jambor and Roberts, 1175
- Roberts, A.C., see Jambor and Roberts, 1626
- Roberts, A.C., see Jambor and Roberts, 1836
- Roberts, S., see Grant et al., 262
- Rodríguez-Navarro, C., Cultrone, G., Sanchez-Navas, A., and Sebastian, E.: TEM study of mullite growth after muscovite breakdown, 713
- Rohl, A.L., Wright, K., and Gale, J.D.: Evidence from surface phonons for the (2×1) reconstruction of the $(10\bar{1}4)$ surface of calcite from computer simulation, 921
- Rojík, P., see Murad and Rojík, 1915
- Romanelli, M., see Costagliola et al., 1345
- Ross, N.L., Gibbs, G.V., and Rosso, K.M.: Potential docking sites and positions of hydrogen in high-pressure silicates, 1452
- Ross, N.L., see Liu et al., 1412
- Rossmann, G.R., see Ertl et al., 1369
- Rossmann, G.R., see Johnson and Rossmann, 901
- Rosso, K.M., see Ross et al., 1452
- Rosso, K.M., see Rustad et al., 436
- Rufe, E., see Bickmore et al., 709
- Russell, C.K., see Kukkadapu et al., 1903
- Russell, J.K., Giordano, D., and Ding-well, D.B.: High-temperature limits on viscosity of non-Arrhenian silicate melts, 1390
- Russo, U., see Cesare et al., 583
- Rustad, J.R., Felmy, A.R., Rosso, K.M., and Bylaska, E.J.: Ab initio investigation of the structures of NaOH hydrates and their Na^+ and OH^- coordination polyhedra, 436
- Ryerson, R., see Putirka et al., 1542
- Saccani, E., see Melluso et al., 1287
- Safonov, O.G., see Bindu et al., 464
- Sainz-Díaz, C.I., Palin, E.J., Dove, M.T., and Hernández-Laguna, A.: Monte Carlo simulations of ordering of Al, Fe, and Mg cations in the octahedral sheet of smectites and illites, 1033
- Sainz-Díaz, C.I., see Timón et al., 1788
- Sakamoto, S., Shimobayashi, N., and Kitamura, M.: Incommensurate phase in the kosmo-chlor-diopside join: A new polymorph of clinopyroxene, 1605
- Sanchez-Navas, A., see Rodriguez-Navarro et al., 713
- Sanchez-Valle, C., Martinez, I., Daniel, I., Philippot, P., Bohic, S., and Simionovici, A.: Dissolution of strontianite at high P-T conditions: An in-situ synchrotron X-ray fluorescence study, 978
- Sani, A., see Arletti et al., 1416
- Santosh, M., Wada, H., Satish-Kumar, M., and Binu-Lal S.S.: Carbon isotope "stratigraphy" in a single graphite crystal: implications for the crystal growth mechanism of fluid-deposited graphite, 1689
- Sapozhnikov, A.N., see Zagorsky et al., 830
- Satish-Kumar, M., see Santosh et al., 1689
- Savrasov, S.Y., see Gramsch et al., 257
- Scaillet, B., see Gaillard et al., 308
- Scaini, M.J., see Jackson et al., 890
- Scheu, C., see Šrot et al., 1809
- Schleicher, H., see Geisler et al., 1496
- Schmid-Beurmann, P., see Grodzicki et al., 481
- Schmidt, C. and Rickers, K.: In-situ determination of mineral solubilities in fluids using a hydrothermal diamond-anvil cell and SR-XRF: Solubility of AgCl in water, 288
- Schoonen, M.A., see Borda et al., 1318
- Schreyer, W.: Acceptance of the Roebling Medal of the Mineralogical Society of America for 2002, 938
- Schultz, A.J., see Groat et al., 195
- Schulze, F., see Behrens and Schulze, 1351
- Schünemann, V., see Grodzicki et al., 481
- Schüssler, U., see Okrusch et al., 986
- Seal, R.R. II, see Chou and Seal, 1943
- Sebastian, E., see Rodriguez-Navarro et al., 713
- Sejkora, J., see Ondruš et al., 686
- Silverstone, J., see Henry et al., 1399
- Sharp, Z.D., Papike, J.J., and Durakiewicz, T.: The effect of thermal decarbonation on stable isotope compositions of carbonates, 87
- Shata, S., Hesse, R., Martin, R.F., and Vali, H.: Expandability of anchizonal illite and chlorite: Significance for crystallinity development in the transition from diagenesis to metamorphism, 748
- Shatsky, V.S., see Nadolinsky et al., 11
- Shaw, H., see Putirka et al., 1542
- Shearer, C.K., see Karner et al., 806
- Shearer, C.K., see Papike et al., 469
- Sherman, D.M., see Heasman et al., 725
- Sherman, D.M., see Todd and Sherman, 1652
- Shevarts, J.: Ophiolites and oceanic crust: new insights from field studies and the ocean drilling program by Y. Dilek, E. Moores, D. Elthon, and A. Nicolas, Eds., 710
- Shi, J., Klocke, A., Zhang, M., and Bismayer, U.: Thermal behavior of dental enamel and geologic apatite: An infrared spectroscopic study, 1866
- Shimobayashi, N., see Sakamoto et al., 1605
- Short, S., see O'Neill et al., 860
- Simionovici, A., see Sanchez-Valle et al., 978
- Simon, A.C., Pettke, T., Candela, P.A., Piccoli, P.M., and Heinrich, C.A.: Experimental determination of Au solubility in rhyolite melt and magnetite: Constraints on magmatic Au budgets, 1644
- Simony, P.S., see Crowley et al., 930
- Sinogeikin, S.V., see Wang et al., 1608
- Sirbescu, M.-L.C. and Nabelek, P.I.: Dawsonite: An inclusion mineral in quartz from the Tin Mountain pegmatite, Black Hills, South Dakota, 1055
- Skála, R., see Ondruš et al., 686
- Skogby, H., Kristiansson, P., and Hälenius, U.: An assessment of nuclear microprobe analyses of B in silicate minerals, 1601
- Skogby, H. and Hälenius, U.: An FTIR study of tetrahedrally coordinated ferrous iron in the spinel-hercynite solid solution, 489
- Smith, S.C., see Kukkadapu et al., 1903
- Smyth, J.R., Holl, C.M., Frost, D.J., Jacobsen, S.D., Langenhorst, F., and McCammon, C.A.: Structural systematics of hydrous ringwoodite and water in Earth's interior, 1402
- Sobolev, N., see Koch-Müller et al., 1436
- Sobolev, N.V., see Nadolinsky et al., 11
- Sobolev, N.V., see Taylor et al., 912
- Solar, G.S., see Johnson et al., 624
- Sondergeld, P., see Carpenter et al., 534
- Soulestin, B., see Faure et al., 1241
- Spear, F.S., see Pyle and Spear, 338
- Spear, F.S., see Pyle and Spear, 708
- Spear, F.S.: Real-time AFM diagrams on your Macintosh, 473
- Spear, F.S. and Daniel, C.G.: Three-dimensional imaging of garnet porphyroblast sizes and chemical zoning: Nucleation and growth history in the garnet zone, 245
- Sreedhar, B., see Parthasarathy et al., 1983
- Srinivasan, R., see Parthasarathy et al., 1983
- Šrot, V., Rečník, A., Scheu, C., Šturm, S., and Mirtič, B.: Stacking faults and twin boundaries in sphalerite crystals from the Trepcă mines in Kosovo, 1809
- Staid, M.I., see Johnson et al., 1575
- Stebbins, J.F., Kojitani, H., Akaogi, M., and Navrotsky, A.: Aluminum substitution in MgSiO_3 perovskite: Investigation of multiple mechanisms by ^{27}Al NMR, 1161
- Stebbins, J.F., see Allwardt et al., 949
- Stebbins, J.F., see Lee and Stebbins, 493
- Stebbins, J.F., see Neuhoff et al., 410
- Stevens, R., see Majzlan et al., 846
- Stipp, S.L.S., see Henriksen et al., 2040
- Stowle, H.H., see Tinkham et al., 1174
- Street, J., see Harrison et al., 574
- Strongin, D.R., see Borda et al., 1318

- Šturm, S., see Šrot et al., 1809
- Su, S.-C.: A rapid and accurate procedure for the determination of refractive indices of regulated asbestos minerals, 1979
- Sugawara, T. and Akaogi, M.: Heats of mixing of silicate liquid in the systems diopside-anorthite-akermanite, diopside-anorthite-forsterite, and diopside-silica, 1020
- Surley, S.J., see Meeker et al., 1955
- Sutton, S., see Meng et al., 1555
- Switzer, O., see Ayers et al., 365
- Szargan, R., see Nesbitt et al., 1279
- Tabacchi, G., see Arletti et al., 1416
- Takahashi, E., see Nishihara et al., 80
- Takemura, K., see Vanpeteghem et al., 1408
- Tanaka, H., see Furuchi et al., 926
- Taylor, L.A., Anand, M., Promprated, P., Floss, C., and Sobolev, N.V.: The significance of mineral inclusions in large diamonds from Yakutia, Russia, 912
- Taylor, M.R., see Wallwork et al., 235
- Tazzoli, V., see Cámara et al., 1115
- Teertstra, D.K., see Černý et al., 1832
- Teinturier, S. and Pironon, J.: Synthetic fluid inclusions as recorders of microfracture healing and overgrowth formation rates, 1204
- Tennant, W.C., see Wilkins et al., 1336
- Theisinger, H., see Okrusch et al., 986
- Thomas, R., see Veksler et al., 1724
- Thompson, P., see Lee et al., 866
- Thompson, R.M., see Origlieri, M.J., Erratum, 1632
- Thompson, R.M., see Origlieri et al., 1025
- Thompson, R.M. and Downs, R.T.: Model pyroxenes I: Ideal pyroxene topologies, 653
- Tilmanns, E., see Friedrich et al., 462
- Timón, V., Sainz-Díaz, C.I., Botella, V., and Hernández-Laguna, A.: Isomorphous cation substitution in dioctahedral phyllosilicates by means of ab initio quantum mechanical calculations on clusters, 1788
- Tinkham, D.K., Zuluaga, C.A., and Stow, H.H.: Metapelitic phase equilibria modeling in MnNCKFMASH: The effect of variable Al_2O_3 and $\text{MgO}/(\text{MgO} + \text{FeO})$ on mineral stability, 1174
- Todd, E.C. and Sherman, D.M.: Surface oxidation of chalcocite (Cu_2S) under aqueous ($\text{pH} = 2-11$) and ambient atmospheric conditions: Mineralogy from Cu L - and O K -edge X-ray absorption spectroscopy, 1652
- Tolentino, H.C.N., see Carvalho-e-Silva et al., 876
- Topa, D., see Berlepsch et al., 450
- Torrent, J., see Barrón et al., 1679
- Tournassat, C., Neaman, A., Villiéras, F., Bosbach, D., and Charlet, L.: Nanomorphology of montmorillonite particles: Estimation of the clay edge sorption site density by low-pressure gas adsorption and AFM observations, 1989
- Tracy, R.J. and Beard, J.S.: Manganese kinoshitalite in Mn-rich marble and skarn from Virginia, 740
- Trainor, T.P., see Juillet et al., 509
- Trautwein, A.X., see Grodzicki et al., 481
- Trolliard, G., see Faure et al., 1241
- Tsomaia, N., Brantley, S.L., Hamilton, J.P., Pantano, C.G., and Mueller, K.T.: NMR evidence for formation of octahedral and tetrahedral Al and repolymerization of the Si network during dissolution of aluminosilicate glass and crystal, 54
- Tucker, R.D., see Buchwaldt et al., 1753
- Twamley, B., see Gunter et al., 1970
- Twitchen, D.J., see Nadolinsky et al., 11
- Uhlig, I., see Nesbitt et al., 1279
- Ulmer, P., see Di Pierro et al., 1817
- Um, W. and Papelis, C.: Sorption mechanisms of Sr and Pb on zeolitized tuffs from the Nevada test site as a function of pH and ionic strength, 2028
- Utsunomiya, S., Peters, S.C., Blum, J.D., and Ewing, R.C.: Nanoscale mineralogy of arsenic in a region of New Hampshire with elevated As-concentrations in the groundwater, 1844
- Utsunomiya, S., see Fayek et al., 1583
- Utsunomiya, S., see Murakami et al., 377
- Utsunomiya, S., Wang, L.-M., Douglas, M., Clark, S.B., and Ewing, R.C.: The effect of ionizing radiation on uranophane, 159
- Vali, H., see Shata et al., 748
- Valley, J.W., see Gilbert et al., 763
- Valley, J.W., see Peck et al., 1003
- Valley, J.W.: Presentation of the Mineralogical Society of America Award for 2002 to John M. Eiler, 940
- Vance, J.S., see Meeker et al., 1955
- Vaniman, D.T., see Bish et al., 1889
- Vanpeteghem, C.B., Ohtani, E., Kondo, T., Takemura, K., and Kikegawa, T.: Compressibility of phase Egg AlSiO_4OH : Equation of state and role of water at high pressure, 1408
- van Bronswijk, W., see Geisler et al., 1496
- Van der Gaast, S.J., see Wolthers et al., 2007
- van Miltenburg, J.C., see Klemme and van Miltenburg, 68
- Vasilevsky, I.A., see Nadolinsky et al., 11
- Vasquez, A., see Brady et al., 246
- Vaughan, D.J., see Charnock et al., 1197
- Veksler, I.V., Thomas, R., and Wirth, R.: Crystallization of $\text{AlPO}_4\text{-SiO}_2$ solid solutions from granitic melt and implications for P-rich melt inclusions in pegmatitic quartz, 1724
- Velickov, B., see Grodzicki et al., 481
- Veselovský, F., see Ondruš et al., 686
- Vezzalini, G., see Arletti et al., 1416
- Villa, I.M., see Gnos et al., 189
- Villiéras, F., see Tournassat et al., 1989
- Vishnevsky, S., see Pratesi et al., 1778
- Vitti, C., see Ondruš et al., 686
- Von Dreele, R.B., see Post et al., 782
- Wada, C., see Kagi et al., 1446
- Wada, H., see Santosh et al., 1689
- Wallwork, K.S., Pring, A., Taylor, M.R., and Hunter, B.A.: A model for the structure of the hydrated aluminum phosphate, kingite determined by ab initio powder diffraction methods, 235
- Walter, M., see Lesher et al., 1181
- Wang, J., Kalinichev, A.G., Amonette, J.E., and Kirkpatrick, R.J.: Interlayer structure and dynamics of Cl-bearing hydrotalcite: far infrared spectroscopy and molecular dynamics modeling, 398
- Wang, J., Sinogeikin, S.V., Inoue, T., and Bass, J.D.: Elastic properties of hydrous ringwoodite, 1608
- Wang, L.-M., see Utsunomiya et al., 159
- Wang, S.-L., see Hou et al., 167
- Watanabe, S., see Furuchi et al., 926
- Weaver, R.M. and Hochella, M.F. Jr.: The reactivity of seven Mn-oxides with $\text{Cr}_{a,q}^{3+}$: A comparative analysis of a complex, environmentally important redox reaction, 2016
- Welch, M.D., see Kleppe et al., 567
- Welch, M.D., see Navrotsky et al., 1612
- Welch, M. and Lager, G.: Preface to the *Hydrous Minerals at High Pressure* Special Issue, 1401
- Wesson, R.L.: Presentation of the Distinguished Public Service Award of 2002 to David Hill, 943
- White, J.C., Holt, G.S., Parker, D.F., and Ren, M.: Trace-element partitioning between alkali feldspar and peralkalic quartz trachyte to rhyolite magma. Part I: Systematics of trace-element partitioning, 316
- White, J.C., see Ren et al., 1091
- White, J.C.: Trace-element partitioning between alkali feldspar and peralkalic quartz trachyte to rhyolite magma. Part II: Empirical equations for calculating trace-element partition coefficients of large-ion lithophile, high field-strength, and rare-earth elements, 330
- White, W.B., see Onac and White, 1395
- Wicks, F.J., see Peskleway et al., 18
- Wiedenbeck, M., see Feenstra et al., 798
- Wildner, M., see Friedrich et al., 462
- Wilkins, C.J., Tennant, W.C., Williamson, B.E., and McCammon, C.A.: Spectroscopic and related evidence on the coloring and constitution of New Zealand jade, 1336
- Williams, P.A., see Martins et al., 501
- Williams, Q., see Bradbury and Williams, 1460
- Williams, S., see Zhang et al., 1157
- Williamson, B.E., see Wilkins et al., 1336
- Wirth, R., see Veksler et al., 1724
- Wolthers, M., Van der Gaast, S.J., and Rickard, D.: The structure of disordered mackinawite, 2007
- Wood, B.J., see McDade et al., 1825
- Woodfield, B.F., see Majzlan et al., 846
- Woodruffite, L.W.F., see Post et al., 1697
- Wright, K., see Rohl et al., 921

- Wyllie, P.J.: Presentation of the Roebling Medal of the Mineralogical Society of America for 2002 to Werner Schreyer, 936
- Wysoczanski, R., see Koch-Müller et al., 1436
- Xu, H., see Navrotsky et al., 1612
- Xu, Z., see Zhang et al., 1741
- Yakovenchuk, V.N., see Krivovichev et al., 424
- Yamanaka, T., see Nagai et al., 1423
- Yanagi, T., see Mori et al., 611
- Yang, J.-J., see Zheng et al., 1633
- Yang, J.-J.: Relict edenite in a garnet lherzolite from the Chinese Su-Lu UHP metamorphic terrane: Implications for metamorphic history, 180
- Yang, J.-J. and Enami, M.: Chromian dis-sakelite-(Ce) in a garnet lherzolite from the Chinese Su-Lu UHP metamorphic terrane: Implications for Cr incorporation in epidote-group minerals and recycling of REE into the Earth's mantle, 604
- Yang, P. and Rivers, T.: The origin of Mn and Y annuli in garnet and the thermal dependence of P in garnet and Y in apatite in calc-pelite and pelite, Gagnon terrane, western Labrador, 1398
- Yapaskurt, V.O., see Bindi et al., 464
- Yokoyama, T., see Murakami et al., 377
- Young, J.R., see Henriksen et al., 2040
- Yund, R.A., see Hovis et al., 547
- Yuryeva, O.P., see Nadolnyy et al., 11
- Zachara, J.M., see Kukkadapu et al., 1903
- Zagorsky, V.Y., Peretyazhko, I.S., Sapozhnikov, A.N., Zhukhlistov, A.P., and Zvyagin, B.B.: Borocookeite, a new member of the chlorite group from the Malkhan gem tourmaline deposit, Central Transbaikalia, Russia, 830
- Zega, T.J., Garvie, L.A.J., and Buseck, P.R.: Nanometer-scale measurements of iron oxidation states of cronstedtite from primitive meteorites, 1169
- Zhang, L., Ellis, D., Williams, S., and Jiang, W.: Ultrahigh-pressure metamorphism in eclogites from the western Tianshan, China—Reply, 1157
- Zhang, M., see Shi et al., 1866
- Zhang, R.Y. and Liou, J.G.: Clinopyroxenite from the Sulu ultrahigh-pressure terrane, eastern China: Origin and evolution of garnet exsolution in clinopyroxene, 1591
- Zhang, Y., Xu, Z., and Liu, Y.: Viscosity of hydrous rhyolitic melts inferred from kinetic experiments, and a new viscosity model, 1741
- Zheng, Y.-F., Yang, J.-J., Gong, B., and Jahn, B.-M.: Partial equilibrium of radiogenic and stable isotope systems in garnet peridotite during ultrahigh-pressure metamorphism, 1633
- Zhukhlistov, A.P., see Zagorsky et al., 830
- Zuluaga, C.A., see Tinkham et al., 1174
- Zvyagin, B.B., see Zagorsky et al., 830