

2001 Author Index

- Abdelmoula, M., see Refait et al., 731
Advocat, T., see Lecturq et al., 871
Akizuki, M., Kuribayashi, T., Nagase, T., and Kitakaze, A.: Triclinic liddicoatite and elbaite in growth sectors of tourmaline from Madagascar, 364
Alapieti, T.T., see Latypov et al., 547
Alba, M.D., Becerro, A.I., Castro, M.A., and Perdigón, A.C.: Hydrothermal reactivity of Lu-saturated smectites: Part I. A long-range order study, 115
Alba, M.D., Becerro, A.I., Castro, M.A., and Perdigón, A.C.: Hydrothermal reactivity of Lu-saturated smectites: Part II. A short-range order study, 124
Andersen, D.J., see Xirouchakis et al., 247
Anderson, A.T., see Peppard et al., 1034
Andrut, M. and Wildner, M.: The crystal chemistry of birefringent natural uvarovites: Part I. Optical investigations and UV-VIS-IR absorption spectroscopy, 1219
Andrut, M., see Nasdala et al., 498
Andrut, M., see Wildner and Andrut, 1231
Angerer, P., see Fischer et al., 1513
Anovitz, L.M. see Blencoe et al., 1100
Armbruster, T., Kohler, T., Libowitzky, E., Friedrich, A., Miletich, R., Kunz, M., Medenbach, O., and Gutzmer, J.: Structure, compressibility, hydrogen bonding, and dehydration of the tetragonal Mn³⁺ hydrogarnet, henritermierite, 147
Armbruster, T., see Brugger et al., 1494
Arredondo, E.H., Rossman, G.R., and Lumpkin, G.R.: Hydrogen in spessartine-almandine garnets as a tracer of granitic pegmatite evolution, 485
Artioli, G., see Schmidt et al., 555
Artioli, G., Ståhl, K., Cruciani, G., Gualtieri, A., and Hanson, J.C.: In situ dehydration of yugawaralite, 185
Baker, D.R., see Freda et al., 234
Balan, E., Mauri, F., Müller, J., and Calas, G.: First principles study of water adsorption on the (100) surface of zircon: Implications for zircon dissolution, 910
Balan, E., Neuville, D.R., Trocellier, P., Fritsch, E., Müller, J., and Calas, G.: Metamictization and chemical durability of detrital zircon, 1025
Balan, E., Saitta, A.M., Mauri, F., and Calas, G.: First-principles modeling of the infrared spectrum of kaolinite, 1321
Balić-Žunić, T., see Graeser, S., 1087
Bancroft, G.M., see Nesbitt et al., 318
Banno, Y., see Enami and Banno, 205
Barbarand, J. and Pagel, M.: Cathodo-luminescence study of apatite crystals, 473
Bass, J.D., see Chen et al., 1525
Batchelor, J.D., see Benoit et al., 780
Becerro, A.I., see Alba et al., 115
Becerro, A.I., see Alba et al., 124
Becerro, A.I., see Carpenter et al., 348
Becker, U. and Rosso, K.M.: Step edges on galena (100): Probing the basis for defect driven surface reactivity at the atomic scale, 862
Becker, U., see Becker and Rosso, 862
Beckett, J.R., see Kessel et al., 1003
Behrens, H. and Jantos, N.: The effect of anhydrous composition on water solubility in granitic melts, 14
Belitsky, I., see Kiseleva et al., 448
Belonoshko, A.B.: Molecular dynamics simulation of phase transitions and melting in MgSiO₃ with the perovskite structure—Comment, 193
Benco, L., Tunega, D., Hafner, J., and Lischka, H.: Orientation of OH groups in kaolinite and dickite: Ab initio molecular dynamics study, 1057
Benna, P. and Bruno, E.: Single-crystal in situ high-temperature structural investigation on strontium feldspar, 690
Benoit, P.H., Hartmetz, C.P., Batchelor, J.D., Symes, S.J.K., and Sears, D.W.G.: The induced thermoluminescence and thermal history of plagioclase feldspars, 780
Beran, A., see Zhang et al., 904
Berezovskii, G.A., Drebushchak, V.A., and Kravchenko, T. A.: Low-temperature heat capacity of pentlandite, 1312
Berger, A. and Roselle, G.: Crystallization processes in migmatites, 215
Berger, G., see Lecturq et al., 871
Berlepsch, P., see Graeser et al., 1087
Berry, A.J. and James, M.: Refinement of hydrogen positions in synthetic hydroxyl-clinohumite by powder neutron diffraction, 181
Bézos, A., see Fialin et al., 456
Bickmore, B.R., Bosbach, D., Hochella Jr., M.F., Charlet, L., and Rufe, E.: In situ atomic force microscopy study of hectorite and nontronite dissolution: Implications for phyllosilicate edge surface structures and dissolution mechanisms, 411
Bindi, L., Czank, M., Röthlisberger, F., and Bonazzi, P.: Hardystonite from Franklin Furnace: A natural modulated melilite, 747
Blaum, P., see Nasdala et al., 498
Blencoe, J.G., Naney, M.T., and Anovitz, L.M.: The CO₂-H₂O system: III. A new experimental method for determining liquid-vapor equilibria at high subcritical temperatures, 1100
Bonazzi, P., see Bindi et al., 747
Bonnetier, A., see Lecturq et al., 871
Bosbach, D., see Bickmore et al., 411
Bourrié, G., see Refait et al., 731
Bozhilov, K.N. and Evans, B.W.: Ferroanthophyllite in Rockport grunerite: A transmission electron microscopy study, 1252
Brearley, A.J., see Herd et al., 1015
Brizi, E., Molin, G., Zanazzi, P.F.: Erratum: Experimental study of intracrystalline Fe²⁺-Mg exchange in three augite crystals: Effect of composition on geothermometric calibration, 956
Brizi, E., Molin, G., Zanazzi, P.F., and Merli, M.: Ordering kinetics of Mg-Fe²⁺ exchange in a Wo₄₃En₄₆Fs₁₁ augite, 271
Broman, C., see Högdahl et al., 534
Brouder, C., see Reiche et al., 1519
Brown Jr., G.E., see Morin et al., 92
Brown Jr., G.E., see Wilke et al., 714
Brugger, J., Armbruster, T., Meisser, N., Hejny, C., and Grobety, B.: Description and crystal structure of turtmannite, a new mineral with a 68 Å period related to mcgovernite, 1494
Bruno, E., see Benna and Bruno, 690

- Buhl, J., see Fechtelkord et al., 881
 Buhl, J.C., see Fechtelkord et al., 165
 Burns, P.C., see Finch et al., 681
 Buseck, P.R., see Janney et al., 327
- Calas, G., see Balan et al., 910
 Calas, G., see Balan et al., 1025
 Calas, G., see Balan et al., 1321
 Calas, G., see Morin et al., 92
 Carlson, B., Memorial of Charles B. Sclar, 1925–2001, 771
 Carpenter, M., see Marion et al., 1166
 Carpenter, M.A., Becerro, A.I., and Seifert, F.: Strain analysis of phase transitions in $(\text{Ca}, \text{Sr})\text{TiO}_3$ perovskites, 348
 Carpenter, M.A., see Malcherek et al., 66
 Carpenter, M.A., see Meyer et al., 566
 Castro, M.A., see Alba et al., 115
 Castro, M.A., see Alba et al., 124
 Castro, see López and Castro, 1406
 Caucia, F., see Merli et al., 55
 Chakhmouradian, A.R. and Mitchell, R.H.: Crystal structure of novel high-pressure perovskite $\text{K}_{2/3}\text{Th}_{1/3}\text{TiO}_3$, a possible host for Th in the upper mantle, 1076
 Champagnon, B., see Reiche et al., 1519
 Chaplot, S.L. and Choudhury, N.: Molecular dynamics simulations of seismic discontinuities and phase transitions of MgSiO_3 from 4 to 6-coordinated silicate via a novel 5-coordinated phase, 752
 Chaplot, S.L. and Choudhury, N.: Reply to Comment on “Molecular dynamics simulation of phase transitions and melting in MgSiO_3 with the perovskite structure,” 195
 Charlet, L., see Bickmore et al., 411
 Charlet, L., see Reiche et al., 1519
 Charnock, J. M., see Henderson et al., 1170
 Chen, C.-C., Lin, C.-C., Liu, L.-G., Sinogeikin, S.V., and Bass, J.D.: Elasticity of single-crystal calcite and rhodochrosite by Brillouin spectroscopy, 1525
 Chen, M., see Goresy et al., 611
 Cherniak, D.J., see Hanchar et al., 667
 Chevallier, P., see Morin et al., 92
 Choudhury, N., see Chaplot and Choudhury, 195
 Choudhury, N., see Chaplot and Choudhury, 752
 Clark, S.M., see Johnson et al., 1367
 Cong, B., see Ye et al., 1151
 Costa, F., Dungan, M.A., and Singer, B.S.: Magmatic Na-rich phlogopite in a suite of gabbroic crustal xenoliths from Volcán San Pedro, Chilean Andes: Evidence for a solvus relation between phlogopite and aspidolite, 29
 Coveney Jr., R.M., see Kao et al., 852
 Cowley, J.M., see Janney et al., 327
 Crichton, W.A., see Ross and Crichton, 990
 Cruciani, G., see Artioli et al., 185
 Curtis, M.D., see Kao et al., 852
 Czank, M., see Bindt et al., 747
- da Costa, G.M. and Viana, R.R.: The occurrence of tinsleyite in the archaeological site of Santana do Riacho, Brazil, 1053
 Dahaoui, S., Ghermani, N.E., Ghose, S., and Howard, J.A.K.: Electric field gradient tensors at the aluminum sites in the Al_2SiO_5 polymorphs from CCD high-resolution X-ray diffraction data: Comparison with ^{27}Al NMR results, 159
 Daniels, P. and Fyfe, C.A.: Al/Si order in the crystal structure of a-eucryptite (LiAlSiO_4), 279
 Daniels, P. and Schreyer, W.: Comments on: Strunz and Nickel: “Pseudosinalhalite is a structural isotype of chondrodite,” 583
 Dasgupta, S., see Das et al., 1423
 Das, K., Dasgupta, S., and Miura, H.: Stability of osumilite coexisting with spinel solid solution in metapelite granulites at high oxygen fugacity, 1423
 Davis, A.M., see Peppard et al., 1034
 de Grave, E., see Eeckhout, et al., 957
 Dobrzhinetskaya, L.F., see Wirth et al., 601
 Doering, T., see Witzke et al., 1081
 Domeneghetti, M.C., see Malcherek et al., 66
 Dove, M.T., see Meyer et al., 566
 Drebushchak, V.A., see Berezovskii et al., 1312
 Duan, W., Karki, B.B., Wentzcovitch, R.M., and Gu, B.L.: Ab initio study of MgSiO_3 low-clinoenstatite at high pressure, 762
 Dubrovskii, M.I., see Latypov et al., 547
 Dugnani, M., see Schmidt et al., 555
 Dungan, M.A., see Costa et al., 29
 Dungey, K.E., see Kao et al., 852
 Dutrow, B. L., see Henry and Dutrow, 1130
 Economou-Eliopoulos, M., see Mitsis and Economou-Eliopoulos, 1143
 Eeckhout, S.G., de Grave, E., Lougeard, A., Gerdan, M., McCammon, C.A., Trautwein, A.X., and Vochten, R.: Magnetic properties of synthetic $P2_1/c$ ($\text{Mg}-\text{Fe}\text{SiO}_3$) clinopyroxenes as observed from their low-temperature Mössbauer spectra and from SQUID magnetization measurements, 957
 Ehrhardt, J.J., see Refait et al., 731
- Elbert, D.C., see Moore et al., 814
 Enami, M. and Banno, Y.: Partitioning of Sr between coexisting minerals of the hollandite- and piemontite-groups in a quartz-rich schist from the Sanbagawa metamorphic belt, Japan, 205
 Evans, B.W., see Bozhilov and Evans, 1252
 Evans, B.W., Ghiorso, M.S., Yang, H., and Medenbach, O.: Thermodynamics of the amphiboles: Anthophyllite-ferroanthophyllite and the ortho-clino phase loop, 640
 Farges, F., see Wilke et al., 714
 Fechtelkord, M., Posnatzki, B., Buhl, J., Fyfe, C.A., Groat, L.A., and Raudsepp, M.: Characterization of synthetic Cs-Li-cancrinite grown in a butanediol-water system: An NMR spectroscopic and Rietveld refinement study, 881
 Fechtelkord, M., Stief, F., and Buhl, J.C.: Sodium cation dynamics in nitrate cancrinite: A low and high temperature ^{23}Na and ^1H MAS NMR study and high temperature Rietveld structure refinement, 165
 Fehr, K.T. and Huber, A.L.: Stability and phase relations of $\text{Ca}[\text{ZnSi}_3]\text{O}_8$, a new phase with feldspar structure in the system CaO-ZnO-SiO_2 , 21
 Feinstein, T.N., see Stoltz et al., 826
 Ferry, J.M.: Calcite inclusions in forsterite, 773
 Fialin, M., Wagner, C., Métrich, N., Humler, E., Galois, L., and Bézos, A.: $\text{Fe}^{3+}/\Sigma\text{Fe}$ vs. $\text{FeL}\alpha$ peak energy for minerals and glasses: Recent advances with the electron microprobe, 456
 Fialips, C.-I., Navrotsky, A., and Petit, S.: Crystal properties and energetics of synthetic kaolinite, 304
 Finch, R.J., Hanchar, J.M., Hoskin, P.W.O., and Burns, P.C.: Rare-earth elements in synthetic zircon: Part 2. A single-crystal X-ray study of xenotime substitution, 681
 Finch, R.J., see Hanchar et al., 667
 Fischer, R.X., Schmücker, M., Angerer, P., and Schneider, H.: Crystal structures of Na and K aluminate mullites, 1513
 Fiske, R.S.: Acceptance of the Distinguished Public Service Medal of 2000, 953
 Fortin, D., see Rancourt et al., 834
 Francis, C.A.: *Glossary of Obsolete Mineral Names*, by Peter Bayliss, 1116
 Franz, G., see Smelik et al., 80
 Freda, C., Baker, D.R., and Ottolini, L.: Reduction of water loss from gold-pal-

- ladium capsules during piston-cylinder experiments by use of pyrophyllite powder, 234
- Friedrich, A., Lager, G.A., Kunz, M.: Temperature-dependent single-crystal neutron diffraction study of natural chondrodite and clinohumites, 981
- Friedrich, A., see Armbruster et al., 147
- Fritsch, E., see Balan et al., 1025
- Frost, B.R., see Xirouchakis et al., 254
- Fujino, K., see Miyajima et al., 740
- Funakoshi, K., see Urakawa et al., 578
- Furstenko, B., see Kiseleva et al., 448
- Fyfe, C.A., see Daniels and Fyfe, 279
- Fyfe, C.A., see Fechtelkord et al., 881
- Galoisy, L., see Fialin et al., 456
- Gasser, U., see Scheinost et al., 139
- Génin, J.-M.R., see Refait et al., 731
- Gerdan, M., see Eeckhout et al., 957
- Ghermani, N.E., see Dahaoui et al., 159
- Ghiorso, M.S., see Evans et al., 640
- Ghose, S., see Dahaoui et al., 159
- Gianfagna, A. and Oberti, R.: Fluoredenite from Biancavilla (Catania, Sicily, Italy): Crystal chemistry of a new amphibole end-member, 1489
- Giannuzzi, L.A., see Heaney et al., 1094
- Gieré, R., see Reusser et al., 1435
- Giester, G., see Hertweck et al., 1292
- Gillet, P., see Goresy et al., 611
- Golden, D.C., Ming, D.W., Schwandt, C.S., Lauer, Jr., H.V., Socki, R.A., Morris, R.V., Lofgren, G.E., and McKay, G.A.: *Erratum*: A simple inorganic process for formation of carbonates, magnetite, and sulfides in Martian meteorite ALH84001, 956
- Goresy, A.E., Gillet, P., Chen, M., Künstler, F., Graup, G., and Stähle, V.: In situ discovery of shock-induced graphite-diamond phase transition in gneisses from the Ries Crater, Germany, 611
- Goreva, J.S., Ma, C., and Rossman, G.R.: Fibrous nanoinclusions in massive rose quartz: The origin of rose coloration, 466
- Graeser, S., Berlepsch, P., Makovicky, E., and Balić-Zunić, T.: Sicherite, $TlAg_2(As,Sb)_3S_6$, a new sulfosalts mineral from Lengenbach (Binntal, Switzerland): Description and structure determination, 1087
- Graup, G., see Goresy et al., 611
- Green II, H.W., see Wirth et al., 601
- Groat, L.A., see Fechtelkord et al., 881
- Groat, L.A., see Zhang et al., 904
- Grobety, B., see Brugger et al., 1494
- Gromet, L.P., see Högdaal et al., 534
- Gualtieri, A., see Artioli et al., 185
- Gunter, M.E., see Palmer and Gunter, 431
- Gunter, M.E., see Woods and Gunter, 424
- Gutzmer, J., see Armbruster et al., 147
- Guyot, F., Lemelle et al., 47
- Hafner, J., see Benco et al., 1057
- Hafner, J., see Kiefer et al., 1387
- Hammond, R.P., see Swainson and Hammond, 1530
- Hanchar, J.M., Finch, R.J., Hoskin, P.W.O., Watson, E.B., Cherniak, D.J., and Mariano, A.N.: Rare earth elements in synthetic zircon: Part 1. Synthesis, and rare earth element and phosphorus doping, 667
- Hanchar, J.M., see Finch et al., 681
- Hanfland, M., see Tribaudino et al., 807
- Hanson, J.C., see Artioli et al., 185
- Harada K., see Nakagawa et al., 1506
- Hart, K., see Lecturq et al., 871
- Hartmetz, C.P., see Benoit et al., 780
- Haskin, L.A., see Wang et al., 790
- Hawthorne, F.C., see Ishida and Hawthorne, 965
- Heaney, P.J. and Post, J.E.: Evidence for an $I2/a$ to $Imab$ phase transition in the silica polymorph moganite at ~ 570 K, 1358
- Heaney, P.J., Vicenzi, E.P., Giannuzzi, L.A., and Livi, K.J.T.: Focused ion beam milling: A method of site-specific sample extraction for microanalysis of Earth and planetary materials, 1094
- Hejny, C., see Brugger et al., 1494
- Henderson, C.M.B., Redfern, S.A.T., Smith, R.I., Knight, K.S., and Charnock, J.M.: Composition and temperature dependence of cation ordering in Ni-Mg olivine solid solutions: a time-of-flight neutron powder diffraction and EXAFS study, 1170
- Henry, D.J. and Dutrow, B.L.: Compositional zoning and element partitioning in nickel-rich tourmaline from a metamorphosed karstbauxite from Samos, Greece, 1130
- Hensen, B.J., see Motoyoshi and Hensen, 1396
- Herd, C.D.K., Papike, J.J., and Brearley, A.J.: Oxygen fugacity of martian basalts from electron microprobe oxygen and TEM-EELS analyses of Fe-Ti oxides, 1015
- Hertweck, B., Giester, G., and Libowitzky, E.: The crystal structures of the low-temperature phases of leonite-type com-
- pounds, $K_2Me(SO_4)_2 \cdot 4H_2O$ ($Me^{2+} = Mg$, Mn, Fe), 1282
- Hirose, K., see Miyajima et al., 740
- Hochella Jr., M.F., see Bickmore et al., 411
- Hofmeister, A.M. and Mao, H.K.: Evaluation of shear moduli and other properties of silicates with the spinel structure from IR spectroscopy, 622
- Hofmeister, A.M.: Thermal conductivity of spinels and olivines from vibrational spectroscopy: Ambient conditions, 1188
- Högdaal, K., Gromet, L.P., and Broman, C.: Low $P-T$ Caledonian resetting of U-rich Paleoproterozoic zircons, central Sweden, 534
- Hokada, T.: Feldspar thermometry in ultra-high-temperature metamorphic rocks: Evidence of crustal metamorphism attaining ~ 1100 °C in the Archean Napier Complex, East Antarctica, 932
- Holdaway, M.J.: Recalibration of the GASP geobarometer in light of recent garnet and plagioclase activity models and versions of the garnet-biotite geothermometer, 1117
- Horikawa, T., see Suito et al., 997
- Hoskin, P.W.O., see Finch et al., 681
- Hoskin, P.W.O., see Hanchar et al., 667
- Howard, J.A.K., see Dahaoui et al., 159
- Howe, J. M., see Moore et al., 1314
- Huber, A.L., see Fehr and Hube, 21
- Humler, E., see Fialin et al., 456
- Ildefonse, P., see Morin et al., 92
- Ishida, K. and Hawthorne, F.C.: Assignment of infrared OH-stretching bands in manganous magnesio-afvedsonite and richterite through heat-treatment, 965
- Jambor, J.L. and Roberts, A.C.: New Mineral Names, 1534
- Jambor, J.L. and Roberts, A.C., New Mineral Names, 767
- Jambor, J.L. and Roberts, A.C.: New Mineral Names, 939
- Jambor, J.L. and Roberts, A.C.: New Mineral Names, 197
- Jambor, J.L. and Roberts, A.C.: New mineral names, 1112
- Jambor, J.L., Kovalenker, V.A., and Roberts, A.C.: New Mineral Names, 376
- James, M., see Berry and James, 181
- Janney, D.E., Cowley, J.M., and Buseck, P.R.: Structure of synthetic 6-line ferrihydrite by electron nanodiffraction, 327
- Jantos, N., see Behrens and Jantos, 14

- Jeanloz, R.: Presentation of the Mineralogical Society of America Award to Quentin C. Williams, 949
- Jephcoat, A.P., see Kleppe et al., 1275
- Ji, S., see Wang and Ji, 1209
- Johnson, M.C., Walker, D., Clark, S.M., and Jones, R.L.: Thermal decomposition of rhombohedral $KClO_3$ from 29–76 kilobars and implications for the molar volume of fluid oxygen at high pressures, 1367
- Jolliff, B.L., see Wang et al., 790
- Jones, R.L., see Johnson et al., 1367
- Juillet, F., see Morin et al., 92
- Jurinski, J.B. and Rimstidt, J.D.: Bidurability of talc, 392
- Kahl, W.-A. and Maresch, W.V.: Enthalpies of formation of tremolite and talc by high-temperature solution calorimetry—a consistent picture, 1345
- Kahlenberg, V., Shaw, C.S.J., and Parise, J.B.: Crystal structure analysis of synthetic $Ca_4Fe_{1.5}Al_{17.67}O_{32}$: A high-pressure, spinel-related phase, 1477
- Kampf, A.R.: The crystal structure of aravaipaite, 927
- Kampf, A.R.: *Handbook of Mineralogy, vol. III. Halides, Hydroxides, Oxides, and vol. IV. Arsenates, Phosphates, Vanadates*. By John W. Anthony et al., 954
- Kao, L., Peacor, D.R., Coveney Jr., R.M., Zhao, G., Dungey, K.E., Curtis, M.D., and Penner-Hahn, J.E.: A C/MoS₂ mixed-layer phase (MoSC) occurring in metalliferous black shales from southern China, and new data on jordisite, 852
- Karato, S., see Yamazaki and Karato, 385
- Kasama, T., Murakami, T., Kohyama, N., and Watanabe, T.: Experimental mixtures of smectite and rectorite: Re-investigation of “fundamental particles” and “interparticle diffraction,” 105
- Kato, T., see Urakawa et al., 578
- Kawano, M. and Tomita, K.: Geochemical modeling of bacterially induced mineralization of schwertmannite and jarosite in sulfuric acid spring water, 1156
- Kawano, M. and Tomita, K.: Microbial biominerization in weathered volcanic ash deposit and formation of biogenic minerals by experimental incubation, 400
- Kawano, M. and Tomita, K.: TEM-EDX study of weathered layers on the surface of volcanic glass, bytownite, and hypersthene in volcanic ash from Sakurajima volcano, Japan, 284
- Kessel, R., Beckett, J.R., and Stolper, E.M.: Thermodynamic properties of the Pt-Fe system, 1003
- Kiefer, B., Stixrude, L., Hafner, J., and Kresse, G.: Structure and elasticity of wadsleyite at high pressures, 1387
- Kihara, K., see Nakagawa et al., 1506
- Kikegawa, T., see Suito et al., 997
- Kiseleva, I., Navrotsky, A., Belitsky, I., and Furstenko, B.: Thermochemical study of calcium zeolites—heulandite and stilbite, 448
- Kitakaze, A., see Akizuki et al., 364
- Kleppe, A.K., Jephcoat, A.P., and Ross, N.L.: Raman spectroscopic studies of phase E to 19 GPa, 1275
- Knight, K.S., see Henderson et al., 1170
- Knight, K.S., see Meyer et al., 566
- Kobayashi, M., see Suito et al., 997
- Kogure, T. and Nespolo, M.: Atomic structures of planar defects in oxybitote, 336
- Kohler, T., see Armbruster et al., 147
- Kohyama, N., Kasama et al., 105
- Kolitsch, U., see Witzke et al., 1081
- Kondo, T., see Miyajima et al., 740
- Konzett, J., see Yang et al., 1261
- Konzett, J., see Yang et al., 1483
- Kovalenker, V.A., see Jambor et al., 376
- Kravchenko, T. A., see Berezovskii et al., 1312
- Kresse, G., see Kiefer et al., 1387
- Kroeker, S., see Oglesby et al., 341
- Kroeker, S., see Stebbins et al., 1307
- Kuebler, K.E., see Wang et al., 790
- Küstler, F., see Goresky et al., 611
- Kunz, M., see Armbruster et al., 147
- Kunz, M., see Friedrich et al., 981
- Kunzmann, T., see Sepp and Kunzmann, 265
- Kuribayashi, T., see Akizuki et al., 364
- Lacombe, J., see Lecturq et al., 871
- Lager, G.A., see Friedrich et al., 981
- Lager, G.A., Ulmer, P., Miletich, R., and Marshall, W.G.: O-D···O bond geometry in OD-chondrodite, 176
- Lamarche, G., see Rancourt et al., 834
- Lange, R.A., see Tangeman and Lange, 1331
- Latypov, R.M., Dubrovskii, M.I., and Alapieti, T.T.: Graphical analysis of the orthopyroxene-pigeonite-augite-plagioclase equilibrium at liquidus temperatures and low pressure, 547
- Lauer Jr., H.V., see Golden et al., 370
- Lauer, Jr., H.V., see Golden et al., *Erratum*, 956
- Leeman, W.P., see Woodford et al., 513
- Lemelle, L., Guyot, F., Leroux, H., and Libourel, G.: An experimental study of the external reduction of olivine single crystals, 47
- Leroux, H., Lemelle et al., 47
- Lesher, C.E., see Tinker and Lesher, 1
- Leturcq, G., Advocat, T., Hart, K., Berger, G., Lacombe, J., and Bonnetier, A.: Solubility study of Ti,Zr-based ceramics designed to immobilize long-lived radionuclides, 871
- Libourel, G., Lemelle et al., 47
- Libowitzky, E., see Armbruster et al., 147
- Libowitzky, E., see Hertweck et al., 1282
- Lin, C.-C., see Chen et al., 1525
- Lindsley, D.H., see Xirouchakis et al., 247
- Lindsley, D.H., see Xirouchakis et al., 254
- Liou, J., see Ye et al., 1151
- Lischka, H., see Benco et al., 1057
- Liu, L.-G., see Chen et al., 1525
- Liu, Y. and Nekvasil, H.: Ab initio studies of possible fluorine-bearing four- and fivefold coordinated Al species in aluminosilicate glasses, 491
- Livi, K.J.T., see Heaney et al., 1094
- Löffler, L. and Mader, W.: Electron microscopic study of the dehydration of diaspore, 293
- Lofgren, G.E., see Golden et al., 370
- Lofgren, G.E., see Golden et al., *Erratum*, 956
- Lofgren, G.E., see Smith et al., 589
- London, D., Morgan VI, G.B., and Wolf, M.B.: Amblygonite-montebrasite solid solutions as monitors of fluorine in evolved granitic and pegmatitic melts, 225
- López, S. and Castro, A.: Determination of the fluid-absent solidus and supersolidus phase relationships of MORB-derived amphibolites in the range 4–14 kbar, 1406
- Lougeard, A., see Eeckhout et al., 957
- Lumpkin, G.R., see Arredondo et al., 485
- Lumpkin, G.R., see Reusser et al., 1435
- Ma, C., see Goreva et al., 466
- Mader, W., see Löffler and Mader, 293
- Makovicky, E., see Graeser et al., 1087
- Malcherek, T., Domeneghetti, M.C., Tazzoli, V., Ottolini, L., McCammon, C., and Carpenter, M.A.: Structural properties of ferromagnesian cordierites, 66
- Mao, H.K., see Hofmeister and Mao, 622

- Maresch, W.V., see Kahl and Maresch, 1345
- Mariano, A.N., see Hanchar et al., 667
- Marion, S., Meyer, H., Carpenter, M., and Norby, T.: H_2O-D_2O Exchange in Lawsonite, 1166
- Marion, S., see Meyer et al., 566
- Markl, G., Marks, M., and Wirth, R.: The influence of T , a_{SiO_2} , and f_{O_2} on exsolution textures in Fe-Mg Olivine: An example from augite syenites of the Ilmaussaq Intrusion, South Greenland, 36
- Marks, M., see Markl et al., 36
- Marshall, W.G., see Lager et al., 176
- Marshall, W.G., see Welch and Marshall, 1380
- Martin, F., see Wilke et al., 714
- Maruyama, S., see Ye et al., 1151
- Mauri, F., see Balan et al., 910
- Mauri, F., see Balan et al., 1321
- McCammon, C., see Malcherek et al., 66
- McCammon, C.A., see Eeckhout et al., 957
- McEnroe, S.A., Robinson, P., and Panish, P.T.: Aeromagnetic anomalies, magnetic petrology and rock magnetism of hemi-ilmenite- and magnetite-rich cumulate rocks from the Sokndal Region, South Rogaland, Norway, 1447
- McEnroe, S.A., see Robinson et al., 1469
- McKay, G.A., see Golden et al., 370
- McKay, G.A., see Golden, D.C. et al., *Erratum*, 956
- McKeown, D.A. and Post, J.E.: Characterization of manganese oxide mineralogy in rock varnish and dendrites using X-ray absorption spectroscopy, 701
- Medenbach, O., see Armbruster et al., 147
- Medenbach, O., see Evans et al., 640
- Meisser, N., see Brugger et al., 1494
- Menu, M., see Reiche et al., 1519
- Mercier, P.H.J., see Rancourt et al., 834
- Merli, M., Oberti, R., Caucia, F., and Ungaretti, L.: Determination of site population in olivine: warnings on X-ray data treatment and refinement, 55
- Merli, M., see Brizi et al., 271
- Merlino, S. and Orlandi, P.: Carraraite and zaccagnaite, two new minerals from the Carrara marble quarries: their chemical compositions, physical properties and structural features, 1293
- Métrich, N., see Fialin et al., 456
- Meyer, H., see Marion et al., 1166
- Meyer, H.-W., Marion, S., Sondergeld, P., Carpenter, M.A., Knight, K.S., Redfern, S.A.T., and Dove, M.T.: Displacive components of the low-temperature phase transitions in lawsonite, 566
- Miletich, R., see Armbruster et al., 147
- Miletich, R., see Lager et al., 176
- Ming, D.W., see Golden et al., 370
- Ming, D.W., see Golden, D.C. et al., *Erratum*, 956
- Mitchell, R.H., see Chakhmouradian and Mitchell, 1076
- Mitsis, I. and Economou-Eliopoulos, M.: Occurrence of apatite associated with magnetite in an ophiolite complex (Othrys), Greece, 1143
- Miura, H., see Das et al., 1423
- Miura, H. see Miyajima et al., 740
- Miyajima, N., Yagi, T., Hirose, K., Kondo, T., Fujino, K., and Miura, H.: Potential host phase of aluminum and potassium in the Earth's lower mantle, 740
- Molin, G., see Brizi et al., 271
- Molin, G., see Brizi, E., *Erratum*, 956
- Moore, D. M.: Presentation of the Roebling Medal of the Mineralogical Society of America for 2000 to Robert Coltart Reynolds Jr., 943
- Moore, K.T., Elbert, D.C., and Veblen, D.R.: Energy-filtered transmission electron microscopy (EFTEM) of intergrown pyroxenes, 814
- Moore, K.T., Veblen, D.R., and Howe, J.M.: Calcium segregation at antiphase boundaries in pigeonite, 1314
- Morgan VI, G.B., see London et al., 225
- Morgan, N.A. and Spera, F.J.: A molecular dynamics study of the glass transition in $CaAl_2Si_2O_8$: Thermodynamics and tracer diffusion, 915
- Morin, G., Juillot, F., Ildefonse, P., Calas, G., Samama, J.C., Chevallier, P., and Brown Jr., G.E.: Mineralogy of lead in a soil developed on a Pb-mineralized sandstone (Largentière, France), 92
- Morin, G., see Reiche et al., 1519
- Motoyoshi, Y. and Hensen, B.J.: F-rich phlogopite stability in ultra-high-temperature metapelites from the Napier Complex, East Antarctica, 1396
- Morris, R.V., see Golden et al., 370
- Morris, R.V., see Golden et al., *Erratum*, 956
- Morris, R.V., see Rancourt et al., 834
- Muller, J., see Balan et al., 1025
- Muller, J., see Balan et al., 910
- Murakami, T., Kasama et al., 105
- Nagase, T., see Akizuki et al., 364
- Nakagawa, T., Kihara, K., and Harada K.: The crystal structure of low melanophlogite, 1506
- Namba, J., see Suito et al., 997
- Naney, M.T., see Blencoe et al., 1100
- Nasdala, L., see Witzke et al., 1081
- Nasdala, L., Wenzel, M., Andrut, M., Wirth, R., and Blaum, P.: The nature of radiohaloes in biotite: Experimental studies and modeling, 498
- Navrotsky, A., see Fialips et al., 304
- Navrotsky, A., see Kiseleva et al., 448
- Navrotsky, A., see Smelik et al., 80
- Navrotsky, A., see Yang et al., 438
- Nelson, S.T.: *The Diamond Makers*. By Robert M. Hazen, 1319
- Nesbitt, H.W., Schaufuss, A.G., Scaini, M., Bancroft, G.M., and Szargan, R.: XPS measurement of fivefold and sixfold coordinated sulfur in pyrrhotites and evidence for millerite and pyrrhotite surface species, 318
- Nespolo, M., see Kogure and Nespolo, 336
- Nestola, F., see Tribaudino et al., 807
- Neuville, D.R., see Balan et al., 1025
- Newville, M., see Rakovan et al., 697
- Nickel, E.H.: *Memorial to James Graham*, 1320
- Norby, T., see Marion et al., 1166
- Oberti, R., Ottolini, L., Ventura, G.D., and Parodi, G.C.: On the symmetry and crystal chemistry of britholite: New structural and microanalytical data, 1066
- Oberti, R., see Gianfagna and Oberti, 1489
- Oberti, R., see Merli et al., 55
- Oglesby, J.V., see Stebbins et al., 1307
- Oglesby, J.V., Kroeker, S., and Stebbins, J.F.: Potassium hydrogen disilicate: A possible model compound for ^{17}O NMR spectra of hydrous silicate glasses, 341
- Onodera, A., see Suito et al., 997
- Orlandi, P., see Merlino and Orlandi, 1293
- Ottolini, L., see Freda et al., 234
- Ottolini, L., see Malcherek et al., 66
- Ottolini, L., see Oberti et al., 1066
- Pagel, M., see Barbarand and Pagel, 473
- Palmer, J.L. and Gunter, M.E.: The effects of time, temperature, and concentration on Sr^{2+} exchange in clinoptilolite in aqueous solutions, 431
- Panczer, G., see Reiche et al., 1519
- Panish, P.T., see McEnroe et al., 1447
- Panish, P.T., see Robinson et al., 1469
- Papike, J.J., see Herd et al., 1015
- Papike, J.J., see Shearer et al., 238
- Parise, J.B., see Kahlenberg et al., 1477
- Parodi, G.C., see Oberti et al., 1066
- Pattison, D.R.M.: Instability of Al_2SiO_5

- "triple-point" assemblages in muscovite +biotite+quartz-bearing metapelites, with implications, 1414
- Peacor, D.R., see Kao et al., 852
- Pearce, T.H.: Pristine surface growth features on 100 Ma garnet phenocrysts: Interference imaging results, 1302
- Penner-Hahn, J.E., see Kao et al., 852
- Penniston-Dorland, S.C.: Illumination of vein quartz textures in a porphyry copper ore deposit using scanned cathodoluminescence: Grasberg Igneous Complex, Irian Jaya, Indonesia, 652
- Peppard, B.T., Steele, I.M., Davis, A.M., Wallace, P.J., and Anderson, A.T.: Zoned quartz phenocrysts from the rhyolitic Bishop Tuff, 1034
- Perdigón, A.C., see Alba et al., 115
- Perdigón, A.C., see Alba et al., 124
- Petit, P.-E., see Wilke et al., 714
- Petit, S., see Fialip et al., 304
- Pichler, T., see Rancourt et al., 834
- Posnatzki, B., see Fechtelkord et al., 881
- Post, J.E., see McKeown and Post, 701
- Prencipe, M., see Tribaudino et al., 807
- Prewitt, C.T., see Yang et al., 1261
- Prewitt, C.T., see Yang et al., 1483
- Rakov, J., Newville, M., and Sutton, S.: Evidence of heterovalent europium in zoned Llallagua apatite using wavelength dispersive XANES, 697
- Rancourt, D.G., Fortin, D., Pichler, T., Thibault, P., Lamarche, G., Morris, R.V., and Mercier, P.H.J.: Mineralogy of a natural As-rich hydrous ferric oxide coprecipitate formed by mixing of hydrothermal fluid and seawater: Implications regarding surface complexation and color banding in ferrihydrite deposits, 834
- Raudsepp, M., see Fechtelkord et al., 881
- Redfern, S.A.T., see Meyer et al., 566
- Refait, P., Abdelmoula, M., Trolard, F., Génin, J.-M.R., Ehrhardt, J.J., and Bourrié, G.: Mössbauer and XAS study of a green rust mineral; the partial substitution of Fe^{2+} by Mg^{2+} , 731
- Reiche, I., Vignaud, C., Champagnon, B., Panczer, G., Brouder, C., Morin, G., Solé, V.A., Charlet, L., and Menu, M.: From mastodon ivory to gemstone: The origin of turquoise color in odontolite, 1519
- Reid, R.P., see Stoltz et al., 826
- Reusser, E., Gieré, R., and Lumpkin, G.R.: Geikielite exsolution in spinel, 1435
- Reynolds, R.C.: Acceptance of the Roebling Medal of the Mineralogical Society of America for 2000, 946
- Rimstidt, J.D., see Jurinski and Rimstidt, 392
- Roberts, A.C., see Jambor and Roberts, 1112
- Roberts, A.C., see Jambor and Roberts, 767
- Roberts, A.C., see Jambor and Roberts, 939
- Roberts, A.C., see Jambor and Roberts, 1534
- Roberts, A.C., see Jambor et al., 376
- Robinson, P., Panish, P.T., and McEnroe, S.A.: Minor element chemistry of hemo-ilmenite and magnetite in cumulate rocks from the Sokndal Region, South Rogaland, Norway, 1469
- Robinson, P., see McEnroe et al., 1447
- Roselle, G., see Berger and Roselle, 215
- Ross, N.L. and Crichton, W.A.: Compression of synthetic hydroxylclinohumite $[\text{Mg}_9\text{Si}_4\text{O}_{16}(\text{OH})_2]$ and hydroxyl-chondrodite $[\text{Mg}_5\text{Si}_2\text{O}_8(\text{OH})_2]$, 990
- Ross, N.L., see Kleppe et al., 1275
- Rossman, G.R., see Taran and Rossman, 889
- Rossman, G.R. and Taran, M.N.: Spectroscopic standards for four- and fivefold-coordinated Fe^{2+} in oxygen-based minerals, 896
- Rossman, G.R., see Arredondo et al., 485
- Rossman, G.R., see Goreva et al., 466
- Rossman, G.R., see Taran and Rossman et al., 973
- Rosso, K.M. and Rustad, J.R.: Structures and energies of AlOOH and FeOOH polymorphs from plane wave pseudopotential calculations, 312
- Rosso, K.M., see Becker and Rosso, 862
- Röthlisberger, F., see Bindl et al., 747
- Rufe, E., see Bickmore et al., 411
- Rustad, J.R., see Rosso and Rustad, 312
- Saitta, A.M., Balan et al., 1321
- Sakurai, N., see Suito et al., 997
- Salje, E.K.H., see Zhang et al., 904
- Salsi, J., see Stoltz et al., 826
- Samama, J.C., see Morin et al., 92
- Scaini, M., see Nesbitt et al., 318
- Schaufuss, A.G., see Nesbitt et al., 318
- Scheinost, A.C., Stanjek, H., Schulze, D.G., Gasser, U., and Sparks, D.L.: Structural environment and oxidation state of Mn in goethite-groutite solid-solutions, 139
- Schmidt, M.W., Dugnani, M., and Artioli, G.: Synthesis and characterization of white micas in the join muscovite-aluminoceladonite, 555
- Schmücker, M., see Fischer et al., 1513
- Schneider, H., see Fischer et al., 1513
- Schreyer, W., see Daniels and Schreyer, 583
- Schulze, D.G., see Scheinost et al., 139
- Schwandt, C.S., see Golden et al., 370
- Schwandt, C.S., see Golden et al., *Erratum*, 956
- Sears, D.W.G., see Benoit et al., 780
- Seff, K., see Witzke et al., 1081
- Seifert, F., see Carpenter et al., 348
- Sepp, B. and Kunzmann, T.: The stability of clinopyroxene in the system $\text{CaO}-\text{MgO}-\text{SiO}_2-\text{TiO}_2$ (CMST), 265
- Shaw, C.S.J., see Kahlenberg et al., 1477
- Shearer, C.K., Papike, J.J., and Spilde, M.N.: Trace-element partitioning between immiscible lunar melts: An example from naturally occurring lunar melt inclusions, 238
- Shimomura, O., see Suito et al., 997
- Singer, B.S., see Costa et al., 29
- Sinogeikin, S.V., see Chen et al., 1525
- Sisson, V.B., see Woodford et al., 513
- Smelik, A., Franz, G., and Navrotksy, A.: A calorimetric study of zoisite and clinozoisite solid solutions, 80
- Smith, R.I., see Henderson et al., 1170
- Smith, R.K., Tremallo, R.L., and Lofgren, G.E.: Growth of megasperulites in a rhyolitic vitrophyre, 589
- Socki, R.A., see Golden et al., 370
- Socki, R.A., see Golden et al., *Erratum*, 956
- Solé, V.A., see Reiche et al., 1519
- Sondergeld, P., see Meyer et al., 566
- Sorensen, S.S.: Presentation of the Distinguished Public Service Medal for 2000 to Richard S. Fiske, 952
- Sparks, D.L., see Scheinost et al., 139
- Spera, F.J., see Morgan and Spera, 915
- Spilde, M.N., see Shearer et al., 238
- Sposito, G.: *Environmental mineralogy*. Edited by David J. Vaughan and Roy A. Wogelius, 954
- Stähli, K., see Artioli et al., 185
- Stähle, V., see Goresy et al., 611
- Stalder, R., see Ulmer and Stalder, 1267
- Stanjek, H., see Scheinost et al., 139
- Stebbins, J.F., Oglesby, J.V., and Kroeker, S.: Oxygen trilusters in crystalline CaAl_4O_7 (grossite) and in calcium aluminosilicate glasses: ^{17}O NMR, 1307
- Stebbins, J.F., see Oglesby et al., 341
- Steele, I.M., see Peppard et al., 1034
- Stief, F., see Fechtelkord et al., 165
- Stixrude, L., see Kiefer et al., 1387
- Stolper, E.M., see Kessel et al., 1003
- Stoltz, J.F., Feinstein, T.N., Salsi, J., Visscher, P.T., and Reid, R.P.: TEM analysis of microbial mediated sedimentation and

- lithification in modern marine stromatolites, 826
- Suito, K., Namba, J., Horikawa, T., Taniguchi, Y., Sakurai, N., Kobayashi, M., Onodera, A., Shimomura, O., and Kikegawa, T.: Phase relations of CaCO_3 at high pressure and high temperature, 997
- Sutton, S., see Rakovan et al., 697
- Suzuki, A., see Urakawa et al., 578
- Swainson, I.P. and Hammond, R.P.: Ikaite, $\text{CaCO}_3 \cdot 6\text{H}_2\text{O}$: Cold comfort for glendonites as paleothermometers, 1530
- Symes, S.J.K., see Benoit et al., 780
- Szargan, R., see Nesbitt et al., 318
- Tangeman, J.A. and Lange, R.A.: Determination of the limiting fictive temperature of silicate glasses from calorimetric and dilatometric methods: Application to low-temperature liquid volume measurements, 1331
- Taniguchi, Y., see Suito et al., 997
- Taran, M. N., see Rossman and Taran, 896
- Taran, M.N. and Rossman, G.R.: Optical spectroscopic study of tuhualite and a re-examination of the beryl, cordierite, and osumilite spectra, 973
- Taran, M.N. and Rossman, G.R.: Optical spectra of Co^{2+} in three synthetic silicate minerals, 889
- Tazzoli, V., see Malcherek et al., 66
- Terasaki, H., see Urakawa et al., 578
- Thibault, P., see Rancourt et al., 834
- Tinker, D. and Lesher, C.E.: Self diffusion of Si and O in dacitic liquid at high pressures, 1
- Tomita, K., see Kawano and Tomita, 284
- Tomita, K., see Kawano and Tomita, 400
- Tomita, K., see Kawano and Tomita, 1156
- Trautwein, A.X., see Eeckhout et al., 957
- Tremallo, R.L., see Smith et al., 589
- Tribaudino, M., Prencipe, M., Nestola, F., and Hanfland, M.: A $P2_1/c$ - $C2/c$ high-pressure phase transition in $\text{Ca}_{0.5}\text{Mg}_{1.5}\text{Si}_2\text{O}_6$ clinopyroxene, 807
- Trocadier, P., see Balan et al., 1025
- Trolard, F., see Refait et al., 731
- Tunega, D., see Benco et al., 1057
- Ulmer, P. and Stalder, R.: The $\text{Mg}(\text{Fe})\text{SiO}_3$ orthoenstatite-clinoenstatite transitions at high pressures and temperatures determined by Raman-spectroscopy on quenched samples, 1267
- Ulmer, P., see Lager et al., 176
- Ungaretti, L., Merli et al., 55
- Urakawa, S., Terasaki, H., Funakoshi, K., Kato, T., and Suzuki, A.: Radiographic study on the viscosity of the Fe-FeS melts at the pressure of 5 to 7 GPa, 578
- Veblen, D.R., see Moore et al., 1314
- Veblen, D.R., see Moore et al., 814
- Ventura, G.D., see Oberti et al., 1066
- Viana, R.R., see da Costa and Viana, 1034
- Vicenzi, E.P., see Heaney et al., 1094
- Vignaud, C., see Reiche et al., 1519
- Viskupic, K.M., see Wang et al., 790
- Vochten, R., see Eeckhout et al., 957
- Wagner, C., see Fialin et al., 456
- Wallace, P.J., see Peppard et al., 1034
- Walker, D., see Johnson et al., 1367
- Wang, A., Jolliff, B.L., Haskin, L.A., Kuebler, K.E., and Viskupic, K.M.: Characterization and comparison of structural and compositional features of planetary quadrilateral pyroxenes by Raman spectroscopy, 790
- Wang, Z. and Ji, S.: Elasticity of six polycrystalline silicate garnets at pressure up to 3.0 GPa, 1209
- Watanabe, T., Kasama et al., 105
- Watson, E.B., see Hanchar et al., 667
- Welch, M.D. and Marshall, W.G.: High-pressure behavior of clinochlore, 1380
- Wenzel, M., see Nasdala et al., 498
- Wildner, M. and Andrut, M.: The crystal chemistry of birefringent natural uvarovites: Part II. Single-crystal X-ray structures, 1231
- Wildner, M., see Andrut and Wildner, 1219
- Wilke, M., Farges, F., Petit, P.-E., Brown Jr., G.E., and Martin, F.: Oxidation state and coordination of Fe in minerals: An Fe K-XANES spectroscopic study, 714
- Wilkin, R., see Yang et al., 438
- Williams, Q.C.: Acceptance of the Mineralogical Society of America Award for 2000, 950
- Wirth, R., see Markl et al., 36
- Wirth, R., see Nasdala et al., 498
- Wirth, R., Dobrzhinetskaya, L.F., and Green II, H.W.: Electron microscope study of the reaction olivine + $\text{H}_2\text{O} + \text{TiO}_2 \rightarrow$ Titanian clinohumite + titanian chondrodite synthesized at 8 GPa, 1300 K, 601
- Witzke, T., Zhen, S., Seff, K., Doering, T., Nasdala, L., and Kolitsch, U.: Ronneburgite, $\text{K}_2\text{MnV}_4\text{O}_{12}$, a new mineral from Ronneburg, Thuringia, Germany: Description and crystal structure, 1081
- Wolf, M.B., see London et al., 225
- Woodford, D.T., Sisson, V.B., and Leeman, W.P.: Boron metasomatism of the Alta stock contact aureole, Utah: Evidence from borates, mineral chemistry, and geochemistry, 513
- Woods, R.-M. and Gunter, M.E.: Na- and Cs-exchange in a clinoptilolite-rich rock: Analysis of the outgoing cations in solution, 424
- Xirouchakis, D., Lindsley, D.H., and Andersen, D.J.: Assemblages with titanite (CaTiOSiO_4), Ca-Mg-Fe olivine and pyroxenes, Fe-Mg-Ti oxides, and quartz: Part I. Theory, 247
- Xirouchakis, D., Lindsley, D.H., and Frost, B.R.: Assemblages with titanite (CaTiOSiO_4), Ca-Mg-Fe olivine and pyroxenes, Fe-Mg-Ti oxides, and quartz: Part II. Application, 254
- Yagi, T., see Miyajima et al., 740
- Yamazaki, D. and Karato, S.: Some mineral physics constraints on the rheology and geothermal structure of Earth's lower mantle, 385
- Yang, H., Konzett, J., and Prewitt, C.T.: Crystal structure of a new (21)-clinopyribole synthesized at high temperature and pressure, 1261
- Yang, H., Konzett, J., and Prewitt, C.T.: Crystal structure of phase X, a high pressure alkali-rich hydrous silicate and its anhydrous equivalent, 1483
- Yang, H., see Evans et al., 640
- Yang, S., Navrotsky, A., and Wilkin, R.: Thermodynamics of ion-exchanged and natural clinoptilolite, 438
- Ye, K., Liou, J., Cong, B., and Maruyama, S.: Overpressures induced by coesite-quartz transition in zircon, 1151
- Yoshito, N.: Pulsed field gradient proton NMR study of the self-diffusion of H_2O in montmorillonite gel: Effects of temperature and water fraction, 132
- Zanazzi, P.F., see Brizi et al., 271
- Zanazzi, P.F., see Brizi, *Erratum*, 956
- Zhang, M., Groat, L.A., Salje, E.K.H., and Beran, A.: Hydrous species in crystalline and metamict titanites, 904
- Zhao, G., see Kao et al., 852
- Zhen, S., see Witzke et al., 1081