

## AUTHOR INDEX, VOLUME 81, 1996

- Ahn, J.H., *see* Shim et al., 1133  
Akizuki, M., Kudoh, Y., and Kuribayashi, T.: Crystal structures of the {011}, {610}, and {010} growth sectors in brewsterite, 1501  
Andelman, A., *see* Downs et al., 1344  
Andrault, D., Itié, J.-P., and Farges, F.: High-temperature structural study of germanate perovskites and pyroxenoids, 822  
Apitz, S.E., *see* Kubicki et al., 789  
Aprà, E., *see* Becker et al., 1301  
Armbruster, T., *see* Libowitzky and Armbruster, 9  
Armbruster, T., Yang, P., and Liebich, B.W.: Mechanism of the  $\text{SiO}_4$  for  $\text{CO}_3$  substitution in de ferrite,  $\text{Ca}_6(\text{CO}_3)_{1.58}(\text{Si}_2\text{O}_7)_{0.21}(\text{OH})_7[\text{Cl}_{0.50}(\text{OH})_{0.08}(\text{H}_2\text{O})_{0.42}]$ : A single-crystal X-ray study at 100 K, 625  
Artioli, G., Pavese, A., and Moze, O.: Dispersion relations of acoustic phonons in pyrope garnet: Relationship between vibrational properties and elastic constants, 19  
Artioli, G., Pavese, A., Bellotto, M., Collins, S.P., and Lucchetti, G.: Mn crystal chemistry in pumpellyite: A resonant scattering powder diffraction Rietveld study using synchrotron radiation, 603  
Atake, T., *see* Stølen et al., 973  
  
Bailey, S.W., *see* Banfield and Bailey, 79  
Baker, D.R.: Granitic melt viscosities: Empirical and configurational entropy models for their calculation, 126  
Baker, J., and Holland, T.J.B.: Experimental reversals of chlorite compositions in divariant  $\text{MgO} + \text{Al}_2\text{O}_3 + \text{SiO}_2 + \text{H}_2\text{O}$  assemblages, 676  
Ballaran, T.B., *see* Domeneghetti et al., 842  
Ballirano, P., Maras, A., and Buseck, P.R.: Crystal chemistry and IR spectroscopy of Cl- and  $\text{SO}_4$ -bearing cancrinite-like minerals, 1003  
Bancroft, G.M., *see* Li et al., 111  
Banfield, J.F., and Bailey, S.W.: Formation of regularly interstratified serpentine-chlorite minerals by tetrahedral inversion in long-period serpentine polytypes, 79  
Barber, A., *see* Zhang et al., 92  
Baronnet, A., *see* Jullien et al., 67  
Barres, O., *see* Charoy et al., 395  
Becker, U., Hochella, M.F., Jr., and Aprà, E.: The electronic structure of hematite {001} surfaces: Applications to the interpretation of STM images and heterogeneous surface reactions, 1301  
Behrens, H., *see* Nowak et al., 1507  
Behrens, H., *see* Romano et al., 452  
Behrens, H., *see* Schulze et al., 1155  
Belendorff, K., *see* Krause et al., 505  
Belitsky, I.A., *see* Kiseleva et al., 658  
  
Belitsky, I.A., *see* Kiseleva et al., 668  
Bellotto, M., *see* Artioli et al., 603  
Belonoshko, A.B., and Dubrovinsky, L.S.: Molecular dynamics of NaCl (B1 and B2) and MgO (B1) melting: Two-phase simulation, 303  
Belonoshko, A.B., Dubrovinsky, L.S., and Dubrovinsky, N.A.: A new high-pressure silica phase obtained by molecular dynamics, 785  
Benco, Ľ., *see* Smrčok and Benco, 1405  
Benna, P., Tribaudino, M., and Bruno, E.: The structure of ordered and disordered lead feldspar ( $\text{PbAl}_2\text{Si}_2\text{O}_8$ ), 1337  
Berlepsch, P., *see* Brugger and Berlepsch, 1270  
Berner, R.A., *see* Regnier and Berner, 515  
Bernhardt, H.-J., *see* Krause et al., 505  
Bertka, C.M., *see* Longhi and Bertka, 685  
Bish, D.L., *see* Carey and Bish, 952  
Bismayer, U., *see* Groat et al., 595  
Blaha, P., *see* Winkler et al., 545  
Blake, G.A., *see* Kubicki et al., 789  
Blanc, P., *see* Demars et al., 891  
Bokreta, M., *see* Ottanello et al., 429  
Bonazzi, P., and Mazzi, F.: Bottinoite,  $\text{Ni}(\text{H}_2\text{O})_6[\text{Sb}(\text{OH})_6]$ : Crystal structure, twinning, and hydrogen-bond model, 1494  
Bonazzi, P., Menchetti, S., and Reinecke, T.: Solid solution between piemontite and androsite-(La), a new mineral of the epidote group from Andros Island, Greece, 735  
Bonazzi, P., Menchetti, S., Pratesi, G., Muniz-Miranda, M., and Sbrana, G.: Light-induced variations in realgar and  $\beta\text{-As}_4\text{S}_4$ : X-ray diffraction and Raman studies, 874  
Boudreau, A.E., *see* Waters and Boudreau, 1452  
Bridges, F., *see* Clossmann et al., 1321  
Brigatti, M.F., Medici, L., Saccani, E., and Vaccaro, C.: Crystal chemistry and petrologic significance of  $\text{Fe}^{3+}$ -rich phlogopite from the Tapira carbonatite complex, Brazil, 913  
Brodholt, J., Patel, A., and Refson, K.: An ab initio study of the compressional behavior of forsterite, 257  
Brugger, J., and Berlepsch, P.: Description and crystal structure of fianelite,  $\text{Mn}_2\text{V}(\text{V},\text{As})\text{O}_7 \cdot 2\text{H}_2\text{O}$ , a new mineral from Fianel, Val Ferrera, Graubünden, Switzerland, 1270  
Brunet, F., and Schaller, T.: Protons in the magnesium phosphates phosphoellenbergerite and holtedahlite: An IR and NMR study, 385  
Bruno, E., *see* Benna et al., 1337  
Burnley, P.C., and Navrotsky, A.: Synthesis of high-pressure hydrous magnesium silicates: Observations and analysis, 317  
Buseck, P.R., *see* Ballirano et al., 1003  
Buseck, P.R., *see* Dodony et al., 119

- Buseck, P.R., *see* Xu and Buseck, 1371
- Cady, S.L., Wenk, H.-R., and Downing, K.H.: HRTEM of microcrystalline opal in chert and porcelanite from the Monterey Formation, California, 1380
- Campbell, K.M., *see* Hofmeister et al., 418
- Canil, D., *see* Ross et al., 61
- Carey, J.W., and Bish, D.L.: Equilibrium in the clinoptilolite-H<sub>2</sub>O system, 952
- Carey, J.W.: Review of *Thermodynamics in Geochemistry: The Equilibrium Model*. By G.M. Anderson and D.A. Crerar, 255
- Carpenter, M.A., and Cellai, D.: Microstructures and high-temperature phase transitions in kalsilite, 561
- Carpenter, M.A., *see* Zhang et al., 92
- Cellai, D., *see* Carpenter and Cellai, 561
- Chai, L., and Navrotsky, A.: Synthesis, characterization, and energetics of solid solution along the dolomite-ankerite join, and implications for the stability of ordered CaFe(CO<sub>3</sub>)<sub>2</sub>, 1141
- Chakraborty, S., *see* Ganguly et al., 1208
- Chappell, B.W., *see* Sha and Chappell, 881
- Charoy, B., Donato, P.d., Barres, O., and Pinto-Coelho, C.: Channel occupancy in an alkali-poor beryl from Serra Branca (Goiás, Brazil): Spectroscopic characterization, 395
- Chaturvedi, S., Katz, R., Guevremont, J., Schoonen, M.A.A., and Strongin, D.R.: XPS and LEED study of a single-crystal surface of pyrite, 261
- Chen, J., Li, R., Parise, J.B., and Weidner, D.J.: Pressure-induced ordering in (Ni,Mg)<sub>2</sub>SiO<sub>4</sub> olivine, 1519
- Chou, I.-M., *see* Cygan et al., 475
- Closmann, C., Knittle, E., and Bridges, F.: An XAFS study of the crystal chemistry of Fe in orthopyroxene, 1321
- Cohen, R.E., *see* Stixrude et al., 1293
- Collins, S.P., *see* Artioli et al., 603
- Comodi, P., and Zanazzi, P.F.: Effects of temperature and pressure on the structure of lawsonite, 833
- Couture, R.A., and Dymek, R.F.: A reexamination of absorption and enhancement effects in X-ray fluorescence trace element analysis, 639
- Cressey, G., *see* Welch et al., 1350
- Crowe, D.E., and Vaughan, R.G.: Characterization and use of isotopically homogeneous standards for in situ laser microprobe analysis of <sup>34</sup>S/<sup>32</sup>S ratios, 187
- Cygan, G.L., Chou, I.-M., and Sherman, D.M.: Reinvestigation of the annite = sanidine + magnetite + H<sub>2</sub> reaction using the f<sub>H<sub>2</sub></sub>-sensor technique, 475
- Cygan, R.T., *see* Schwandt et al., 448
- Czamanske, G.K., *see* Hawthorne et al., 226
- Czank, M., *see* Klein et al., 928
- Dalton, J.A., and Lane, S.J.: Electron microprobe analysis of Ca in olivine close to grain boundaries: The problem of secondary X-ray fluorescence, 194
- Danyushevsky, L.V., *see* Kamperman et al., 1186
- Delano, J.W., *see* Hanson et al., 1249
- Deloule, E., *see* Demars et al., 891
- Demars, C., Pagel, M., Deloule, E., and Blanc, P.: Cathodoluminescence of quartz from sandstones: Interpretation of the UV range by determination of trace element distributions and fluid-inclusion P-T-X properties in authigenic quartz, 891
- Demartin, F., *see* Pilati et al., 811
- Dilek, Y., *see* Whitney et al., 696
- Dingwell, D.B., *see* Hess and Dingwell, 1297
- Dingwell, D.B., *see* Romano et al., 452
- Dingwell, D.B., *see* Romano et al., 1148
- Dódony, I., Pósfai, M., and Buseck, P.R.: Structural relationship between pyrite and marcasite, 119
- Dolfi, D., *see* Romano et al., 452
- Domeneghetti, M.C., Tazzoli, V., Ballaran, T.B., and Molin, G.: Orthopyroxene from the Serra de Magé meteorite: A structure-refinement procedure for a Pbc<sub>a</sub> phase coexisting with a C2/c exsolved phase, 842
- Donato, P., *see* Charoy et al., 395
- Dooley, D.F., and Patiño Douce, A.E.: Fluid-absent melting of F-rich phlogopite + rutile + quartz, 202
- Dove, M.T., and Heine, V.: The use of Monte Carlo methods to determine the distribution of Al and Si cations in framework aluminosilicates from <sup>29</sup>Si MAS NMR data, 39
- Dove, M.T., *see* Hammonds et al., 1057
- Dove, M.T., Thayaparam, S., Heine, V., and Hammonds, K.D.: The phenomenon of low Al-Si ordering temperatures in aluminosilicate framework structures, 349
- Downing, K.H., *see* Cady et al., 1380
- Downs, R.T., Andelman, A., and Hudacsko, M.: The coordination numbers of Na and K atoms in low albite and microcline as determined from a procrystal electron-density distribution, 1344
- Downs, R.T., *see* Hazen et al., 327
- Downs, R.T., Zha, C., Duffy, T.S., and Finger, L.W.: The equation of state of forsterite to 17.2 GPa and effects of pressure media, 51
- Drits, V.A., and McCarty, D.K.: The nature of diffraction effects from illite and illite-smectite consisting of interstratified trans-vacant and cis-vacant 2:1 layers: A semiquantitative technique for determination of layer-type content, 852
- Dubrovinsky, L.S., *see* Belonoshko and Dubrovinsky, 303
- Dubrovinsky, L.S., *see* Belonoshko et al., 785
- Dubrovinsky, N.A., *see* Belonoshko et al., 785
- Duffield, W.A., *see* Witke et al., 135
- Duffy, T.S., *see* Downs et al., 51
- Dupree, R., *see* Kitchin et al., 550
- Dymek, R.F., *see* Couture and Dymek, 639
- Eggleslon, C.M., Ehrhardt, J.-J., and Stumm, W.: Surface structural controls on pyrite oxidation kinetics: An XPS-UPS, STM, and modeling study, 1036
- Ehrhardt, J.-J., *see* Eggleslon et al., 1036
- Essene, E.J., and O'Neil, J.R.: Presentation of the Mineralogical Society of America Award for 1995 to

- Zachary D. Sharp, 775  
 Essene, E.J., *see* Wang et al., 706  
 Essene, E.J.: Review of *Glossary of Mineral Species*. By M. Fleischer and J.A. Mandarino, 781  
 Evans, B.W., *see* Yang and Evans, 1117  
 Evans, B.W.: Presentation of the Roebling Medal of the Mineralogical Society of America for 1995 to William S. Fyfe, 771  
 Ewing, R.C., *see* Janeczek and Ewing, 1263  
 Ewing, R.C., *see* Lumpkin and Ewing, 1237  
 Fagan, T.J., *see* Hofmeister et al., 418  
 Farber, D.L., and Williams, Q.: An in situ Raman spectroscopic study of  $\text{Na}_2\text{Si}_2\text{O}_5$  at high pressures and temperatures: Structures of compressed liquids and glasses, 273  
 Farges, F., *see* Andrault et al., 822  
 Ferry, J.M.: Three novel isograds in metamorphosed siliceous dolomites from the Ballachulish aureole, Scotland, 485  
 Finger, L.W., *see* Downs et al., 51  
 Finger, L.W., *see* Hazen et al., 327  
 Fiquet, G., *see* Reynard et al., 45  
 Fleet, M.E., *see* Li et al., 111  
 Fleet, M.E.: Sodium tetrasilicate: A complex high-pressure framework silicate ( $\text{Na}_6\text{Si}_4[\text{Si}_9\text{O}_{27}]$ ), 1105  
 Frey, F.A., *see* Navon et al., 754  
 Frey, M., *see* Sperlich et al., 1222  
 Furstenko, B.A., *see* Kiseleva et al., 658  
 Furstenko, B.A., *see* Kiseleva et al., 668  
 Fyfe, W.S.: Acceptance of the Roebling Medal of the Mineralogical Society of America for 1995, 773  
 Ganguly, J., Chakraborty, S., Sharp, T.G., and Rumble III, D.: Constraint on the time scale of biotite-grade metamorphism during Acadian orogeny from a natural garnet-garnet diffusion couple, 1208  
 Gebert, W., *see* Krause et al., 505  
 Giddy, A.P., *see* Hammonds et al., 1057  
 Gieré, R., *see* Sperlich et al., 1222  
 Giester, G., and Rieck, B.: Bechererite,  $(\text{Zn},\text{Cu})_6\text{Zn}_2(\text{OH})_{13}[(\text{S},\text{Si})(\text{O},\text{OH})]_2$ , a novel mineral species from the Tonopah-Belmont mine, Arizona, 244  
 Gillet, P., Malézieux, J.-M., and Itié, J.-P.: Phase changes and amorphization of zeolites at high pressures: The case of scolecite and mesolite, 651  
 Gillet, P., *see* Reynard et al., 585  
 Glöckner, R., *see* Stølen et al., 973  
 Goffé, B., *see* Jullien et al., 67  
 Graetsch, H., *see* Krause et al., 505  
 Gramaccioli, C.M., *see* Pilati et al., 811  
 Greaves, G., *see* Sery et al., 864  
 Gregorkiewitz, M., Lebech, B., Mellini, M., and Viti, C.: Hydrogen positions and thermal expansion in lizardite-1T from Elba: A low-temperature study using Rietveld refinement of neutron diffraction data, 1111  
 Grew, E.S., Peacor, D.R., Rouse, R.C., Yates, M.G., Su, S.-C., and Marquez, N.: Hyttsjöite, a new, complex layered plumbosilicate with unique tetrahedral sheets from Långban, Sweden, 743  
 Grew, E.S., *see* Jambor et al., 1513  
 Grice, J.D., *see* Hawthorne et al., 226  
 Grice, J.D., *see* Hawthorne et al., 995  
 Griffen, D.T.: Review of *Physics and Chemistry of Earth Materials*. By A. Navrotsky, 1287  
 Groat, L.A., Kek, S., Bismayer, U., Schmidt, C., Krane, H.G., Meyer, H., Nistor, L., and Van Tendeloo, G.: A synchrotron radiation, HRTEM, X-ray powder diffraction, and Raman spectroscopic study of malayaite,  $\text{CaSnSiO}_5$ , 595  
 Groat, L.A.: The crystal structure of namuwite, a mineral with Zn in tetrahedral and octahedral coordination, and its relationship to the synthetic basic zinc sulfates, 238  
 Grobety, B.H.: New short-range biopyribole polysomes from the Lepontine Alps, Switzerland, 404  
 Grønvold, F., *see* Stølen et al., 973  
 Grove, M., and Harrison, T.M.:  $^{40}\text{Ar}^*$  diffusion in Fe-rich biotite, 940  
 Guevremont, J., *see* Chaturvedi et al., 261  
 Guggenheim, S.: Memorial of Sturges William Bailey, 1919–1994, 521  
 Gunter, M.E.: Review of *Crystal Identification with the Polarizing Microscope*. By R.E. Stoiber and S.A. Morse, 255  
 Gutmannsbauer, W., *see* Stipp et al., 1  
 Guyot, F., *see* Reynard et al., 585  
 Gwanmesia, G.D., *see* Reynard et al., 585  
 Häfner, W., *see* Rauch et al., 1289  
 Hammonds, K.D., Dove, M.T., Giddy, A.P., Heine, V., and Winkler, B.: Rigid-unit phonon modes and structural phase transitions in framework silicates, 1057  
 Hammonds, K.D., *see* Dove et al., 349  
 Hanson, B., Delano, J.W., and Lindstrom, D.J.: High-precision analysis of hydrous rhyolitic glass inclusions in quartz phenocrysts using the electron microprobe and INAA, 1249  
 Harlow, G.E.: Structure refinement of a natural K-rich diopside: The effect of K on the average structure, 632  
 Harrison, R.J., and Putnis, A.: Magnetic properties of the magnetite-spinel solid solution: Curie temperatures, magnetic susceptibilities, and cation ordering, 375  
 Harrison, T.M., *see* Grove and Harrison, 940  
 Haskin, L.A.: Memorial of Carl Tolman, 1897–1995, 779  
 Hassan, I.: Direct observation of phase transitions in aluminate sodalite,  $\text{Ca}_8[\text{Al}_{12}\text{O}_{24}](\text{CrO}_4)_2$ , 1375  
 Hattori, K., and Sato, H.: Magma evolution recorded in plagioclase zoning in 1991 Pinatubo eruption products, 982  
 Häusermann, D., *see* Kunz et al., 1527  
 Hawthorne, F.C., Oberti, R., Ungaretti, L., and Grice, J.D.: A new hyper-calcic amphibole with Ca at the A site: Fluor-cannilloite from Pargas, Finland, 995  
 Hawthorne, F.C., Oberti, R., Ungaretti, L., Ottolini, L., Grice, J.D., and Czamanske, G.K.: Fluor-ferro-leakeite,  $\text{NaNa}_2(\text{Fe}^{2+}_2\text{Fe}^{3+}_2\text{Li})\text{Si}_8\text{O}_{22}\text{F}_2$ , a new alkali amphibole

- from the Canada Pinabete pluton, Questa, New Mexico, U.S.A., 226
- Hawthorne, F.C., *see* Ventura et al., 56
- Hawthorne, F.C., Ventura, G.D., and Robert, J.-L.: Short-range order of (Na,K) and Al in tremolite: An infrared study, 782
- Hayward, S.A., and Salje, E.K.H.: Displacive phase transition in anorthoclase: The "plateau effect" and the effect of T1-T2 ordering on the transition temperature, 1332
- Hazen, R.M., and Navrotsky, A.: Effects of pressure on order-disorder reactions, 1021
- Hazen, R.M., Downs, R.T., and Finger, L.W.: High-pressure crystal chemistry of LiScSiO<sub>4</sub>: An olivine with nearly isotropic compression, 327
- Heaney, P.J.: Review of *Handbook of Mineralogy*, Vol. 2: *Silica, Silicates*. By J.W. Anthony, R.A. Bideaux, K.W. Bladh, and M.C. Nichols, 524
- Heine, V., *see* Dove and Heine, 39
- Heine, V., *see* Dove et al., 349
- Heine, V., *see* Hammonds et al., 1057
- Henderson, C.M.B., *see* Kitchin et al., 550
- Henderson, C.M.B., *see* Redfern and Henderson, 369
- Hess, K-U., and Dingwell, D.B.: Viscosities of hydrous leucogranitic melts: A non-Arrhenian model, 1297
- Hochella Jr., M.F., *see* Becker et al., 1301
- Hofmeister, A.M., Fagan, T.J., Campbell, K.M., and Schaal, R.B.: Single-crystal IR spectroscopy of pyrope-almandine garnets with minor amounts of Mn and Ca, 418
- Holland, T., and Powell, R.: Thermodynamics of order-disorder in minerals: I. Symmetric formalism applied to minerals of fixed composition, 1413
- Holland, T., and Powell, R.: Thermodynamics of order-disorder in minerals: II. Symmetric formalism applied to solid solutions, 1425
- Holland, T.J.B., Redfern, S.A.T., and Pawley, A.R.: Volume behavior of hydrous minerals at high pressure and temperature: II. Compressibilities of lawsonite, zoisite, clinozoisite, and epidote, 341
- Holland, T.J.B., *see* Baker and Holland, 676
- Holland, T.J.B., *see* Pawley et al., 335
- Holtz, F., *see* Schulze et al., 1155
- Hudacska, M., *see* Downs et al., 1344
- Hughes, J.M., *see* Ni and Hughes, 105
- Hurlbut, C.S., Jr., and Thompson, J.B., Jr.: Memorial of Harold Williams Fairbairn, 1906–1994, 1018
- Icenhower, J., and London, D.: Experimental partitioning of Rb, Cs, Sr, and Ba between alkali feldspar and peraluminous melt, 719
- Itié, J.-P., *see* Andrault et al., 822
- Itié, J.-P., *see* Gillet et al., 651
- Itié, J.-P., *see* Reynard et al., 45
- Izumisawa, S., *see* Stølen et al., 973
- Jablonski, W., *see* Kamperman et al., 1186
- Jacob, K.T., *see* Mukhopadhyay and Jacob, 963
- Jambor, J.L., Grew, E.S., and Roberts, A.C.: New Mineral Names, 1513
- Jambor, J.L., Kovalenker, V.A., and Roberts, A.C.: New Mineral Names, 1013
- Jambor, J.L., Kovalenker, V.A., Puziewicz, J., and Roberts, A.C.: New Mineral Names, 1282
- Jambor, J.L., Pertsev, N.N., and Roberts, A.C.: New Mineral Names, 249
- Jambor, J.L., Pertsev, N.N., and Roberts, A.C.: New Mineral Names, 516
- Jambor, J.L., Pertsev, N.N., and Roberts, A.C.: New Mineral Names, 766
- Janeczek, J., and Ewing, R.C.: Florencite-(La) with fissiogenic REEs from a natural fission reactor at Bangombé, Gabon, 1263
- Johannes, W., *see* Nowak et al., 1507
- Johannes, W., *see* Schulze et al., 1155
- Jolliff, B.L., *see* Wopenka et al., 902
- Jonckheere, R., and Van den haute, P.: Observations on the geometry of etched fission tracks in apatite: Implications for models of track revelation, 1476
- Jones, C., *see* Wittke et al., 135
- Joswiak, D.J., *see* Kuehner and Joswiak, 229
- Jullien, M., Baronnet, A., and Goffé, B.: Ordering of the stacking sequence in cookeite with increasing pressure: An HRTEM study, 67
- Kamperman, M., Danyushevsky, L.V., Taylor, W.R., and Jablonski, W.: Direct oxygen measurements of Cr-rich spinel: Implications for spinel stoichiometry, 1186
- Kampf, A.R., *see* Merlino et al., 1277
- Katz, R., *see* Chaturvedi et al., 261
- Kek, S., *see* Groat et al., 595
- Keppler, H., *see* Rauch et al., 1289
- Keppler, H., *see* Ross et al., 61
- Kihara, K., *see* Kitchin et al., 550
- Kim, S.J., *see* Shim et al., 1133
- Kiseleva, I., Navrotsky, A., Belitsky, I.A., and Fursenko, B.A.: Thermochemistry and phase equilibria in calcium zeolites, 658
- Kiseleva, I., Navrotsky, A., Belitsky, I.A., and Fursenko, B.A.: Thermochemistry of natural potassium sodium calcium leonardite and its cation-exchanged forms, 668
- Kitchin, S.J., Kohn, S.C., Dupree, R., Henderson, C.M.B., and Kihara, K.: In situ <sup>29</sup>Si MAS NMR studies of structural phase transitions of tridymite, 550
- Klein, U., Schumacher, J.C., and Czank, M.: Mutual exsolution in hornblende and cummingtonite: Compositions, lamellar orientations, and exsolution temperatures, 928
- Knight, K.S., *see* Schofield et al., 847
- Knittle, E., *see* Closmann et al., 1321
- Kohn, S.C., *see* Kitchin et al., 550
- Kohn, S.C.: Solubility of H<sub>2</sub>O in nominally anhydrous mantle minerals using <sup>1</sup>H MAS NMR, 1523
- Kovalenker, V.A., *see* Jambor et al., 1013
- Kovalenker, V.A., *see* Jambor et al., 1282

- Krakauer, H., *see* Stixrude et al., 1293  
 Krane, H.G., *see* Groat et al., 595  
 Krause, W., Bernhardt, H.-J., Gebert, W., Graetsch, H., Belendorff, K., and Petitjean, K.: Medenbachite,  $\text{Bi}_2\text{Fe}(\text{Cu},\text{Fe})(\text{O},\text{OH})_2(\text{OH})_2(\text{AsO}_4)_2$ , a new mineral species: Its description and crystal structure, 505  
 Kremsner, D.T., *see* Wopenka et al., 902  
 Kubicki, J.D., Blake, G.A., and Apitz, S.E.: Ab initio calculations on aluminosilicate Q<sup>3</sup> species: Implications for atomic structures of mineral surfaces and dissolution mechanisms of feldspars, 789  
 Kubicki, J.D., *see* Sykes and Kubicki, 265  
 Kudoh, Y., *see* Akizuki et al., 1501  
 Kuehner, S.M., and Joswiak, D.J.: Naturally occurring ferric iron sanidine from the Leucite Hills lamproite, 229  
 Kuehner, S.M., *see* Whitney et al., 696  
 Kunz, M., Xirouchakis, D., Lindsley, D.H., and Häusermann, D.: High-pressure phase transition in titanite ( $\text{CaTiOSiO}_4$ ), 1527  
 Kurabayashi, T., *see* Akizuki et al., 1501  
 Lager, G.A., and Von Dreele, R.B.: Neutron powder diffraction study of hydrogarnet to 9.0 GPa, 1097  
 Lane, S.J., *see* Dalton and Lane, 194  
 Lang, H.M.: Pressure-temperature-reaction history of metapelitic rocks from the Maryland Piedmont on the basis of correlated garnet zoning and plagioclase-inclusion composition, 1460  
 Lebech, B., *see* Gregorkiewitz et al., 1111  
 Léger, A., Rebbert, C., and Webster, J.: Cl-rich biotite and amphibole from Black Rock Forest, Cornwall, New York, 495  
 Lehmann, T., *see* Stipp et al., 1  
 Li, D., Bancroft, G.M., and Fleet, M.E.: Coordination of Si in  $\text{Na}_2\text{O}-\text{SiO}_2-\text{P}_2\text{O}_5$  glasses using Si *K*- and *L*-edge XANES, 111  
 Li, R., *see* Chen et al., 1519  
 Libowitzky, E., and Armbruster, T.: Lawsonite-type phase transitions in hennomartinite,  $\text{SrMn}_2[\text{Si}_2\text{O}_7](\text{OH})_2 \cdot \text{H}_2\text{O}$ , 9  
 Libowitzky, E., and Rossman, G.R.: FTIR spectroscopy of lawsonite between 82 and 325 K, 1080  
 Liebermann, R.C., *see* Reynard et al., 585  
 Liebich, B.W., *see* Armbruster et al., 625  
 Lindsley, D.H., *see* Kunz et al., 1527  
 Lindstrom, D.J., *see* Hanson et al., 1249  
 Liou, J.G., and Zhang, R.Y.: Occurrences of intergranular coesite in ultrahigh-*P* rocks from the Sulu region, eastern China: Implications for lack of fluid during exhumation, 1217  
 Liou, J.G., *see* Zhang and Liou, 181  
 London, D., *see* Icenhower and London, 719  
 London, D., *see* Morgan and London, 1176  
 Longhi, J., and Bertka, C.M.: Graphical analysis of pigeonite-augite liquidus equilibria, 685  
 Lucchetti, G., *see* Artioli et al., 603  
 Lumpkin, G.R., and Ewing, R.C.: Geochemical alteration of pyrochlore group minerals: Betafite subgroup, 1237  
 Luo, G., *see* Xu et al., 1126  
 Malézieux, J.-M., *see* Gillet et al., 651  
 Manceau, A., *see* Sery et al., 864  
 Manley, C.R.: Morphology and maturation of melt inclusions in quartz phenocrysts from the Badlands rhyolite lava flow, southwestern Idaho, 158  
 Maras, A., *see* Ballirano et al., 1003  
 Marquez, N., *see* Grew et al., 743  
 Martin, R.F., *see* Mulja et al., 146  
 Martinez, I., Zhang, J., and Reeder, R.J.: In situ X-ray diffraction of aragonite and dolomite at high pressure and high temperature: Evidence for dolomite breakdown to aragonite and magnesite, 611  
 Maurice, P.A.: Review of *Mineral Surfaces*. Edited by D.J. Vaughan and R.A.D. Patrick, 1020  
 Mazzi, F., *see* Bonazzi and Mazzi, 1494  
 McCallum, I.S., and O'Brien, H.E.: Stratigraphy of the lunar highland crust: Depths of burial of lunar samples from cooling-rate studies, 1166  
 McCarty, D.K., *see* Drits and McCarty, 852  
 Mechum, T.A., *see* Whitney et al., 696  
 Medici, L., *see* Brigatti et al., 913  
 Mellini, M., *see* Gregorkiewitz et al., 1111  
 Menchetti, S., *see* Bonazzi et al., 735  
 Menchetti, S., *see* Bonazzi et al., 874  
 Merlino, S., Pasero, M., Perchiazzini, N., and Kampf, A.R.: Laurelite: Its crystal structure and relationship to  $\alpha\text{-PbF}_2$ , 1277  
 Meyer, H., *see* Groat et al., 595  
 Molin, G., *see* Domeneghetti et al., 842  
 Morgan, G.B., VI, and London, D.: Optimizing the electron microprobe analysis of hydrous alkali aluminosilicate glasses, 1176  
 Moze, O., *see* Artioli et al., 19  
 Mukhopadhyay, S., and Jacob, K.T.: Phase equilibria in the system  $\text{CaO}-\text{CoO}-\text{SiO}_2$  and Gibbs energies of formation of the quaternary oxides  $\text{CaCoSi}_2\text{O}_6$ ,  $\text{Ca}_2\text{CoSi}_2\text{O}_7$ , and  $\text{CaCoSiO}_4$ , 963  
 Mulja, T., Williams-Jones, A.E., Martin, R.F., and Wood, S.A.: Compositional variation and structural state of columbite-tantalite in rare-element granitic pegmatites of the Preissac-Lacorne batholith, Quebec, Canada, 146  
 Mungall, J.E., *see* Romano et al., 1148  
 Muniz-Miranda, M., *see* Bonazzi et al., 874  
 Mycen, B.: Phosphorus speciation changes across the glass transition in highly polymerized alkali silicate glasses and melts, 1531  
 Nathan, Y.: Mechanism of  $\text{CO}_3^{2-}$  substitution in carbonate-fluorapatite: Evidence from FTIR spectroscopy,  $^{13}\text{C}$  NMR, and quantum mechanical calculations—Discussion, 513  
 Navon, O., Frey, F.A., and Takazawa, E.: Magma transport and metasomatism in the mantle: A critical review of current geochemical models—Discussion, 754  
 Navrotzky, A., *see* Burnley and Navrotzky, 317

- Navrotsky, A., *see* Chai and Navrotsky, 1141  
 Navrotsky, A., *see* Hazen and Navrotsky, 1021  
 Navrotsky, A., *see* Kiseleva et al., 658  
 Navrotsky, A., *see* Kiseleva et al., 668  
 Ni, Y., and Hughes, J.M.: The crystal structure of nanpingite- $2M_2$ , the Cs end-member of muscovite, 105  
 Nielson, J.E., and Wilshire, H.G.: Magma transport and metasomatism in the mantle: A critical review of current geochemical models—Reply to Navon et al., 760  
 Nistor, L., *see* Groat et al., 595  
 Nowak, M., Behrens, H., and Johannes, W.: A new type of high-temperature, high-pressure cell for spectroscopic studies of hydrous silicate melts, 1507  
 O'Brien, H.E., *see* McCallum and O'Brien, 1166  
 O'Neil, J.R., *see* Essene and O'Neil, 775  
 O'Neill, H.S.C., *see* Ross et al., 61  
 Oberti, R., *see* Hawthorne et al., 226  
 Oberti, R., *see* Hawthorne et al., 995  
 Ottolini, L., *see* Hawthorne et al., 226  
 Ottonello, G., Bokreta, M., and Sciuto, P.F.: Parameterization of energy and interactions in garnets: End-member properties, 429  
 Pagel, M., *see* Demars et al., 891  
 Papike, J.J., *see* Pun and Papike, 1438  
 Papike, J.J., *see* Schwandt et al., 1195  
 Papike, J.J.: Pyroxene as a recorder of cumulate formational processes in asteroids, Moon, Mars, Earth: Reading the record with the ion microprobe, 525  
 Parise, J.B., *see* Chen et al., 1519  
 Pasero, M., *see* Merlini et al., 1277  
 Patel, A., *see* Brodholt et al., 257  
 Patiño Douce, A.E., *see* Dooley and Patiño Douce, 202  
 Pavese, A., *see* Artioli et al., 19  
 Pavese, A., *see* Artioli et al., 603  
 Pawley, A.R., Redfern, S.A.T., and Holland, T.J.B.: Volume behavior of hydrous minerals at high pressure and temperature: I. Thermal expansion of lawsonite, zoisite, clinozoisite, and diaspore, 335  
 Pawley, A.R., *see* Holland et al., 341  
 Peacor, D.R., *see* Grew et al., 743  
 Perchiuzzi, N., *see* Merlini et al., 1277  
 Pereira, M.D., and Shaw, D.M.: B and Li distribution in the Peña Negra complex: An alpha-track study, 141  
 Pertsev, N.N., *see* Jambor et al., 249  
 Pertsev, N.N., *see* Jambor et al., 516  
 Pertsev, N.N., *see* Jambor et al., 766  
 Petitjean, K., *see* Krause et al., 505  
 Pilati, T., Demartin, F., and Gramaccioli, C.M.: Lattice-dynamical evaluation of atomic displacement parameters of minerals and its implications: The example of diopside, 811  
 Pinto-Coelho, C., *see* Charoy et al., 395  
 Poe, B., *see* Rauch et al., 1289  
 Posfai, M., *see* Dodony et al., 119  
 Powell, R., *see* Holland and Powell, 1413  
 Powell, R., *see* Holland and Powell, 1425  
 Pratesi, G., *see* Bonazzi et al., 874  
 Prost, R., *see* Ventura et al., 56  
 Pruett, R.J., *see* Schroeder and Pruett, 26  
 Pun, A., and Papike, J.J.: Unequilibrated eucrites and the equilibrated Juvinas eucrite: Pyroxene REE systematics and major, minor, and trace element zoning, 1438  
 Putnis, A., *see* Harrison and Putnis, 375  
 Puziewicz, J., *see* Jambor et al., 1282  
 Rauch, M., Keppler, H., Häfner, W., Poe, B., and Wokaun, A.: A pressure-induced phase transition in  $MgSiO_3$ -rich garnet revealed by Raman spectroscopy, 1289  
 Rebbert, C., *see* Léger et al., 495  
 Redfern, S.A.T., and Henderson, C.M.B.: Monoclinic-orthorhombic phase transition in the  $K_2MgSi_3O_{12}$  leucite analog, 369  
 Redfern, S.A.T., *see* Holland et al., 341  
 Redfern, S.A.T., *see* Pawley et al., 335  
 Reeder, R.J., *see* Martinez et al., 611  
 Refson, K., *see* Brodholt et al., 257  
 Regnier, P., and Berner, R.A.: Mechanism of  $CO_3^{2-}$  substitution in carbonate-fluorapatite: Evidence from FTIR spectroscopy,  $^{13}C$  NMR, and quantum mechanical calculations—Reply to Nathan, 515  
 Reinecke, T., *see* Bonazzi et al., 735  
 Reynard, B., and Rubie, D.C.: High-pressure, high-temperature Raman spectroscopic study of ilmenite-type  $MgSiO_3$ , 1092  
 Reynard, B., Fiquet, G., Itié, J.-P., and Rubie, D.C.: High-pressure X-ray diffraction study and equation of state of  $MgSiO_3$  ilmenite, 45  
 Reynard, B., Takir, F., Guyot, F., Gwanmesia, G.D., Liebermann, R.C., and Gillet, P.: High-temperature Raman spectroscopic and X-ray diffraction study of  $\beta$ - $Mg_2SiO_4$ : Insights into its high-temperature thermodynamic properties and the  $\beta$ - to  $\alpha$ -phase-transformation mechanism and kinetics, 585  
 Reynolds, R.C., Jr., *see* Ryan and Reynolds, 213  
 Rieck, B., *see* Giester and Rieck, 244  
 Robert, J.-L., *see* Hawthorne et al., 782  
 Robert, J.-L., *see* Ventura et al., 56  
 Roberts, A.C., *see* Jambor et al., 249  
 Roberts, A.C., *see* Jambor et al., 516  
 Roberts, A.C., *see* Jambor et al., 766  
 Roberts, A.C., *see* Jambor et al., 1013  
 Roberts, A.C., *see* Jambor et al., 1282  
 Roberts, A.C., *see* Jambor et al., 1513  
 Romano, C., Dingwell, D.B., Behrens, H., and Dolfi, D.: Compositional dependence of  $H_2O$  solubility along the joins  $NaAlSi_3O_8$ - $KAlSi_3O_8$ ,  $NaAlSi_3O_8$ - $LiAlSi_3O_8$ , and  $KAlSi_3O_8$ - $LiAlSi_3O_8$ , 452  
 Romano, C., Mungall, J.E., Sharp, T., and Dingwell, D.B.: Tensile strengths of hydrous vesicular glasses: An experimental study, 1148  
 Ross, C.R., II, Keppler, H., Canil, D., and O'Neill, H.S.C.: Structure and crystal-field spectra of  $Co_3Al_2(SiO_4)_3$  and  $(Mg,Ni)_3Al_2(SiO_4)_3$  garnet, 61

- Rossmann, G.R., *see* Libowitzky and Rossmann, 1080  
 Rouse, R.C., *see* Grew et al., 743  
 Roux, J., *see* Schulze et al., 1155  
 Rubie, D.C., *see* Reynard and Rubie, 1092  
 Rubie, D.C., *see* Reynard et al., 45  
 Rumble, D., III, *see* Ganguly et al., 1208  
 Ryan, P.C., and Reynolds, R.C., Jr.: The origin and diagenesis of grain-coating serpentine-chlorite in Tuscaloosa Formation sandstone, U.S. Gulf Coast, 213
- Saccani, E., *see* Brigatti et al., 913  
 Salje, E.K., *see* Hayward and Salje, 1332  
 Salje, E.K.H., *see* Tsatskis and Salje, 800  
 Salje, E.K.H., *see* Zhang et al., 92  
 Sato, H., *see* Hattori and Sato, 982  
 Sbrana, G., *see* Bonazzi et al., 874  
 Schaal, R.B., *see* Hofmeister et al., 418  
 Schaller, T., *see* Brunet and Schaller, 385  
 Schmidt, C., *see* Groat et al., 595  
 Schmidt, M.W., and Thompson, A.B.: Epidote in calc-alkaline magmas: An experimental study of stability, phase relationships, and the role of epidote in magmatic evolution, 462  
 Schofield, P.F., Knight, K.S., and Stretton, I.C.: Thermal expansion of gypsum investigated by neutron powder diffraction, 847  
 Schofield, P.F., *see* Welch et al., 1350  
 Schoonen, M.A.A., *see* Chaturvedi et al., 261  
 Schroeder, P.A., and Prueett, R.J.: Fe ordering in kaolinite: Insights from  $^{29}\text{Si}$  and  $^{27}\text{Al}$  MAS NMR spectroscopy, 26  
 Schulze, F., Behrens, H., Holtz, F., Roux, J., and Johannes, W.: The influence of  $\text{H}_2\text{O}$  on the viscosity of a haplogranitic melt, 1155  
 Schumacher, J.C., *see* Klein et al., 928  
 Schwandt, C.S., Cygan, R.T., and Westrich, H.R.: Ca self-diffusion in grossular garnet, 448  
 Schwandt, C.S., Papike, J.J., and Shearer, C.K.: Trace element zoning in pelitic garnet of the Black Hills, South Dakota, 1195  
 Schwarz, K., *see* Winkler et al., 545  
 Sciuto, P.F., *see* Ottonello et al., 429  
 Sery, A., Manceau, A., and Greaves, G.: Chemical state of Cd in apatite phosphate ores as determined by EXAFS spectroscopy, 864  
 Sha, L.-K., and Chappell, B.W.: Two-site multi-cation ordering-disordering in minerals: An alternative kinetic model, 881  
 Sharp, T., *see* Romano et al., 1148  
 Sharp, T.G., *see* Ganguly et al., 1208  
 Sharp, Z.D.: Acceptance of the Mineralogical Society of America Award for 1995, 777  
 Shaw, D.M., *see* Pereira and Shaw, 141  
 Shearer, C.K., *see* Schwandt et al., 1195  
 Sherman, D.M., *see* Cygan et al., 475  
 Sherriff, B.L., *see* Teertstra and Sherriff, 169  
 Shim, S.-H., Kim, S.J., and Ahn, J.H.: Quantitative analysis of alkali feldspar minerals using Rietveld refinement of X-ray diffraction data, 1133  
 Smrčok, Ľ., and Benco, Ľ.: Ab initio periodic Hartree-Fock study of lizardite 1T, 1405  
 Smyth, J.R., *see* Yang and Smyth, 363  
 Spera, F.J., *see* Stein and Spera, 284  
 Sperlich, R., Gieré, R., and Frey, M.: Evolution of compositional polarity and zoning in tourmaline during prograde metamorphism of sedimentary rocks in the Swiss Central Alps, 1222  
 Stanley, C.J., *see* Welch et al., 1350  
 Stebbins, J.F.: Magnesium site exchange in forsterite: A direct measurement by high-temperature  $^{25}\text{Mg}$  NMR spectroscopy, 1315  
 Stein, D.J., and Spera, F.J.: Molecular dynamics simulations of liquids and glasses in the system  $\text{NaAlSiO}_4\text{-SiO}_2$ : Physical properties and transport mechanisms, 284  
 Stipp, S.L.S., Gutmannsbauer, W., and Lehmann, T.: The dynamic nature of calcite surfaces in air, 1  
 Stixrude, L., Cohen, R.E., Yu, R., and Krakauer, H.: Prediction of phase transition in  $\text{CaSiO}_3$  perovskite and implications for lower mantle structure, 1293  
 Stølen, S., Glöckner, R., Grønvold, F., Atake, T., and Izumisawa, S.: Heat capacity and thermodynamic properties of nearly stoichiometric wüstite from 13 to 450 K, 973  
 Stretton, I.C., *see* Schofield et al., 847  
 Strongin, D.R., *see* Chaturvedi et al., 261  
 Stumm, W., *see* Eggleston et al., 1036  
 Su, S.-C., *see* Grew et al., 743  
 Sykes, D., and Kubicki, J.D.: Four-membered rings in silica and aluminosilicate glasses, 265  
 Takazawa, E., *see* Navon et al., 754  
 Takir, F., *see* Reynard et al., 585  
 Taylor, W.R., *see* Kamperman et al., 1186  
 Tazzoli, V., *see* Domeneghetti et al., 842  
 Teertstra, D.K., and Sherriff, B.L.: Scapolite cell-parameter trends along the solid-solution series, 169  
 Thayaparam, S., *see* Dove et al., 349  
 Thompson, A.B., *see* Schmidt and Thompson, 462  
 Thompson, J.B., Jr., *see* Hurlbut and Thompson, 1018  
 Tribaudino, M., *see* Benna et al., 1337  
 Tsatskis, I., and Salje, E.K.H.: Time evolution of pericline twin domains in alkali feldspars: A computer-simulation study, 800  
 Ungaretti, L., *see* Hawthorne et al., 226  
 Ungaretti, L., *see* Hawthorne et al., 995  
 Vaccaro, C., *see* Brigatti et al., 913  
 Van den haute, P., *see* Jonckheere and Van den haute, 1476  
 Van Tendeloo, *see* Groat et al., 595  
 Vaughan, R.G., *see* Crowe and Vaughan, 187  
 Veblen, D.R., *see* Xu and Veblen, 1360  
 Veblen, D.R., *see* Xu et al., 1396  
 Veblen, D.R., *see* Xu et al., 1126  
 Ventura, G.D., Robert, J.-L., Hawthorne, F.C., and Prost, R.: Short-range disorder of Si and Ti in the tetrahedral

- double-chain unit of synthetic Ti-bearing potassium-richterite, 56
- Ventura, G.D., *see* Hawthorne et al., 782
- Virgo, D.: Review of *Applied Mössbauer Spectroscopy: Theory and Practice for Geochemists and Archaeologists*. Edited by S. Mitra, 1287
- Viti, C., *see* Gregorkiewitz et al., 1111
- Von Dreele, R.B., *see* Lager and Von Dreele, 1097
- Wang, L., Zhang, Y., and Essene, E.J.: Diffusion of the hydrous component in pyrope, 706
- Waters, C., and Boudreau, A.E.: A reevaluation of crystal-size distributions in chromite cumulates, 1452
- Webster, J., *see* Léger et al., 495
- Weidner, D.J., *see* Chen et al., 1519
- Welch, M.D., Schofield, P.F., Cressey, G., and Stanley, C.J.: Cation ordering in lead-molybdenum-vanadium oxychlorides, 1350
- Wenk, H.-R., *see* Cady et al., 1380
- Westrich, H.R., *see* Schwandt et al., 448
- Whitney, D.L., Mechum, T.A., Dilek, Y., and Kuehner, S.M.: Modification of garnet by fluid infiltration during regional metamorphism in garnet through sillimanite-zone rocks, Dutchess County, New York, 696
- Williams, Q., *see* Farber and Williams, 273
- Williams-Jones, A.E., *see* Mulja et al., 146
- Wilshire, H.G., *see* Nielson and Wilshire, 760
- Winkler, B., Blaha, P., and Schwarz, K.: Ab initio calculation of electric-field-gradient tensors of forsterite, 545
- Winkler, B., *see* Hammonds et al., 1057
- Wittke, J.H., Duffield, W.A., and Jones, C.: Roof-rock contamination of Taylor Creek Rhyolite, New Mexico, as recorded in hornblende phenocrysts and biotite xenocrysts, 135
- Wokaun, A., *see* Rauch et al., 1289
- Wood, S.A., *see* Mulja et al., 146
- Wopenka, B., Jolliff, B.L., Zinner, E., and Kremser, D.T.: Trace element zoning and incipient metamictization in a lunar zircon: Application of three microprobe techniques, 902
- Wruck, B., *see* Zhang et al., 92
- Xirouchakis, D., *see* Kunz et al., 1527
- Xu, H., and Buseck, P.R.: TEM investigation of the domain structure and superstructure in hillebrandite,  $\text{Ca}_2\text{SiO}_3(\text{OH})_2$ , 1371
- Xu, H., and Veblen, D.R.: Superstructures and domain structures in natural and synthetic kalsilite, 1360
- Xu, H., Veblen, D.R., Luo, G., and Xue, J.: Transmission electron microscopy study of the thermal decomposition of tremolite into clinopyroxene, 1126
- Xu, H., Zhang, Y., and Veblen, D.R.: Periodic and nonperiodic interstratification in the chlorite-biotite series, 1396
- Xue, J., *see* Xu et al., 1126
- Yang, H., and Evans, B.W.: X-ray structure refinements of tremolite at 140 and 295 K: Crystal chemistry and petrologic implications, 1117
- Yang, H., and Smyth, J.R.: Crystal structure of a  $P2_1/m$  ferromagnesian cummingtonite at 140 K, 363
- Yang, P., *see* Armbruster et al., 625
- Yates, M.G., *see* Grew et al., 743
- Yu, R., *see* Stixrude et al., 1293
- Zanazzi, P.F., *see* Comodi and Zanazzi, 833
- Zha, C.-S., *see* Downs et al., 51
- Zhang, J., *see* Martinez et al., 611
- Zhang, M., Wruck, B., Barber, A., Salje, E.K.H., and Carpenter, M.A.: Phonon spectra of alkali feldspars: Phase transitions and solid solutions, 92
- Zhang, R.Y., and Liou, J.G.: Coesite inclusions in dolomite from eclogite in the southern Dabie Mountains, China: The significance of carbonate minerals in UHPM rocks, 181
- Zhang, R.Y., *see* Liou and Zhang, 1217
- Zhang, Y., *see* Wang et al., 706
- Zhang, Y., *see* Xu et al., 1396
- Zinner, E., *see* Wopenka et al., 902