

## **Supplementary Material : references to analyses in Supplementary Table 2**

1. Macdonald, R., Belkin, H.E., Wall, F., and Bagiński, B. (2009) Compositional variation in the chevkinite group: new data from igneous and metamorphic rocks. *Mineralogical Magazine*, 73, 777-796.
2. Vasyukova, O., and Williams-Jones, A.E. (2016) The evolution of immiscible silicate and fluoride melts: Implications for REE ore-genesis. *Geochimica et Cosmochimica Acta*, 172, 205-224.
3. McDowell, S.D. (1979) Chevkinite from the Little Chief granite porphyry stock, California. *American Mineralogist*, 64, 721-727.
4. Novak, S.W., and Mahood, G.A. (1986) Rise and fall of a basalt-trachyte-rhyolite magma system at the Kane Springs Wash Caldera, Nevada. *Contributions to Mineralogy and Petrology*, 94, 352-373.
5. Macdonald, R., and Belkin, H.E. (2002) Compositional variation in minerals of the chevkinite group. *Mineralogical Magazine*, 66, 1075-1098.
6. Jaffe, H.W., Evans, H.T., and Chapman, R.W. (1956) Occurrence and age of chevkinite from the Devil's Slide fayalite quartz syenite near Stark, New Hampshire. *American Mineralogist*, 41, 474-487.
7. The authors' unpublished data
8. Michael, P.J. (1988) Partition coefficients for rare earth elements in mafic minerals of high silica rhyolites: The importance of accessory mineral inclusions. *Geochimica et Cosmochimica Acta*, 52, 275-282.
9. Prol-Ledesma, R.-M., Melgarejo, J.C., and Martin, R.F. (2012) The El Muerto "NYF" granitic pegmatite, Oaxaca, Mexico, and its striking enrichment in allanite-(Ce) and monazite-(Ce). *The Canadian Mineralogist*, 50, 1055-1076.
10. Vlach, S.R.F., and Gualda, G.A.R. (2007) Allanite and chevkinite in A-type granites and syenites of the Graciosa Province, southern Brazil. *Lithos*, 97, 98-121.
11. Brooks, C.K., and Rucklidge, J.C. (1976) Tertiary peralkaline rhyolite dikes from the Skaergaard area, Kangerdlugssuaq, East Greenland. *Meddelelser om Grønland*, Bd 197, 27 pp.
12. Brown, P.E., and Becker, S.M. (1986) Fractionation, hybridisation and magma-mixing in the Kialineq centre, East Greenland. *Contributions to Mineralogy and*

- Petrology, 92, 57-70.
13. Segelstad, T.V., and Larsen, A.O. (1978) Chevkinite and perrierite from the Oslo region, Norway. American Mineralogist, 63, 499-505.
14. Exley, R.A. (1980) Microprobe studies of REE-rich accessory minerals: implications for Skye granite petrogenesis and REE mobility in hydrothermal systems. Earth and Planetary Science Letters, 48, 97-110.
15. Macdonald, R., Bagiński, B, Dzierżanowski, P., Fettes, D.J., and Upton, B.G.J. (2013) Chevkinite-group minerals in UK Palaeogene granites: underestimated REE bearing accessory phases. The Canadian Mineralogist, 51, 333-347.
16. Monchoux, P., Fontan, F., de Parseval, P., Martin, R.F., and Wang, R.C. (2006) Igneous albitite dikes in orogenic lherzolites, Western Pyrenees, France: a possible source for corundum and alkali feldspar xenocrysts in basaltic terranes. 1. Mineralogical Associations. The Canadian Mineralogist, 44, 817-842.
17. Chukanov, N.V., Aksenov, S.M., Rastsvelaeva, R.K., Belakovskiy, D.I., Göttlicher, J., Britvin, S.N., and Möckel, S. (2012) Christofschäferite-(Ce),  $(Ce,La,Ca)_4Mn^{2+}(Ti,Fe^{3+})_3(Fe^{3+},Fe^{2+},Ti)(Si_2O_7)_2O_8$  – a new chevkinite-group mineral from the Eifel area, Germany. Novye Dannye o Mineralakh, 47, 33-42.
18. Azambre, B., Rossy, M., and Lago, M. (1987) Caractéristiques pétrologiques des dolérites tholéïtiques d'âge triasique (ophites) du domaine pyrénéen. Bulletin de Minéralogie, 110, 379-396.
19. Troll, V., Sachs, P.M., Schmincke, H.-U., and Sumita, M. (2003) The REE-Ti mineral chevkinite in comenditic magmas from Gran Canaria, Spain: a SYXRF-probe study. Contributions to Mineralogy and Petrology, 145, 730-741.
20. Ulrych, J., and Pivec, E. (2001) (Zr, Ti, REE-) minerals of young alkaline volcanics from northern Bohemia. Bull. Mineral.-petrol. Odd. Narodniho Muzea (Praha), 9, 280-282 (in Czech).
21. Hurairová, M., Konečný, P., and Hurai, V. (2007) Chevkinite-(Ce) – REE-Ti silicate from syenite xenoliths in the Pinciná basaltic maar near Lučenec (Southern Slovakia). Mineralia Slovaca, 39, 255-268. (in Slovak, with English summary).
22. Kapustin, Yu.L, Bykova, A.V., Pogrednoy, V., and Timoshenko, I.L. (1978) The discovery of chevkinite in carbonatite complexes. Mineralogicheskiy Sbornik (L'vov), 32, 87-90 (in Russian).

23. Savel'eva, V.B., and Karmanov, N.S. (2008a) REE minerals of alkaline metasomatic rocks in the Main Sayan Fault. *Geology of Ore Deposits*, 50, 681-696.
25. Bagiński, B., Zozulya, D., Macdonald, R., Kartashov, P.M., and Dzierżanowski, P. (2016) Low-temperature hydrothermal alteration of a rare-metal rich quartz-epidote metasomatite from the El'ozero deposit, Kola Peninsula, Russia. *European Journal of Mineralogy*, 28, 789-810.
26. Kostyleva-Labuntsova, E.E., Borutskii, B.E., Sokolova, M.N., Shliukova, Z.V., Dorfman, M.D., Dudkin, O.B., Kozyreva, L.V., and Ikorskii, S.V. (1978) *Mineralogy of the Khibina Massif*. Nauka Press, Moscow. 588 pp (in Russian).
27. Povarenikh, O.S., and Ganzyeyeva, L.V. (1972) Manganous chevkinite from alkaline metasomites of the Russian Platform. *Dopodivi Akademiy Nauk Ukrayins'koyi RS Seriya B : Geologichni, Khimichni ta Biologichni Nauki*, 9, 794-797 (in Ukrainian).
28. Makarochkin, B.A., Gonibesova, K.A., and Makarochkina, M.S. (1959) Chevkinite from the Ilmen Mountains. *Zapiski Vserossiiskogo Mineralogicheskogo Obshchestva USSR*, 88, 547-553 (in Russian).
29. Macdonald, R., Bagiński, B., Kartashov, P.M., Zozulya, D., Dzierżanowski, P., and Jokubauskas, P. (2015) Hydrothermal alteration of a chevkinite-group mineral to a bastnäsite-(Ce)-ilmenite-columbite-(Fe) assemblage: interaction with a F-, CO<sub>2</sub>-rich fluid. *Mineralogy and Petrology*, 109, 659-678.
30. Popov, V.A., Pautov, L.A., Sokolova, E., Hawthorne, F.C., McCammon, C., and Bazhenova, L.F. (2001) Polyakovite-(Ce),  $(REE,Ca)_4(Mg,Fe^{2+})(Cr^{3+},Fe^{3+})_2(Ti,Nb)_2Si_4O_{22}$ , a new metamict mineral species from the Ilmen Mountains, southern Urals, Russia: mineral description and crystal chemistry. *The Canadian Mineralogist*, 39, 1095-1104.
31. Kapustin, Yu.L. (1987) Chevkinite from fenites of the alkalic massifs in eastern Tuva. *Novye Dannye o Mineralakh SSSR*, 34, 71-75 (in Russian).
32. Sokolova, E., Hawthorne, F.C., Della Ventura, G., and Kartashov, P.M. (2004) Chevkinite-(Ce): crystal structure and the effect of moderate radiation-induced damage on site-occupancy refinement. *The Canadian Mineralogist*, 42, 1013-1025.

33. Proshchenko, Ye.G. (1967) Rare earth minerals from albitites of eastern Siberia. Pp. 103-136 in: Mineralogiya pegmatitov i gidrotermalitov shchelochnykh massivov. Akademii Nauk SSSR, Institut Mineralogii, Geokhimii, Kristallokhimii Redk.Elementov, Moscow (in Russian).
34. Macdonald, R., Bagiński, B., Kartashov, P., Zozulya, D., and Dzierżanowski, P. (2012) Chevkinite-group minerals from Russia and Mongolia: new compositional data from fenites, metasomatites and ore deposits. *Mineralogical Magazine*, 76, 535-549.
- 34a. Yakovlevskaya, T.A., and Finko, V.I. (1972) Chevkinite in Cenozoic pumices of Primorye. *Izvestiya Akademii Nauk SSSR. Seriya Geologicheskaya*, 12, 109-114 (in Russian).
35. Macdonald, R., Sumita, M., Schmincke, H.-U., Bagiński, B., White, J.C., and Ilnicki, S.S. (2015) Peralkaline felsic magmatism at the Nemrut volcano, Turkey: impact of volcanism on the evolution of Lake Van (Anatolia) IV. Contributions to *Mineralogy and Petrology*, 169. DOI: 10.1007/s00410-015-1127-6.
36. Jiang, N. (2006) Hydrothermal alteration of chevkinite-(Ce) in the Shuiquangou syenitic intrusion, northern China. *Chemical Geology*, 227, 100-112.
37. Xie, L., Wang, R.C., Wang, D.-Z., and Qiu, J.-S. (2006) A survey of accessory mineral assemblages in peralkaline and more aluminous A-type granites of the southeast coastal area of China. *Mineralogical Magazine*, 70, 709-729.
38. Zhang, R., and Long, Z. (1987) The discovery of chevkinite from the alkali granites in southwestern Sichuan. *Journal of Chengdu College of Geology*, 14, 61-64 (in Chinese).
39. Yang, G.P.Z., Wu, X., and Zhao, W. (1991) A study of chevkinite occurring in a rare-earth mineral deposit in northern Xichang, Sichuan Province, China. *Acta Mineralogica Sinica*, 11, 109-114 (in Chinese, with English abstract).
40. Shimazaki, H., Yang, Z., Miyawaki, R., and Shigeoka, M. (2008) Scandium-bearing minerals in the Bayan Obo Nb-REE-Fe deposit, Inner Mongolia. *Resource Geology*, 58, 80-86.
41. Xu, Y., Yang, G., Li, G., Wu, Z., and Shen, G. (2008) Dingdaohengite-(Ce) from

- the Bayan Obo REE-Nb-Fe Mine, China: Both a true polymorph of perrierite-(Ce) and a titanic analog at the C1 site of chevkinite subgroup. American Mineralogist, **93**, 740-744.
42. Shellnutt, J.G., and Iizuka, Y. (2013) Chevkinite-group minerals from the mantle-derived metaluminous Woshui syenite of the Emeishan large igneous province. European Journal of Mineralogy, **25**, 671-682.
43. Shen, G., Yang, G., and Xu, J. (2005) Maoniupingite-(Ce): A new rare-earth mineral from the Maoniuping rare-earth deposit in Mianning, Sichuan, China. Sedimentary Geology and Tethyan Geology, **25**, 210-216 (in Chinese with English abstract).
44. Imaoka, T., and Nakashima, K. (1994) Chevkinite in syenites from Cape Ashizuri, Shikoku Island, Japan. Neues Jahrbuch für Mineralogie Monatshefte, 1994, 358-366.
45. Tsutsumi, Y., Horie, K., Sano, T., Miyawaki, R., Momma, K., Matsubara, S., Shigeoka, M., and Yokoyama, K. (2012) LA-ICP-MS and SHRIMP ages of zircons in chevkinite and monazite tuffs from the Boso Peninsula, central Japan. Bulletin of the National Museum of Nature and Science, Ser. C, **38**, 15-32.
46. Miyawaki, R., Matsubara, S., Yokoyama, K., Momma, K., Sano, T., Tsutsumi, Y., Shigeoka, M., and Nishikubo, K. (2012) Chevkinite-(Ce) in tuff at Heguri, Boso Peninsula, Chiba Prefecture, Japan. Bulletin of the National Museum of Nature and Science, Ser. C, **38**, 7-13.
47. Semenov, E.I., Upendran, R., and Subramanian, V. (1978) Rare earth minerals of carbonatites of Tamil Nadu. Journal of the Geological Society of India, **19**, 550-557.
- Viladkar, S.G., Sorokhtina, N.V., and Senin, V.G. (2009) The Zr-Ti mineralization in carbonatites of the Samchampi alkaline carbonatite complex, Assam, India.  
<http://geo.web.ru/conf/alkaline/2009/Viladkar.htm>
49. Bennett, J.N., Turner, D.C., Ike, E.C., and Bowden, P. (1984) The geology of some northern Nigerian anorogenic ring complexes. Overseas Geology and Mineral Resources, No. 61.
50. Moustafa, M.I. (2010) Chemistry and origin of enigmatic monazite and chevkinite /perrierite in the Egyptian black beach sand. Resource Geology, **60**, 271-287.
51. Moreno, J.A., Molina, J.F., Bea, F., Anbar, M.A., and Montero, P. (2016) Th-

- REE- and Nb-Ta-accessory minerals in post-collisional Ediacaran felsic rocks from the Katerina Ring Complex (S. Sinai, Egypt): An assessment for the fractionation of Y/Nb, Th/Nb, La/Nb and Ce/Pb in highly evolved A-type granites. *Lithos*, **258**-259, 173-196.
52. Martz, A.M., and Brown, F.H. (1981) Chemistry and mineralogy of some Plio-Pleistocene tuffs from the Shungura Formation, southwest Ethiopia. *Quaternary Research*, **16**, 240-257.
53. Macdonald, R., Belkin, H.E., Fitton, J.G., Rogers, N.W., Nejbert, K., Tindle, A.G., and Marshall, A.S. (2008) The roles of fractional crystallization, magma mixing, crystal mush remobilization and volatile-melt interactions in the genesis of a young basalt-peralkaline rhyolite suite, the Greater Olkaria Volcanic Complex, Kenya Rift Valley. *Journal of Petrology*, **49**, 1515-1547.
54. Marshall, A.S., Macdonald, R., Rogers, N.W., Fitton, J.G., Tindle, A.G., Nejbert, K., and Hinton, R.W. (2009) Fractionation of peralkaline silicic magmas: the Greater Olkaria Volcanic Complex, Kenya Rift Valley. *Journal of Petrology*, **50**, 323-359.
55. Macdonald, R., Marshall, A.S., Dawson, J.B., Hinton, R.W., and Hill, P.G. (2002) Chevkinite-group minerals from salic volcanic rocks of the East African Rift. *Mineralogical Magazine*, **66**, 287-299.
56. Platt, R.G., Wall, F., Williams, C.T., and Woolley, A.R. (1987) Zirconolite, chevkinite and other rare earth element minerals from nepheline syenites and peralkaline granites and syenites of the Chilwa Alkaline Province, Malawi. *Mineralogical Magazine*, **51**, 253-263.
57. Čech, F., Povondra, P., and Vrána, S. (1988) Crystal chemistry of chevkinite from Zambia. *Acta Universitatis Carolinae: Geologica*, No. 2, 181-193.
58. Kopylova, M.G., Rickard, R.S., Kleyenstueber, A., Taylor, W.R., Gurney, J.J., and Daniels, L.R.M. (1997) First occurrence of strontian K-Cr-loparite and Cr-chevkinite in diamonds. *Russian Geology and Geophysics*, **38**, 405-420.

59. Ewart, A. (1981) The mineralogy and chemistry of the anorogenic Tertiary silicic volcanics of S.E. Queensland and N.E. New South Wales, Australia. *Journal of Geophysical Research*, 86, 10242-10256.
60. Muhling, J.R., Suvorova, A.A., and Rasmussen, B. (2014) The occurrence and composition of chevkinite-(Ce) and perrierite-(Ce) in tholeiitic intrusive rocks and lunar mare basalt. *American Mineralogist*, 99, 1911-1921.
61. Sheraton, J.W., Black, L.P., and Tindle, A.G. (1992) Petrogenesis of plutonic rocks in a Proterozoic granulite-facies terrane – the Bunger Hills, East Antarctica. *Chemical Geology*, 97, 163-198.
62. Price, R.H., Nimick, F.B., Connolly, J.R., Keil, K., Schwartz, B.M., and Spence, S.J. (1985) Preliminary characterization of the petrologic, bulk, and mechanical properties of a lithophysal zone within the Topopah Spring Member of the Paintbrush Tuff. Report SAND84-0860, Sandia National Laboratory, Albuquerque, New Mexico. 115 pp.
63. Chakhmouradian, A.R., and Mitchell, R.H. (1999). Primary, agpaitic and deuteric stages in the evolution of accessory Sr, REE, Ba and Nb-mineralization in nepheline-syenite pegmatites at Pegmatite Peak, Bearpaw Mountains, Montana. *Mineralogy and Petrology*, 67, 85-110.
64. Carlier, G., and Lorand, J.-P. (2008) Zr-rich accessory minerals (titanite, perrierite, zirconolite, baddeleyite) record strong oxidation associated with magma mixing in the south Peruvian potassic province. *Lithos*, 104, 54-70.
65. Chukanov, N.V., Blass, G., Pekov, I.V., Belakovskiy, D.I., Van, K.V., Rastsvetaeva, R.K., and Aksenov, S.M. (2012) Perrierite-(La),  $(\text{La,Ce,Ca})_4(\text{Fe}^{2+},\text{Mn})(\text{Ti, Fe}^{3+},\text{Al})_4(\text{Si}_2\text{O}_7)_2\text{O}_8$ , a new mineral species from the Eifel volcanic district, Germany. *Geology of Ore Deposits*, 54, 647-655.
66. Van Bergen, M.J. (1984) Perrierite in siliceous lavas from Mt Amiata, central Italy. *Mineralogical Magazine*, 48, 553-556.
67. Cellai, D., Conticelli, S., and Diella, V. (1993) Perrierite-chevkinite in igneous ultrapotassic rocks from Central Italy: chemical data and their petrological significance. *Periodico di Mineralogia*, 62, 57-66.
68. Parodi, G.C., Della Ventura, G., Mottana, A., and Raudsepp, M. (1994) Zr-rich non metamict perrierite-(Ce) from holocrystalline ejecta in the Sabatini volcanic complex (Latium, Italy). *Mineralogical Magazine*, 58, 607-613.
69. Della Ventura, G., Williams, C.T., Raudsepp, M., Bellatreccia, F., Caprilli, E., and

- Giordano, G. (2001) Perrierite-(Ce) and zirconolite from syenitic ejectum of the Roccamonfina volcano (Latium, Italy): implications for the mobility of Zr, Ti and REE in volcanic environments. *Neues Jahrbuch für Mineralogie Monatshefte*, 2001, 385-402.
70. Zembo, I., Vignola, P., Andò, S., Bersezio, R., and Vezzoli, L. (2011) Tephrochronological study in the quaternary Val d'Agri intermontane basin (Southern Apennines, Italy). *International Journal of Earth Sciences*, 100, 173-187.
71. Makagonov, E.P., and Muftakhov, V.A. (2016) REE and Sr mineralization with perrierite-(Ce) in alkaline silicate-carbonate assemblage of the contact zone of the Vishnevogorsk Block (South Urals). *Mineralogy*, 2016 (4), 19-30 (in Russian).
72. Portnov, A.M. (1964) Strontium perrierite in the North Baikal region. *Doklady of the Academy of Sciences USSR: Earth Science Section*, 156, 118-120.
73. Yakovenchuk, V.N., Ivanuyk, G.Yu., Pakhomovsky, Ya.A., and Menshikov, Yu.P. (2005) *Khibiny*. F. Wall (ed.). Laplandia Minerals, Apatity. Published in association with the Mineralogical Society of Great Britain and Ireland. 468 pp.
74. Hong D., Guo W., Li G., Kang W., and Xu H. (1987) The petrology of miarolitic granites along the southeast coast of Fujian province and their generation. Scientific and Technical Publishing Company, Beijing. 128 pp. (in Chinese)
75. Wang, R.-C., Wang, D.-Z., Zhao, G.-T., Lu, J.-J., Chen, X.-M., and Xu, S.J. (2001) Accessory mineral record of magma-fluid interaction in the Laoshan I- and A-type granitic complex, eastern China. *Physics and Chemistry of the Earth: Solid Earth and Geodesy*, 26, 835-849.
76. de Hoog, J.C.M., and Van Bergen, M.J. (2000) Volatile-induced transport of HFSE, REE, Th and U in arc magmas: evidence from zirconolite-bearing vesicles in potassic lavas of Lewotolo volcano (Indonesia). *Contributions to Mineralogy and Petrology*, 139, 485-502.
77. Belkin, H.E., Macdonald, R., and Grew, E.S. (2009) Chevkinite-group minerals from granulite-facies metamorphic rocks and associated pegmatites of East Antarctica and South India. *Mineralogical Magazine*, 73, 149-164.
78. Nono, A., Deruelle, B., Demaiffe, D., and Kambou, R. (1994) Tchabal Nganha volcano in Adamawa (Cameroon): petrology of a continental alkaline lava series. *Journal of Volcanology and Geothermal Research*, 60, 147-178.

79. Harley, S.L. (1994) Mg-Al yttrian zirconolite in a partially melted sapphirine granulite, Vestfold Hills, East Antarctica. *Mineralogical Magazine*, 58, 259-269.
80. Hokada, T. (2007) Perrierite in sapphirine-quartz gneiss: geochemical and geochronological features and implications for accessory-phase paragenesis of UHT metamorphism. *Journal of Mineralogical and Petrological Sciences*, 102, 44-49.
81. Haggerty, S.E., and Mariano, A.N. (1983) Strontian-loparite and strontio-chevkinite: Two new minerals in rheomorphic fenites from the Parana Basin carbonatites, South America. *Contributions to Mineralogy and Petrology*, 84, 365-381.
82. Miyajima, H., Matsubara, S., Miyawaki, R., Yokoyama, K., and Hirokawa, K. (2001) Rengeite,  $\text{Sr}_4\text{ZrTi}_4\text{Si}_4\text{O}_{22}$ , a new mineral, the Sr-Zr analogue of perrierite from the Itoigawa-Ohmi district, Niigata prefecture, central Japan. *Mineralogical Magazine*, 65, 111-120.
83. Mashima, H., Akai, J., Nakamura, Y., and Matsubara, S. (2008) Orthorhombic polymorph of rengeite from Ohmi region, central Japan. *American Mineralogist*, 93, 1153-1157.
84. Miyajima, H., Miyawaki, R., and Ito, K. (2002) Matsubaraite,  $\text{Sr}_4\text{Ti}_5(\text{Si}_2\text{O}_7)_2\text{O}_8$ , a new mineral, the Sr-Ti analogue of perrierite in jadeitite from the Itoigawa-Ohmi district, Niigata prefecture, Japan. *European Journal of Mineralogy*, 14, 1119-1128.
85. Yang, Z., Giester, G., Ding, K., and Tillmanns, E. (2012) Hezuolinite,  $((\text{Sr}, \text{REE})_4\text{Zr}(\text{Ti}, \text{Fe}^{3+}, \text{Fe}^{2+})_2\text{Ti}_2\text{O}_8(\text{Si}_2\text{O}_7)_2$ , a new mineral species of the chevkinite group from Saima alkaline complex, Liaoning Province, NE China. *European Journal of Mineralogy*, 24, 189-196.
86. Wu, B., Wang, R.-C., Yang, J.-H., Wu, F.-Y., Zhang, W.-L., Gu, X.-P., and Zhang, A.-C. (2016) Zr and REE mineralization in sodic lujavrite from the Saima alkaline complex, northeastern China: A mineralogical study and comparison with potassic rocks. *Lithos*, 262, 232-246.