

## **Experimental calibration of aluminum partitioning between olivine and spinel as a geothermometer**

**ZHIHUAN WAN, LAURENCE A. COOGAN,\* AND DANTE CANIL**

School of Earth and Ocean Sciences, University of Victoria, Victoria, British Columbia, V8W 3P6, Canada

### **ABSTRACT**

The temperature dependence of the partitioning of  $\text{Al}_2\text{O}_3$  between forsterite-rich olivine and Cr-rich spinels has been experimentally calibrated at 100 kPa between 1250 and 1450 °C under reducing conditions. For spinel with values of  $Y_{\text{Cr}}$  between 0.07 and 0.69, and containing  $<0.1 \text{ Fe}^{3+}$  atoms and  $<0.025$  Ti atoms per 4 O atoms the experimental data can be fit to an equation:

$$T(^{\circ}\text{C}) = \frac{10\,000}{0.512 + 0.873Y_{\text{Cr}} - 0.91\ln(K_{\text{D}})} - 273$$

where  $Y_{\text{Cr}} = \text{Cr}/(\text{Cr} + \text{Al})$  in spinel in atomic proportions and  $K_{\text{D}} = \text{Al}_2\text{O}_3^{\text{ol}}/\text{Al}_2\text{O}_3^{\text{sp}}$  in wt%. This equation reproduces the temperature of the experiment for the calibration data set within  $\pm 22$  °C. Empirical tests suggest that this geothermometer has little pressure dependence within the range of pressures encountered in the crust and upper mantle.

**Keywords:** Olivine, spinel, aluminum, thermometer, experiment