

Phase behavior of protoenstatite at high pressure studied by atomistic simulations

SANDRO JAHN^{1,*} AND ROMAN MARTOŇÁK²

¹Deutsches GeoForschungsZentrum (GFZ), Section 3.3, Telegrafenberg, 14473 Potsdam, Germany

²Department of Experimental Physics, Faculty of Mathematics, Physics and Informatics, Comenius University, Mlynská dolina F2, 84248 Bratislava, Slovakia

ABSTRACT

Structural phase transformations of MgSiO₃ protoenstatite at high pressures are studied by atomic scale simulation techniques. Molecular-dynamics simulations and electronic-structure calculations reveal two metastable polymorphs with space groups $P2_1cn$ and $Pbcn$, respectively. They are related to protoenstatite by displacive transition mechanisms via subsequent change of the silicate chain rotations from O- to S-type. Metadynamics simulations in combination with molecular dynamics reveal possible mechanisms for the martensitic transition from protoenstatite to high-pressure clinoenstatite. Two different shear mechanisms in the (100) plane are activated during the transition. The first consists of four partial displacements in (100)[001] and (100)[010], whereas in a second step only a single shear in (100)[001] is observed.

Keywords: Molecular dynamics, metadynamics, phase transition, enstatite, MgSiO₃, protopyroxene, clinopyroxene