

Table 4.2. (Continued) Peterson (1999) Morse & Allaz Table S1

KI3381 (KU44-1)			KI4077 (KU35-3)		
Oxide	Feldspar	Glass	Feldspar	Glass	
SiO ₂	61.09 (60)	50.52 (87)	62.99 (46)	52.07 (47)	
TiO ₂	0.00(00)	1.84 (09)	0.00(00)	1.75 (07)	
Al ₂ O ₃	23.21 (35)	10.43 (31)	20.17 (19)	10.26 (28)	
FeO	0.61 (07)	20.98 (66)	0.66 (07)	21.44 (65)	
MnO	0.00(00)	0.53 (05)	0.00(00)	0.53 (05)	
MgO	0.00(00)	0.58 (03)	0.00(00)	0.04 (01)	
CaO	4.76 (39)	7.32 (22)	1.41 (19)	7.13 (20)	
Na ₂ O	6.93 (17)	3.40 (15)	4.60 (25)	3.15 (08)	
K ₂ O	2.72 (35)	2.35 (10)	8.13 (23)	2.62 (10)	
P ₂ O ₅	0.00(00)	0.62 (16)	0.00(00)	0.43 (04)	
BaO	1.16 (14)	0.64 (04)	2.24 (28)	0.37 (04)	
Cr ₂ O ₃	0.00(00)	0.01 (01)	0.00(00)	0.01 (02)	
Total	100.50 (52)	99.20 (47)	100.20 (58)	99.81 (29)	
n	10	10	10	10	
Ab	59.75 (101)		41.12 (154)		
Or	15.49 (211)		47.84 (183)		
An	22.73 (172)		6.98 (83)		
Cn	2.03 (25)		4.06 (58)		
D _K	1.16		3.10		
D _{Ba}	1.81		6.05		
D _{Fe}	0.029		0.031		

American
Mineralogist
NovDec 2013