American Mineralogist, Volume 100, pages 1883-1891, 2015

Three-component mixed-layer illite/smectite/kaolinite (I/S/K) minerals in hydromorphic soils, south China

HANLIE HONG^{1,2,*}, FENG CHENG², KE YIN², GORDON JOCK CHURCHMAN³ AND CHAOWEN WANG²

¹Key Laboratory of Geobiology and Environmental Geology, Ministry of Education, China University of Geosciences, Wuhan, Hubei, 430074, China

²Faculty of Earth Sciences, China University of Geosciences, Wuhan, Hubei, 430074, China ³School of Agriculture, Food and Wine, The University of Adelaide, 5005 Australia

ABSTRACT

To understand clay mineral transformations in hydromorphic conditions in the red earth sediments in Xuancheng, south China, clay mineralogy was investigated using X-ray diffraction (XRD) and high-resolution transmission electron microscopy (HRTEM). The XRD results indicated that clay minerals in the hydromorphic soils were illite, kaolinite, smectite, vermiculite, and mixed-layer illite/smectite and illite/smectite/kaolinite. Changes of the kaolinitic reflections under the various conditions suggested that the kaolinitic phase is a mixed-layer structure having kaolinite layers randomly interstratified with illite and smectite layers. HRTEM observation showed that 10 Å illite layers interstratified with both 15 Å smectite layers and 7 Å kaolinite layers in clay particles, confirming the occurrence of illite/smectite/kaolinite (I/S/K) three-component mixed-layer clays. The lattice fringes of the I/S/K clays appeared corrugated and vanishing, and also exhibited variable thickness along a lattice fringe, which were consistent with changes from illite to smectite, from smectite to kaolinite, and from illite to kaolinite, respectively. Hydromorphic conditions in the Xuancheng soils led simultaneously to the direct transformation of illite to kaolinite and the transformation of illite to smectite to kaolinite in the pedogenic processes, and the formation of I/S/K three-component mixed-layer clays as intermediate products of these processes.

Keywords: I/S/K mixed-layer, hydromorphic soil, net-like red earth, weathering