

APPENDIX 2: REFERENCES FOR APPENDIX 1

- Abudoureheman, M., Wang, L., Zhang, X.M., Yu, H.W., Yang, Z.H., Lei, C; Han, J, Pan, S.L. (2015) $\text{Pb}_7\text{O}(\text{OH})_3(\text{CO}_3)_3(\text{BO}_3)$: First mixed borate and carbonate nonlinear optical material exhibiting large second-harmonic generation response. *Inorganic Chemistry*, 54, 4138-4142.
- Agakhanov A A, Pautov L A, Karpenko V Y, Sokolova E, Hawthorne F C, (2012) Kirchhoffite, CsBSi_2O_6 , a new mineral species from the Darai-Pioz Alkaline Massif, Tajikistan: Description and crystal structure. *The Canadian Mineralogist* 50, 523-529.
- Agakhanov A A, Pautov L A, Uvarova Y A, Sokolova E V, Hawthorne F C, Karpenko V Y (2013) Laptevite-(Ce) $\text{NaFe}^{2+}(\text{REE}_7\text{Ca}_5\text{Y}_3)(\text{SiO}_4)_4(\text{Si}_3\text{B}_2\text{PO}_{18})(\text{BO}_3)\text{F}_{11}$ - a new vicanite-group mineral from Darai-Pioz alkaline massif. *New Data on Minerals* 48, 5-11 (in Russian).
- Agakhanov A A, Pautov L A, Sokolova E., Hawthorne F C, Karpenko V Yu, Siidra, O.I. and Muftakhov, V.A. (2017) Odigitriaite, $\text{CsNa}_5\text{Ca}_5[\text{Si}_{14}\text{B}_2\text{O}_{38}]\text{F}_2$, a new caesium borosilicate mineral from the Darai-Pioz alkaline massif, Tajikistan: Description and crystal structure. *Mineralogical Magazine*, 81(1), 113-122.
- Agricola G (1556) Borax. in *De Re Metallica*, translated by Hoover H C and Hoover L H 1950, Dover (New York), p. 560.
- Aléonard, S. and Vicat, J. (1966) Borates de structure dolomie. *Bulletin de la Société Française de Minéralogie et de Crystallographie*, 89, 271-272.
- Alfors J T, Pabst A (1984) Titanian taramellites in western North America. *American Mineralogist* 69, 358-373.
- Aristarain, L.F. (1992) A new hydrated borate-carbonate from Tincalayu, Salta, Argentina. *Revista del Museo de La Plata (Nueva Serie)*, 11(103), 57-64 (in Spanish, English abstract)
- Aristarain L F, Hurlbut C S (1967) Ameghinite, $\text{Na}_2\text{O} \cdot 3\text{B}_2\text{O}_3 \cdot 4\text{H}_2\text{O}$, a new borate from Argentina, *American Mineralogist* 52, 935-946.
- Aristarain L F, Hurlut C S (1968) Teruggite, $4\text{CaO} \cdot \text{MgO} \cdot 6\text{B}_2\text{O}_3 \cdot \text{As}_2\text{O}_5 \cdot 18\text{H}_2\text{O}$, a new mineral from Jujuy, Argentina. *American Mineralogist* 53, 1815-1827.

Aristarain, L.F., Erd, R.C., and Eberlein, G.D. (1974) Roweite from Franklin, New Jersey: A restudy. *American Mineralogist*, 59, 66-70.

Auger, V. (1925) Sur un nouveau type de borates alcalins : les pentaborates. *Comptes Rendus Hebdomadaires des Séances de l'Académie des Sciences*, 180, 1602-1604.

Avrova N P, Bocharov V M, Khalturina I I, Yunosova Z R (1968) Mineralogy of borates in halogen formations. *Geology and Exploration of Solid Mineral Deposits of Kazakhstan*, 169-173 (in Russian).

Bačík P, Cempírek J, Uher P, Novák M, Ozdín D, Filip J, Škoda R, Breiter K, Klementová M, Ďuďa R, Groat L A (2013) Oxy-schorl, $\text{Na}(\text{Fe}^{2+})_2\text{Al}\text{Al}_6\text{Si}_6\text{O}_{18}(\text{BO}_3)_3(\text{OH})_3\text{O}$, a new mineral from Zlatá Idka, Slovak Republic and Přibyslavice, Czech Republic, *American Mineralogist* 98, 485-492.

Bačík, P., Koděra, P., Uher, P., Ozdín, D. and Jánošík, M. (2015) Chlorine-enriched tourmalines in hydrothermally altered diorite porphyry from Biely Vrch gold deposit (Slovakia). *Canadian Mineralogist*, 53, 673-691

Bačík, P., Miyawaki, R., Atencio, D., Cámaras, F. and Fridrichová, J. (in press) Nomenclature of gadolinite supergroup. *European Journal of Mineralogy*, in press.

Ball, G.R. and Kemp, P.H. (1956) U.S. Patent Office 2,773,738 New crystalline sodium borate and method of producing the same. 3 p. and 2 figures.

Bauer, H. (1962) Über Diadochie zwischen Aluminium und Bor in Gehlenit. *Neues Jahrbuch für Mineralogie Monatshefte*, 1962, 127-140.

Baylor, R., Jr. and Brown, J.J., Jr. (1976) Subsolidus phase equilibria in system $\text{SrO-B}_2\text{O}_3-\text{SiO}_2$. *Journal of the American Ceramic Society*, 59, 21-23.

Bechi E (1854) Analysis of several native borates. *American Journal of Science* 67, 129-130.

Becker, P., Held, P. and Bohatý, L. (2000) Crystal growth and optical properties of the polar hydrated pentaborates $\text{Rb}[\text{B}_5\text{O}_6(\text{OH})_4] \cdot 2\text{H}_2\text{O}$ and $\text{NH}_4[\text{B}_5\text{O}_6(\text{OH})_4] \cdot 2\text{H}_2\text{O}$ and structure redetermination of the ammonium compound. *Crystal Research and Technology*, 35, 1251-1262.

- Behm, H. and Baerlocher, Ch. (1985): X-ray Rietveld structure determination of trihydroxo[dihydroxo(oxo)borato]dicopper(II), Cu₂{BO(OH)₂} (OH)₃. *Acta Crystallographica*, C41, 5-7.
- Belokoneva, E.L., Dimitrova, O.V. and Stefanovich, S.Yu. (2010) New isoformula potassium borosilicates with different zeolite frameworks: Monoclinic centrosymmetric boroleucite K(BSi₂)O₆ and chiral KBSi₂O₆. *Crystallography Reports*, 55, 575–582.
- Berdeinski, W. (1951) Synthetische Darstellung von Lüneburgit. *Naturwissenschaften*, 38, 476-477.
- Berger, T. and Range, K.-J. (1996) Hochdrucksynthese und Strukturverfeinerung von Strontium-Danburite, SrB₂Si₂O₈. *Zeitschrift für Naturforschung*, 51b, 172-174.
- Berman H, Gonyer F A (1937) Roweite, a new mineral from Franklin, New Jersey. *American Mineralogist* 22, 301-303.
- Bermanec V, Armbruster T, Tibljas D, Sturman D, Kniewald G (1994) Tuzlaite, NaCa[B₅O₈(OH)₂]·3H₂O, a new mineral with a pentaborate sheet structure from the Tuzla salt mine, Bosnia and Herzegovina. *American Mineralogist* 79, 562-569.
- Berryman, E., Wunder, B. and Rhede, D. (2014) Synthesis of K-dominant tourmaline. *American Mineralogist*, 99, 539-542.
- Bertaut, E.F. (1950) Structures des boroferrites. *Acta Crystallographica*, 3, 473-474.
- Bertaut, E.F., Bochirol, L. and Blum, P. (1950) Synthèse et groupes d'espace des boroferrites. *Comptes Rendus Hebdomadaires des Séances de l'Académie des Sciences*, 230(8), 764-765.
- Biagioli, C., Bonaccorsi, E., Merlino, S., Bersani, D. and Forte, C. (2012) Thermal behaviour of tobermorite from N'Chwaning II mine (Kalahari Manganese Field, Republic of South Africa) II. Crystallographic and spectroscopic study of tobermorite 10 Å. *European Journal of Mineralogy*, 24, 991-1004.
- Blazko L N, Kondrat'eva V V, Yarzhemskii Y Y (1962) Aksaite, a new hydrous magnesium borate, *Zapiski Vsesoyuznogo Mineralogicheskogo Obshchestva* 91, 447-454.

- Bocharov V M, Khalturina I I, Avrova N P, Shipovalov Y V (1969) The new mineral satimolite, a hydrous chlorine-containing borate of aluminum and alkalies. Trudy Mineralogicheskogo Muzeya imeni A. Ye. Fersmana Akademii Nauk SSSR 19, 121-123 (in Russian).
- Boggs R C (1980) Okanoganite, a new rare-earth borofluorosilicate from the Golden Horn batholith, Okanogan County, Washington, American Mineralogist 65, 1138-1142.
- Bogomolov M A, Nikitina I B, Pertsev N N (1969) Olshanskyite - a new calcium borate. Doklady Akademii Nauk SSSR 184, 1398-1401 (in Russian. English translation: Doklady of the Academy of Sciences of the USSR Earth Science Sections, 184, 127-131).
- Boiocchi M, Callegari A, Ottolini L (2006) The crystal structure of piergorite-(Ce), $\text{Ca}_8\text{Ce}_2(\text{Al}_{0.5}\text{Fe}^{3+})_{0.5}\Sigma_1(\square,\text{Li},\text{Be})_2\text{Si}_6\text{B}_8\text{O}_{36}(\text{OH},\text{F})_2$: A new borosilicate from Vetralla, Italy, with a modified hellandite-type chain. American Mineralogist 91, 1170-1177.
- Bondareva, O.S., Simonov, M.A., Belov, N.V. (1978) Crystal structure of synthetic jimboite $\text{Mn}_3(\text{BO}_3)_2$. Kristallographiya, 23, 491-493 (in Russian).
- Bosi F, Skogby H (2013) Oxy-dravite, $\text{Na}(\text{Al}_2\text{Mg})(\text{Al}_5\text{Mg})(\text{Si}_6\text{O}_{18})(\text{BO}_3)_3(\text{OH})_3\text{O}$, a new mineral species of the tourmaline supergroup. American Mineralogist 98, 1442-1448.
- Bosi F, Agrosì G, Lucchesi, S., Melchiorre, G. and Scandale, E. (2005) Mn-tourmaline from island of Elba (Italy): Crystal chemistry. American Mineralogist 90, 1661-1668.
- Bosi F, Reznitskii L, Skogby H (2012a) Oxy-chromium-dravite, $\text{NaCr}_3(\text{Cr}_4\text{Mg}_2)(\text{Si}_6\text{O}_{18})(\text{BO}_3)_3(\text{OH})_3\text{O}$, a new mineral species of the tourmaline supergroup, American Mineralogist 97, 2024-2030.
- Bosi F, Skogby H, Agrosì G, Scandale E (2012b) Tsilaisite, $\text{NaMn}_3\text{Al}_6(\text{Si}_6\text{O}_{18})(\text{BO}_3)_3(\text{OH})_3\text{OH}$, a new mineral species of the tourmaline supergroup from Grotta d'Oggi, San Pietro in Campo, island of Elba, Italy. American Mineralogist 97, 989-994.
- Bosi F, Andreozzi G B, Skogby H, Lussier A J, Abdu Y, Hawthorne F C (2013a) Fluor-elbaite, $\text{Na}(\text{Li}_{1.5}\text{Al}_{1.5})\text{Al}_6(\text{Si}_6\text{O}_{18})(\text{BO}_3)_3(\text{OH})_3\text{F}$, a new mineral species of the tourmaline supergroup, American Mineralogist 98, 297-303.

- Bosi F, Reznitskii L, Sklyarov E V (2013b) Oxy-vanadium-dravite,
 $\text{NaV}_3(\text{V}_4\text{Mg}_2)(\text{Si}_6\text{O}_{18})(\text{BO}_3)_3(\text{OH})_3\text{O}$: Crystal structure and redefinition of the "vanadium-dravite" tourmaline, American Mineralogist 98, 501-505.
- Bosi F, Reznitskii L, Skogby H, Hålenius U (2014a) Vanadio-oxy-chromium-dravite,
 $\text{NaV}_3(\text{Cr}_4\text{Mg}_2)(\text{Si}_6\text{O}_{18})(\text{BO}_3)_3(\text{OH})_3\text{O}$, a new mineral species of the tourmaline supergroup. American Mineralogist 99, 1155-1162.
- Bosi F, Skogby H, Reznitskii L, Hålenius U (2014b) Vanadio-oxy-dravite,
 $\text{NaV}_3(\text{Al}_4\text{Mg}_2)(\text{Si}_6\text{O}_{18})(\text{BO}_3)_3(\text{OH})_3\text{O}$, a new mineral species of the tourmaline supergroup. American Mineralogist 99, 218-224.
- Bosi F, Andreozzi G B, Agrosi G, Scandale E (2015) Fluor-tsilaisite,
 $\text{NaMn}_3\text{Al}_6(\text{Si}_6\text{O}_{18})(\text{BO}_3)_3(\text{OH})_3\text{F}$, a new tourmaline from San Piero in Campo (Elba, Italy) and new data on tsilaisitic tourmaline from the holotype specimen locality. Mineralogical Magazine 79, 89-101.
- Bosi, F., Skogby, H. and Hålenius, U. (2016) Oxy-foitite, IMA 2016-069. CNMNC Newsletter No. 34, December 2016, page 1317; Mineralogical Magazine, 80, 1315–1321.
- Bosi, F., Skogby, H., Ciriotti, M.E., Gadas, P., Novák, M., Cempírek, J., Všianský, D. and Filip, J. (2017a) Lucchesiite, $\text{CaFe}^{2+}_3\text{Al}_6(\text{Si}_6\text{O}_{18})(\text{BO}_3)_3(\text{OH})_3\text{O}$, a new mineral species of the tourmaline supergroup. Mineralogical Magazine, 81, 1-14.
- Bosi, F., Skogby, H. and Hålenius, U. (2017b) Oxy-foitite, $\square(\text{Fe}^{2+}\text{Al}_2)\text{Al}_6(\text{Si}_6\text{O}_{18})(\text{BO}_3)_3(\text{OH})_3\text{O}$, a new mineral species of the tourmaline supergroup. European Journal of Mineralogy, 29, in press.
- Bovin J O, O'Keeffe M (1980) Takéuchiite, a new oxyborate mineral from Långban, Sweden, American Mineralogist 65, 1130-1133.
- Bovin J O, O'Keeffe M (1981) Electron microscopy of oxyborates. II. Intergrowth and structural defects in synthetic crystals. Acta Crystallographica, A37, 35-42.
- Bovin, J.-O., Carlsson, A., Sjövall, R., Thomasson, R., Norrestam, R., and Søtofte, I. (1996) The crystal structure of a blatterite mineral, $\text{Mg}_{1.33}\text{Mn}_{1.44}\text{Fe}_{0.05}\text{Sb}_{0.17}\text{O}_2\text{BO}_3$, a combined single crystal X-ray and HREM study. Zeitschrift für Kristallographie, 211, 440-448.

Bowser, C.J. (1965) Geochemistry and Petrology of the Sodium Borates in the Non-Marine Evaporite Environment. Ph.D. Thesis, University of California, Los Angeles.

Braitsch O (1959a) Über Strontioginorit, eine neu Ginorit-Varietät aus dem Zechsteinsalz. Beiträge zur Mineralogie und Petrographie 6, 366-370.

Braitsch, O. (1959b): Über p-Veatchit, eine neue Veatchit-Varietät aus dem Zechsteinsalz. Beiträge zur Mineralogie und Petrographie 6, 352-356.

Breaks, F.W., Tindle, A.G., and Selway, J.B. (2008) Electron microprobe and bulk rock and mineral compositions from rare-element pegmatites and peraluminous, S-type granitic rocks from the Fort Hope pegmatite field, north-central Superior Province of Ontario. Ontario Geological Survey, Miscellaneous Release-data 235.

Brisi, C. and Eitel, W. (1957) Identity of nocerite and fluoborite. American Mineralogist, 42, 288-293.

Brögger W C (1884) Forelöbig meddelelse om to nye norske mineraler, låvenit og cappelenit, Geologiska Föreningens i Stockholm Förhandlingar 7, 598-600 (in Swedish).

Brögger W C (1887) Forelöbig meddelelse om mineralerne på de sydnorske augit- og nefelinsyeniters grovkornige gange. Geologiska Föreningens i Stockholm Förhandlingar, 9, 247-274 (in Swedish).

Brögger, W.C. (1890a) Die Mineralien der Syenitpegmatitgänge der südnorwegischen Augit- und Nephelinsyenite, 16. Hambergit. Zeitschrift für Kristallographie, 16, 65-67.

Brögger, W.C. (1890b) Die Mineralien der Syenitpegmatitgänge der südnorwegischen Augit- und Nephelinsyenite. 55. Tritomite. Zeitschrift für Kristallographie, 16, 483-489.

Brøgger W C (1903) Über den Hellandit, ein neues Mineral, Nyt Magazin for Naturvidenskabena 41, 213-221.

Brugger, J., Meisser, N., Ansermet, S., Krivovichev, S.V., Kahlenberg, V., Belton, D., and Ryan C.G. (2012) Leucostaurite, $Pb_2[B_5O_9]Cl \cdot 0.5H_2O$, from the Atacama Desert: The first Pb-dominant member of the hilgardite group, and micro-determination of boron in minerals by PIGE. American Mineralogist, 97, 1206-1212.

- Brush G J (1868) On sussexite, a new borate from Mine Hill, Franklin Furnace, Sussex Co., New Jersey. *The American Journal of Science and Arts*, 96, 240-243.
- Bubnova, R.S., Stepanov, N.K., Levin, A.A., Filatov, S.K., Paufler, P., Meyer, D.C. (2004) Crystal structure and thermal behavior of boropollucite CsBSi_2O_6 . *Solid State Sciences*, 6, 629-637.
- Bücking H (1893) Sulfoborit, ein neues krystallisiertes Borat von Westeregeln, *Sitzungsberichte der Königlich Preussischen Akademie der Wissenschaften zu Berlin*, 1893, 967-972.
- Buick I S, Grew E S, Armbruster T, Medenbach O, Yates M G, Bebout G E, Clarke G L (2008) Boromullite, $\text{Al}_9\text{BSi}_2\text{O}_{19}$, a new mineral from granulite-facies metapelites, Mount Stafford, central Australia: a natural analogue of a synthetic “boron-mullite”, *European Journal of Mineralogy* 20, 935-950.
- Burns, P.C. and Carpenter, M.A. (1996) Phase transitions in the series boracite – trembathite – congoelite: Phase relations. *Canadian Mineralogist*, 34, 881-892.
- Burns P C, Hawthorne F C, Stirling J A R (1992) Trembathite, $(\text{Mg},\text{Fe})_3\text{B}_7\text{O}_{13}\text{Cl}$, a new borate mineral from the Salt Springs potash deposit, Sussex, New Brunswick. *The Canadian Mineralogist* 30, 445-448.
- Callegari A M, Boiocchi M, Bellatreccia F, Caprilli E, Medenbach O, Cavallo A (2011) Capranicaite, $(\text{K},\square)(\text{Ca},\text{Na})\text{Al}_4\text{B}_4\text{Si}_2\text{O}_{18}$: a new inosilicate from Capranica, Italy, with a peculiar topology of the periodic single chain $[\text{Si}_2\text{O}_6]$, *Mineralogical Magazine* 75, 33-43.
- Campostrini, I. and Demartin, F. (2014) A new natural ammonium decaborate from La Fossa crater, Vulcano Island, Italy. *Rendiconti Online of the Società Geologica Italiana*, 31, Supplement no. 1, September, Abstract Book, p. 308. doi: 10.3301/ROL.2014.140.
- Capitelli, F., Chita, G., Leonyuk, N.I., Koporulina, E.V., Bellatreccia, F., and Della Ventura, G. (2009) X-ray crystal structure of synthetic $\text{REEAl}_{2.07}(\text{B}_4\text{O}_{10})\text{O}_{0.60}$ ($\text{REE} = (\text{La}, \text{Ce}); \text{Ce}; \text{Nd}$) dimetaborates. *Zeitschrift für Kristallographie*, 224, 478-483.
- Capponi, J.J., Chenavas, J. and Joubert, J.C. (1973) Synthèse hydrothermale à très haute pression de deux borates de type olivine, AlMgBO_4 and FeNiBO_4 . *Materials Research Bulletin*, 8, 275-282.

Carrobbi G (1933) Sulla presenza di un nuova minerale fra i prodotti dell'attività fumarolica del Vesuvio, Periodico di Mineralogia 4, 410-422.

Cempírek, J., Grew, E.S., Kampf, A.R., Ma, C., Novák, M., Gadas, P., Škoda, R., Vašinová-Galiová, M., Pezzotta, F., Groat, L.A., and Krivovichev, S.V. (2016) Vránaite, ideally $\text{Al}_{16}\text{B}_4\text{Si}_4\text{O}_{38}$, a new mineral related to boralsilite, $\text{Al}_{16}\text{B}_6\text{Si}_2\text{O}_{37}$, from the Manjaka pegmatite, Sahatany Valley, Madagascar. American Mineralogist, 101, 2108-2117..

Chao, G.Y., Conlon, R.P. and Van Velthuizen, J. (1990) Mont Saint-Hilaire unknowns. Mineralogical Record, 21, 363-368.

Chaplygin, I.V., Yudovskaya, M.A., Pekov, I.V., Zubkova, N.V., Britvin, S.N., Vigasina, M.F., Pushcharovsky, D.Y., Belakovskiy, D.I., Griboedova, I.G., Kononkova, N.N. and Rassulov, V.A. (2016) Marinaite, IMA 2016-021. CNMNC Newsletter No. 32, August 2016, page 917; Mineralogical Magazine, 80, 915–922.

Chelishcheva, A.G. (1940) Heating curves and specific weights of synthetic borates. Comptes Rendus (Doklady) de l'Académie des Sciences de l'URSS, 28, 508-511

Chien T C, Chen S C (1965) Brief note on preliminary results of study of a new borate mineral - hydrochlorborite ($\text{Ca}_4\text{B}_8\text{O}_{15}\text{Cl}_2 \cdot 22\text{H}_2\text{O}$). Scientia Sinica 14, 945-946 (in Russian).

Chopin C, Ferraris G, Ivaldi G, Schertl H P, Schreyer W, Compagnoni R, Davidson C, Davis A M (1995) Magnesiodumortierite, a new mineral from very-high-pressure rocks (western Alps). II. Crystal chemistry and petrological significance. European Journal of Mineralogy 7, 525-535.

Chu I H, Hsieh H T, Chien T C, Liu L P (1964a) Preliminary report on the occurrence of a new hydrous magnesium borate - hungchaoite, $\text{MgO} \cdot 2\text{B}_2\text{O}_3 \cdot 9\text{H}_2\text{O}$, in China, Scientia Sinica 13, 525-527(in Russian)

Chu I H, Hsieh H T, Chien T C, Liu L P (1964b) Hungchaoite—a new hydrous magnesium borate. Acta Geologica Sinica, 44, 351-356 (in Chinese with Russian abstract)

Chukanov, N.V. (2014) Infrared spectra of mineral species: Extended library (Springer Geochemistry/Mineralogy) 2014th Edition, 2 volumes, Springer, Dordrecht

Chukanov N V, Pekov I V, Malinko S V, Zadov A E, Dubinchuk V T (2002) Vitimite, $\text{Ca}_6\text{B}_{14}\text{O}_{19}[\text{SO}_4](\text{OH})_{14} \cdot 5\text{H}_2\text{O}$, a new mineral, and conditions of its formation in Solongo Deposit, Buryatia. Zapiski Vserossijskogo Mineralogicheskogo Obshchestva 131, issue 4, 41-46 (in Russian with abstract in English).

Chukanov N V, Yakubovich O V, Pekov I V, Belakovskiy D I, Massa W (2007) Britvinite, $\text{Pb}_{15}\text{Mg}_9(\text{Si}_{10}\text{O}_{28})(\text{BO}_3)_4(\text{CO}_3)_2(\text{OH})_{12}\text{O}_2$ - a new mineral from Långban, Sweden. Zapiski Rossijskogo Mineralogicheskogo Obshchestva 136, issue 6, 18-25 (in Russian; English translation, Geology of Ore Deposits, 50, 713-719, 2008).

Chukanov, N.V., Jonsson, E., Aksenov, S.M., Britvin, S.N., Rastsvetaeva, R. K. and Belakovskiy, D.I. (2016a) Roymillerite, IMA 2016-061. CNMNC Newsletter No. 33, October 2016, page 1142; Mineralogical Magazine, 80, 1135-1144.

Chukanov, N.V., Kasatkin, A.V., Zubkova, N.V., Britvin, S.N., Pautov, L.A., Pekov, I.V., Varlamov, D.A., Bychkova, Y.V., Loskutov, A.B. and Novgorodova, E.A (2016b) Tatarinovite $\text{Ca}_3\text{Al}(\text{SO}_4)[\text{B}(\text{OH})_4](\text{OH})_6 \cdot 12\text{H}_2\text{O}$, a new ettringite-group mineral from the Bazhenovskoye deposit, central Urals, Russia, and its crystal structure. Zapiski Vserossijskogo Mineralogicheskogo Obshchestva 145, 48-67 (in Russian; English translation: Geology of Ore Deposits 58(8), 653-665)

Cipriani C (1957) Un nuovo minerale fra i prodotti boriferi di Larderello. Atti della Accademia Nazionale dei Lincei. Rendiconti della Classe di Scienze Fisiche, Matematiche e Naturali 22, 519-525.

Cipriani C (1961a) A proposito del nome del borato naturale $2\text{Na}_2\text{O} \cdot 5\text{B}_2\text{O}_3 \cdot 4\text{H}_2\text{O}$ di Lardarello. Atti della Accademia Nazionale dei Lincei. Rendiconti della Classe di Scienze Fisiche, Matematiche e Naturali, 31, 141-142.

Cipriani, C. (1961b) Hoeferite e nasinite: due nuovi borati fra i prodotti di Larderello. Parte II, Atti della Accademia Nazionale dei Lincei. Rendiconti della Classe di Scienze Fisiche, Matematiche e Naturali 30, 235-245.

Cipriani C, Vannuccini P (1961) Hoeferite e nasinite: due nuovi borati fra i prodotti di Larderello. Parte I, Atti della Accademia Nazionale dei Lincei. Rendiconti della Classe di Scienze Fisiche, Matematiche e Naturali 30, 74-83.

- Ciriotti, M.E., Fascio, L., and Pasero, M. (2009) Italian Type Minerals. Pisa, Plus-Pisa University Press, 357 p.
- Claringbull G F, Hey M H (1952) Sinhalite ($MgAlBO_4$), a new mineral. Mineralogical Magazine 29, 841-850.
- Claringbull G F, Hey M H, Payne C J (1957) Painite, a new mineral from Mogok, Burma, Mineralogical Magazine 31, 420-425.
- Clark J R, Christ C L (1959) Studies of borate minerals (VII): X-Ray studies of ammonioborite, larderellite, and the potassium and ammonium pentaborate tetrahedrites. American Mineralogist 44, 1150-1158.
- Clark, H.K. and Hoard, J.L. (1943) The crystal structure of boron carbide. Journal of the American Chemical Society 65, 2115-2119.
- Clark, C.M., Hawthorne, F.C. and Grice, J.D. (2010) Uvite, IMA 2000-030a. CNMNC Newsletter, April 2010, page 377; Mineralogical Magazine, 74, 375–377.
- Clark C M, Hawthorne F C, Ottolini L (2011) Fluor-dravite, $NaMg_3Al_6Si_6O_{18}(BO_3)_3(OH)_3F$, a new mineral species of the tourmaline group from the Crabtree Emerald mine, Mitchell County, North Carolina: Description and crystal structure, The Canadian Mineralogist 49, 57-62.
- Cook, W.R., Jr. and Jaffe, H. (1957) The crystallographic, elastic, and piezoelectric properties of ammonium pentaborate and potassium pentaborate. Acta Crystallographica, 10, 705-707.
- Cooper, J.J. and Tilley, R.J.D. (1991) Structural transformations in some oxyborates observed by high resolution transmission electron microscopy. Journal of Solid State Chemistry, 95, 188-203.
- Cooper, J.J. and Tilley, R.J.D. (1992) An electron microscope and X-ray diffraction study of some synthetic $(Mg,Mn)_3BO_5$ oxyborates. Journal of Solid State Chemistry, 97, 452-465.
- Cooper, M.A. and Hawthorne, F.C. (1998) The crystal structure of blatterite, $Sb_3^{5+}(Mn^{3+},Fe^{3+})_9(Mn^{2+},Mg)_{35}(BO_3)_{16}O_{32}$, and structural hierarchy in Mn^{3+} -bearing zigzag borates. Canadian Mineralogist, 36, 1171-1193.

- Cooper, M.A., Hawthorne, F.C., García-Veigas, J., Alcobé, X., Helvacı, C., Grew, E.S. and Ball, N.A. (2015) Fontarnauite, $(\text{Na},\text{K})_2(\text{Sr},\text{Ca})(\text{SO}_4)[\text{B}_5\text{O}_8(\text{OH})](\text{H}_2\text{O})_2$, a new sulfate-borate from Doğanlar (Emet), Kütahya Province, Western Anatolia, Turkey. Canadian Mineralogist, 53, 803-820.
- Cooper, M.A., Raade, G., Ball, N., Abdu, Y., Hawthorne, F.C. and Rowe, R. (2016) Folvikite, IMA 2016-026. CNMNC Newsletter No. 32, August 2016, page 919; Mineralogical Magazine, 80, 915–922.
- Cooper, M.A., Raade, G., Ball, N., Abdu, Y., Hawthorne, F.C. and Rowe, R. (in preparation) Folvikite, $\text{Sb}^{5+}\text{Mn}^{3+}(\text{Mg},\text{Mn}^{2+})_{10}\text{O}_8(\text{BO}_3)_4$, a new oxyborate mineral from the Kittlen mine, Nordmark ore district, Värmland, Sweden: description and crystal structure.
- D'Achiardi G (1934) Ginorite, nuovo borato di calcio di Sasso Pisano. Periodico di Mineralogia, 5, 22-32.
- Dal Negro A, Ungaretti L, Basso R (1976) The crystal structure of synthetic hydrated borates: (II) $\text{MgO} \cdot 3\text{B}_2\text{O}_3 \cdot 7\text{H}_2\text{O}$. Crystal Structure Communications 5, 433-436.
- Damour A A (1881) Analyse de la dumortiérite. Bulletin de la Société Minéralogique de France 4, 6-8.
- Damour A A (1883) Note sur un borate d'alumine cristallisé, de la Sibérie. Nouvell espèce minérale. Bulletin de la Société Minéralogique de France 6, 20-23.
- Dana J D (1850) A System of Mineralogy, Third Edition, George P Putnam (New York and London)
- Dana J D, Brush G J (1868) 601. Howlite, in A System of Mineralogy, Fifth Edition, John Wiley and Sons (New York, p. 898.
- Danisi R M, Armbruster T, Libowitzky E, Wang H A O, Günther D, Nagashima M, Reusser E, Bieri W (2015) Perettiite-(Y), $\text{Y}^{3+}_2\text{Mn}^{2+}_4\text{Fe}^{2+}[\text{Si}_2\text{B}_8\text{O}_{24}]$, a new mineral from Momeik, Myanmar. European Journal of Mineralogy 27, 793-803.
- Davis, H.M. and Knight, M.A. (1945) The system magnesium oxide-boric oxide. Journal of the American Ceramic Society, 28(4), 97-102.

Della Ventura G, Parodi G C, Mottana A, Chaussidon M (1993) Peprossite-(Ce), a new mineral from Campagnano (Italy): the first anhydrous rare-earth-element borate, European Journal of Mineralogy 5, 53-58.

Della Ventura G, Bonazzi P, Oberti R, Ottolini L (2002) Ciprianiite and mottanaite-(Ce), two new minerals of the hellandite group from Latium (Italy), American Mineralogist 87, 739-744.

Demartin F, Diella V, Gramaccioli C M, Pezzotta F (2001) Schiavinatoite, $(\text{Nb}, \text{Ta})\text{BO}_4$, the Nb analogue of behierite. European Journal of Mineralogy 13, 159-165

Demartin F, Gramaccioli C M, Campostrini I, Orlandi P (2008) Knasibfite, $\text{K}_3\text{Na}_4[\text{SiF}_6]_3[\text{BF}_4]$, a new hexafluorosilicate-tetrafluoroborate from La Fossa Crater, Vulcano, Aeolian Islands, Italy. The Canadian Mineralogist 46, 447-453

Demartin F, Gramaccioli C M, Campostrini I (2011) Clinometaborite, natural β -metaboric acid, from La Fossa Crater, Vulcano, Aeolian Islands, Italy. The Canadian Mineralogist, 49, 1273-1279.

Derkacheva, E.S., Krzhizhanovskaya, M.G., Bubnova, R.S., Filatov, S.K. (2011) Transformation of the crystal structure in the series of $\text{K}_{1-x}\text{Cs}_x\text{BSi}_2\text{O}_6$ borosilicate solid solutions. Glass Physics and Chemistry, 37, 572–578.

De Waal S A, Viljoen E A, Calk L C (1974) Nickel minerals from Barberton, South Africa: VII. Bonaccordite, the nickel analogue of ludwigite. Transactions of the Geological Society of South Africa, 77, p. 375.

Diman, Ye.N. and Nekrasov, I.Ya. (1965) Hydrothermal synthesis of nordenskiöldine and its analogs. Doklady Akademii Nauk SSSR, 164, 894-897 (in Russian).

Diman, E.N. and Nekrasov, I.Ya. (1969) An experimental study of formation conditions of hulsite – a tin borate. Doklady Akademii Nauk SSSR, 189, 1351-1354 (in Russian).

Dimitrova, O.V., Yamnova, N.A. Kurazhkovskaya, V.S., Kantor, A.P. (2004) Peculiarities of pandermite recrystallization at hydrothermal conditions. Zapiski Vserossijskogo Mineralogicheskogo Obshchestva, 133(1), 96-101 (in Russian).

- Dobrzhinetskaya, L.F., Wirth, R., Yang, J., Green, H.W., Hutcheon, I.D., Weber, P.K., and Grew, E.S. (2014) Qingsongite, natural cubic boron nitride: The first boron mineral from the Earth's mantle. *American Mineralogist*, 99, 764-772.
- Donnay G, Ingamells C O, Mason B (1966) Mineralogical notes: Buergerite, a new species of tourmaline. *American Mineralogist* 51, 198-199.
- Dunn, P.J. (1995) Franklin and Sterling Hill, New Jersey: the world's most magnificent mineral deposits. The Franklin-Ogdensburg Mineralogical Society, Franklin, N.J.
- Dunn P J, Appleman D E, Nelen J E (1977) Liddicoatite, a new calcium end-member of the tourmaline group, *American Mineralogist* 62, 1121-1124.
- Dunn P J, Peacor D R, Leavens P B, Baum J L (1983a) Charlesite, a new mineral of the ettringite group, from Franklin, New Jersey, *American Mineralogist* 68, 1033-1037.
- Dunn P J, Peacor D R, Simmons W B, Newbury D (1983b) Fredrikssonite, a new member of the pinakiolite series from Långban, Sweden, *Geologiska Föreningens i Stockholm Förhandlingar* 105, 335-340.
- Dunn P J, Peacor D R, Grice J D, Wicks F J, Chi P H (1990) Wawayandaite, a new calcium manganese beryllium boron silicate from Franklin, New Jersey. *American Mineralogist*, 75, 405-408.
- Dusmatov V D, Yefimov A F, Alkhazov V Yu, Kazakova M Ye, Mumyatskaya N G (1967) Tianshanite — a new mineral, *Doklady Akademii Nauk SSSR* 177, 678-680 (in Russian).
- Eakle A S (1920) Vonsenite. A preliminary note on a new mineral. *American Mineralogist*, 5, 141-143.
- Eakle A S (1929) Probertite, a new borate. *American Mineralogist* 14, 427-430.
- Ebelmen, J.J. (1851) *Annales de Chimie et Physique*, 3, 33, 34 (not consulted).
- Engelhardt W, Füchtbauer H, Zemann J (1956) Heidornit $\text{Na}_2\text{Ca}_3[\text{Cl}\cdot(\text{SO}_4)_2\cdot\text{B}_5\text{O}_8(\text{OH})_2]$ ein neues Bormineral aus dem Zechsteinanhdyrit. *Heidelberger Beiträge zur Mineralogie und Petrographie*, 5, 177-186.
- Epprecht W T (1946) Eisen- und Manganhydroxyde. in *Die Eisen- und Manganerze des Gonzen*, Aschmann & Scheller AG., Buchdruckerei zur Froschau, Zürich (Schweiz), p. 24-29.

- Epprecht W T, Schaller W T, Vlisidis A C (1959) Über Wiserit, Sussexit und ein weiteres Mineral aus den Manganerzen vom Gonzen (bei Sargans). Schweizerische Mineralogische und Petrographische Mitteilungen 39, 85-104.
- Erd R C, Foord E E (1988) Chestermanite, a new member of the ludwigite-pinakiolite group from Fresno County, California, The Canadian Mineralogist 26, 911-916
- Erd, R.C., McAllister, J.F., and Almond, H. (1959) Gowerite, a new hydrous calcium borate, from the Death Valley region, California. American Mineralogist, 44, 911-919.
- Erd, R.C., McAllister, J.F., and Vlisidis, A.C. (1961a) Nobleite, another new hydrous calcium borate from the Death Valley region, California. American Mineralogist, 46, 560-571.
- Erd R C, Morgan V, Clark J R (1961b) Tunellite, a new hydrous strontium borate from the Kramer Borate District, California, U.S. Geological Survey Professional Paper 424-C, 294-297.
- Erd R C, McAllister J F, Vlisidis A C (1970) Wardsmithite, $5\text{CaO}\cdot\text{MgO}\cdot12\text{B}_2\text{O}_3\cdot30\text{H}_2\text{O}$, a new borate mineral from the Death Valley region, California. American Mineralogist 55, 349-357.
- Ericksen G E, Mrose M E, Marinenko J W, McGee J J (1986) Mineralogical studies of the nitrate deposits of Chile. V. Iquiqueite, $\text{Na}_4\text{K}_3\text{Mg}(\text{CrO}_4)\text{B}_{24}\text{O}_{39}(\text{OH})\cdot12\text{H}_2\text{O}$, a new saline mineral, American Mineralogist 71, 830-836.
- Ertl, A. (2007) Über die Typlokalität und die Nomenklatur des Minerals Dravit. Mitteilungen der Österreichischen Mineralogischen Gesellschaft, 153, 265-271.
- Ertl, A., Rossman, G.R., Hughes, J.M., Prowatke, S., and Ludwig, T. (2005) Mn-bearing “oxyrossmanite” with tetrahedrally coordinated Al and B from Austria: Structure, chemistry, and infrared and optical spectroscopic study. American Mineralogist, 90, 481–487.
- Ertl, A., Baksheev, I.A., Giester, G., Lengauer, C.L., Prokofiev, V.Y. and Zorina, L.D. (2015) Bosiite, IMA 2014-094. CNMNC Newsletter No. 24, April 2015, page 249; Mineralogical Magazine, 79, 247-251.
- Ertl A, Kolitsch U, Dyar M D, Meyer H, Rossman G R, Henry D J, Prem M, Ludwig T, Nasdala L, Lengauer C L, Tillmanns E, Niedermayr G (2016a) Fluor-schorl, a new member of the

tourmaline supergroup, and new data on schorl from the cotype localities. European Journal of Mineralogy 28, 163-177.

Ertl A, Baksheev I A, Giester G, Lengauer C L, Prokofiev V Y, Zorina L D (2016b) Bosiite, $\text{NaFe}^{3+}_3(\text{Al}_4\text{Mg}_2)(\text{Si}_6\text{O}_{18})(\text{BO}_3)_3(\text{OH})_3\text{O}$, a new ferric member of the tourmaline supergroup from the Darasun gold deposit, Transbaikalia, Russia. European Journal of Mineralogy 28, 581-591.

Eugster, H.P., McIver, N.C. (1959): Boron analogues of alkali-feldspars and related silicates. Geological Society of America Bulletin, 70, 1598–1599 (abstract).

Eugster, H.P. and Wise, W.S. (1963) Synthesis and stability of datolite and danburite. Schweizerische Mineralogische und Petrographische Mitteilungen, 43, 135-152.

Feigelson, I.B., Grushvitsky, V.E. and Korobochkina, T.V. (1939) Synthesis of inderite. Comptes Rendus (Doklady) de l'Académie des Sciences de l'URSS, 22, 242-243.

Feit W (1889) Ueber Kaliborit, ein neues Borsäure-Mineral. Chemiker-Zeitung 73, 1188-1188.

Ferraris G, Franchini-Angela M, Orlandi P (1978) Canavesite, a new carbonate mineral from Brosso, Italy. The Canadian Mineralogist 16, 69-73.

Flamini, A. Graziani, G., and Pagliuca, G. (1979) Synthesis of the fluorine end member of the fluoborite series. American Mineralogist, 64, 229-231.

Fleischer, M. (1958) Frolovite *in* New mineral names. American Mineralogist 43, 378-387.

Fleischer M (1963) Biringuccite (Hoeferite), Nasinite *in* New mineral names. American Mineralogist 48, 709-710.

Flink G (1891) Ueber Pinakiolith und Trimerit, zwei neue Mineralien aus den Mangangruben Schwedens. Zeitschrift für Kristallographie und Mineralogie, 18, 361-376.

Flink G (1901) On the minerals from Narsarsuk on the Firth of Tunugdliarfik in Southern Greenland. 28. Leucosphenite. Meddelelser om Grønland 24, 137-146.

Foord, E.E., Erd, R.C. and Hunt, G.R. (1981) New data for jeremejevite. Canadian Mineralogist, 19, 303-310.

Foord E E, Martin R F, Fitzpatrick J J, Taggart J E, Crock J G (1991) Boromuscovite, a new member of the mica group, from the Little Three mine pegmatite, Ramona district, San Diego County, California, American Mineralogist 76, 1998-2002.

Franz G, Ackermann D, Koch E (1981) Karlite, $Mg_7(BO_3)_3(OH,Cl)_5$ a new borate mineral and associated ludwigite from the Eastern Alps, American Mineralogist 66, 872-877.

Fromme J (1909) Chemisch-mineralogische Notizen aus dem Radautale, Tschermaks Mineralogische und Petrographische Mitteilungen 28, 305-328.

Frondel C (1961) Two yttrium minerals: spencite and rowlandite, The Canadian Mineralogist 6, 576-581.

Gale W A, Foshag W F, Vonsen M (1939) Teepleite, a new mineral from Borax Lake, California, American Mineralogist 24, 48-52.

Galliski M A, Cooper M A, Márquez-Zavalía M F, Hawthorne F C (2010) Alfredstelznerite: A new species of calcium borate hydrate from the Santa Rosa mine, Salta, Northwestern Argentina, The Canadian Mineralogist 48, 123-128.

Galuskina I O, Kadiyski M, Armbruster T, Galuskin E V, Pertsev N N, Dzierzanowski P, Wrzalik R (2008) A new natural phase in the system Mg_2SiO_4 - Mg_2BO_3F - $Mg_2BO_3(OH)$: composition, paragenesis and structure of OH-dominant pertsevite. European Journal of Mineralogy 20, 951-964.

Galuskina I O, Ottolini L, Kadiyski M, Armbruster T, Galuskin E V, Dzierzanowski P, Winiarski A (2010) Pertsevite-(OH), a new mineral in the pertsevite series, $Mg_2(BO_3)_{1-x}(SiO_4)_x(F,OH)_{1-x}$ ($x < 0.5$), from the Snezhnoye deposit in Sakha-Yakutia Republic, Russia. American Mineralogist 95, 953-958

Garavelli A, Vurro F (1994) Barberiite, NH_4BF_4 , a new mineral from Vulcano, Aeolian Islands, Italy, American Mineralogist 79, 381-384.

Gatta, G.D., Vignola, P., McIntyre, G.J., and Diella, V. (2010) On the crystal chemistry of londonite $[(Cs,K,Rb)Al_4Be_5B_{11}O_{28}]$: A single-crystal neutron diffraction study at 300 and 20 K. American Mineralogist, 95, 1467–1472.

Geijer P (1926) Norbergite and fluoborite, two new minerals from the Norberg mining district.

Geologiska Föreningens i Stockholm Förhandlingar 48, 84-85.

Giles W B (1903) Bakerite (a new borosilicate of calcium) and howlite from California,
Mineralogical Magazine 13, 353-355

Godlevsky M N (1937) Mineralogical investigation of the Inder borate deposit. Zapiski
Vserossijskogo Mineralogicheskogo Obshchestva 66, issue 2, 315-344 (in Russian).

Godlevsky M N (1940) Kurnakovite, a new borate, Comptes Rendus (Doklady) de l'Académie
des Sciences de l'URSS 28, 638-640.

Gonnard F (1881) Note sur l'existance d'une espèce minérale nouvelle, la dumortierite dans le
gneiss de Beaunan, au-dessus des anciens aqueducs galloromains de la vallée de l'Izéron
(Rhône), Bulletin de la Société Minéralogique de France 4, 2-5.

Goreleva, L.A., Filatov, S.K., Krzhizhanovskaya, M.G., and Bubnova, R.S. (2015) High
temperature behaviour of danburite-like borosilicates $MB_2Si_2O_8$ ($M = Ca, Sr, Ba$). European
Journal of Glass Science and Technology. Part B. Physics and Chemistry of Glasses, 56(5),
189-196.

Gorshkov G S (1941) A new mineral from the region of Lake Inder. Comptes Rendus (Doklady)
de l'Académie des Sciences de l'URSS 33, 254-256.

Graetsch, H.A. and Schreyer, W. (2005) Rietveld refinement of synthetic monoclinic $NaBSiO_4$.
Canadian Mineralogist, 43, 759-767.

Grew, E.S., Herd, R.K., and Marquez, N. (1987) Boron-bearing kornerupine from Fiskenaesset,
West Greenland: a reexamination of specimens from the type locality. Mineralogical
Magazine, 51, 695-708.

Grew E S, McGee J J, Yates M G, Peacor D R, Rouse R C, Huijsmans J P P, Shearer C K,
Weidenbeck M, Thost D E, Su S (1998) Boralsilite ($Al_{16}B_6Si_2O_{37}$): a new mineral related to
sillimanite from pegmatites in granulite-facies rocks, American Mineralogist 83, 638-651.

Grew, E.S., Yates, M.G., Adams, P., Kirkby, R., and Wiedenbeck, M. (1999) Harkerite and
associated minerals in marble and skarn from the Crestmore Quarry, Riverside County,

California and Cascade Slide, Adirondack Mountains, New York. Canadian Mineralogist, 37, 277-296.

Grew, E.S., Graetsch, H., Pöter, B., Yates, M.G., Buick, I., Bernhardt, H.-J., Schreyer, W., Werding, G., Carson, C.J. and Clarke, G.L. (2008) Boralsilite, $\text{Al}_{16}\text{B}_6\text{Si}_2\text{O}_{37}$, and “boron-mullite”: compositional variations and associated phases in experiment and nature. American Mineralogist, 93, 283-299.

Grew, E.S., Krivovichev, S.V., Hazen, R.M., and Hystad, G. (2016) Evolution of structural complexity in boron minerals. Canadian Mineralogist, 54, 125-143.

Grice J D, Pring A (2012) Veatchite: structural relationships of the three polytypes. American Mineralogist, 97, 489-495.

Grice J D, Robinson G W (1989) Feruvite, a new member of the tourmaline group, and its crystal structure, The Canadian Mineralogist 27, 199-203.

Grice J D, Van Velthuizen J, Dunn P J, Newbury D E, Etz E S, Nielsen C H (1986) Moydite ($\text{Y}, \text{REE}[\text{B}(\text{OH})_4](\text{CO}_3)$), a new mineral species from the Evans-Lou Pegmatite, Quebec. The Canadian Mineralogist 24, 665-673.

Grice J D, Ercit T S, Van Velthuizen J, Dunn P J (1987) Poudretteite, $\text{KNa}_2\text{B}_3\text{Si}_{12}\text{O}_{30}$, a new member of the osumilite group from Mont Saint-Hilare, Quebec, and its crystal structure. The Canadian Mineralogist 25, 763-766.

Grice, J.D., Ercit, T.S. and Hawthorne, F.C. (1993) Povondraite, a redefinition of the tourmaline ferridravite. American Mineralogist, 78, 433-436.

Grice J D, Gault R A, Van Velthuizen J (1996) Penobsquisite: A new borate mineral with a complex framework structure, The Canadian Mineralogist 34, 657-665.

Grice J D, Gault R A, Van Velthuizen J (1997) Brianroulstonite: a new borate mineral with a sheet structure, The Canadian Mineralogist 35, 751-758.

Grice J D, Gault R A, Van Velthuizen J, Pratt A (2002) Walkerite, a new borate mineral species in an evaporitic sequence from Sussex, New Brunswick, Canada. The Canadian Mineralogist, 40, 1675-1686.

- Griffin, W.L., Gain, S.E.M., Adams, D.T., Huang, J-X., Saunders, M., Toledo, V. and O'Reilly (2016) First terrestrial occurrence of tistarite (Ti_2O_3): Ultra-low oxygen fugacity in the upper mantle beneath Mount Carmel, Israel. *Geology*, doi:10.1130/G37910.1
- Grigor'yev, A.P. and Brovkin, A.A. (1969) Study of the binary join sellaite-kotoite in the system MgO - MgF_2 - B_2O_3 . *Doklady Akademii Nauk SSSR*, 186, 1387-1390 (in Russian. English translation: *Doklady Earth Science Sections*, 186, p. 157-160, 1970).
- Grigor'yev, A.P. and Nekrasov, I.Ya. (1963) Hydrothermal synthesis of minerals of the ludwigite-vonsenite series. *Doklady Akademii Nauk SSSR*, 151, 670-674 (in Russian).
- Groat L A, Hawthorne F C, Ercit T S, Grice J D (1998) Wiluite, $Ca_{19}(Al,Mg,Fe,Ti)_{13}(B,Al,\square)_5Si_{18}O_{68}(O,OH)_{10}$, a new mineral species isostructural with vesuvianite, from the Sakha Republic, Russian Federation. *The Canadian Mineralogist*, 36, 1301-1304.
- Guo, G.-C., Cheng, W.-D., Chen, J.-T., Zhuang, H.-H., Huang, J.-S., Zhang, Q.-E. (1995) Monoclinic $Mg_2B_2O_5$. *Acta Crystallographica*, C51, 2469-2471.
- Guttry, B.M. (2012) The stability field and conditions of formation of elbaite. Master of Science thesis, University of Oklahoma, Norman, 86 p.
- Haidinger W (1845) Zweite Klasse: Geogenide. I. Ordnung. Haloide. Wiserit., in *Handbuch der Bestimmenden Mineralogie*, Bei Braumüller and Seidel (Wien), p. 492-498.
- Hålenius, U., Hatert, F., Pasero, M. and Mills, S.J. (2016) New minerals and nomenclature modifications approved in 2016, IMA CNMNC Newsletter 33, *Mineralogical Magazine*, 80, 1135–1144.
- Hanks H G (1883) Report on the borax deposits of California and Nevada, Borax minerals and those containing boracic acid in small quantities. 3, 81-89.
- Haring M M M, McDonald A M (2014) Steedeite, $NaMn_2[Si_3BO_9](OH)_2$: characterization, crystal-structure determination, and origin. *The Canadian Mineralogist* 52, 47-60.
- Haring, M.M.M. and McDonald, A. M. (2017) Nolzeite, $Na(Mn,\square)_2[Si_3(B,Si)O_9(OH)_2] \cdot 2H_2O$, a new pyroxenoid mineral from Mont Saint-Hilaire, Quebec, Canada. *Mineralogical Magazine*, 81(1), 183–197.

- Hart, P.B. and Brown, C.S. (1962) The synthesis of new calcium borate compounds by hydrothermal methods. *Journal of Inorganic Nuclear Chemistry*, 24, 1037-1065.
- Haüy R J (1801) Axinite, (f.) c'est-à-dire, corps aminci en forme de tranchant de hache, 3, in *Traité de Minéralogie*, Chez Louis (Paris) 22-31.
- Hawthorne F C, Selway J B, Kato A, Matsubara S, Shimizu M, Grice J D, Vajdak J (1999) Magnesiofoitite, $\square(\text{Mg}_2\text{Al})\text{Al}_6(\text{Si}_6\text{O}_{18})(\text{BO}_3)_3(\text{OH})_4$, a new alkali-deficient tourmaline, *The Canadian Mineralogist* 37, 1439-1443.
- Heide, F., Walter, G., and Urlau, R. (1961) Zur Kristallchemie des Borazits. *Naturwissenschaften*, 48, 97-98.
- Heinrich, E. W. (1946), A second discovery of inderite: *American Mineralogist*, 31, 71-76.
- Henry, D.J., Novák, M., Hawthorne, F.C., Ertl, A., Dutrow, B.L., Uher, P., and Pezzotta, F. (2011) Nomenclature of the tourmaline-supergroup minerals. *American Mineralogist*, 96, 895-913.
- Hess H (1834) Der Hydroboracit, eine neue Mineralspecies. *Annalen der Physik und Chemie*, 31, 49-53.
- Hey, M.H. and Bannister, F.A. (1952) The identity of cryptomorphite and ginorite. *Mineralogical Magazine*, 29, 955-959.
- Heyns, A.M., Range, K.-R., and Wildenauer (1990) The vibrational spectra of NbBO_4 , TaBO_4 , NaNb_3O_8 and NaTa_3O_8 . *Spectrochimica Acta*, 46A, 1621-1628.
- Heyward, C.C., McMillen, C.D., Kolis, J.W. (2013) Hydrothermal synthesis and structural analysis of new mixed oxyanion borates: $\text{Ba}_{11}\text{B}_{26}\text{O}_{44}(\text{PO}_4)_2(\text{OH})_6$, $\text{Li}_9\text{BaB}_{15}\text{O}_{27}(\text{CO}_3)$ and $\text{Ba}_3\text{Si}_2\text{B}_6\text{O}_{16}$. *Journal of Solid State Chemistry*, 203, 166–173.
- Heyward, C.C., McMillen, C.D., Kolis, J.W. (2015) Hydrothermal growth of lanthanide borosilicates: A useful approach to new acentric crystals including a derivative of cappelenite. *Inorganic Chemistry*, 54, 905–913.
- Hiroi Y, Grew E S, Motoyoshi Y, Peacor D R, Rouse R C, Matsubara S, Yokoyama K, Miyawaki R, Mcgee J J, Su S, Hokada T, Furukawa N, Shibasaki H (2001) Ominelite,

- (Fe,Mg)Al₃BSiO₉ (Fe²⁺ analogue of grandidierite), a new mineral from porphyritic granite in Japan. American Mineralogist 87, 160-170.
- Holtstam, D., and Langhof, J. (1999) Långban—The mines, their minerals, geology and explorers. Swedish Museum of Natural History, Raster Förlag.
- Honea R M, Beck F R (1962) Chambersite, a new mineral, American Mineralogist 47, 665-671.
- Huang Z, Wang P (1994) Yuanfuliite—a new borate mineral. Acta Petrographica et Mineralogica (China), 13, 328-334 (in Chinese with English abstract).
- Huber, E.J., Jr. (1966) The heat of formation of titanium diboride. Journal of Chemical and Engineering Data, 11, 430-431.
- Hurlbut C S, Aristarain L F (1967a) Rivadavite, Na₆MgB₂₄O₄₀·22H₂O, a new borate from Argentina. American Mineralogist 52, 326-335.
- Hurlbut C S, Aristarain L F (1967b) Ezcurrite, 2Na₂O·5B₂O₈·7H₂O: a restudy. American Mineralogist 52, 1048-1059.
- Hurlbut C S, Erd R C (1974) Aristarainite, Na₂O·MgO·6B₂O₃·10H₂O, a new mineral from Salta, Argentina, American Mineralogist 59, 647-651.
- Hurlbut C S, Taylor R E (1937) Hilgardite, a new mineral species from Choctaw Salt Dome, Louisiana, American Mineralogist 22, 1052-1057.
- International Mineralogical Association (1967) Commission on new minerals and mineral names. Mineralogical Magazine 36, 131-136.
- Iwase E, Saito N (1942) Johachidolite - a new mineral of hydrous fluoborate of sodium, calcium and aluminium. Scientific Papers of the Institute of Physical and Chemical Research 39, 300-304.
- Jaffe H W, Molinski V J (1962) Spencite, the yttrium analogue of tritomite from Sussex County, New Jersey. American Mineralogist, 47, 9-25.
- Jakob, J. (1923) Vier Mangansiiikate aus dem Val d'Err (Kt. Graubünden). Schweizerische Mineralogische und Petrographische Mitteilungen, 3, 227-237.

Jambor J L, Puziewicz J, Roberts A C (1994) New mineral names. American Mineralogist, 79, 763-767.

Jobbins E A, Tresham A E, Young B R (1975) Magnesioaxinite, a new mineral found as a blue gemstone from Tanzania, The Journal of Gemmology, 14, 368-375.

Jouravsky G, Permingeat F (1964) La gaudefroyite, une nouvelle espèce minérale, Bulletin de la Société Française de Minéralogie et de Cristallographie, 87, 216-229.

Juretschke, H.J. and Steinitz, R. (1958) Hall effect and electrical conductivity of transition-metal diborides. Journal of Physics and Chemistry of Solids, 4, 118-127.

Kadiyski M, Armbruster T, Günther D, Reusser E, Peretti A (2008) Johachidolite, CaAl[B₃O₇], a mineralogical and structural peculiarity. European Journal of Mineralogy 20, 965-973.

Kaminsky, F.V., Wirth, R., Anikin, L.P., Morales, L. and Schreiber, A. (2016) Carbonado-like diamond from the Avacha active volcano in Kamchatka, Russia. Lithos, 265, 222-236.

Kampf A R, Favreau G (2004) Jacquesdietrichite, Cu₂[BO(OH)₂](OH)₃, a new mineral from the Tachgagalt mine, Morocco: Description and crystal structure, European Journal of Mineralogy 16, 361-366

Kampf A R, Peterson R C, Joy B R (2014) Itsuite, Ba₂Ca(BSi₂O₇)₂, a new mineral species from Yukon, Canada: Description and crystal structure. The Canadian Mineralogist 52, 401-407.

Karsten D L G (1800) Anmerkungen. in *Mineralogische Tabellen*, Heinrich August Rottmann (Berlin), p. 75.

Kawano, T. and Yamane, H. (2011) Redetermination of synthetic warwickite, Mg₃TiO₂(BO₃)₂. Acta Crystallographica E67, i18–i19.

Khomyakov A P, Sandomirskaya S M, Malinovskii Y A (1980) Kalborsite, K₆BAl₄Si₆O₂₀(OH)₄, a new mineral, Doklady Akademii Nauk SSSR 252, 1465-1468 (in Russian).

Khomyakov A P, Nechelyustov G N, Sokolova E V, Hawthorne F C (2000) New borosilicates: Malinkoite, NaBSiO₄, and lisitsynite, KBSi₂O₆, from alkaline pegmatites of the Khibiny-Lovozero complex, Kola Peninsula, Zapiski Vserossijskogo Mineralogicheskogo Obshchestva 129(6) 35-42 (in Russian with English abstract).

Klaproth M H (1806) Chemische Untersuchung des Datoliths. Neues Allgemeines Journal der Chemie, 6, 107-110.

Knopf A, Schaller W T (1908) Two new boron minerals of contact-metamorphic origin, The American Journal of Science 175, 323-331.

Kolitsch U, Andresen P, Husdal T A, Ertl A, Haugen A, Ellingsen H V, Larsen A O (2013) Tourmaline-group minerals from Norway, part II: Occurrences of luinaite-(OH) in Tvedalen, Larvik and Porsgrunn, and fluor-liddicoatite, fluor-elbaite and fluor-schorl at Ågskardet, Nordland. Norsk Bergverksmuseum Skrift 50, 23-41.

Kondrat'eva V V (1964) X-ray diffraction studies of some minerals of the hilgardite group. Rentgenografija Mineral'nogo Syr'ja, Moscow ('Nedra') 4, 10-18 (in Russian).

Kondrat'eva V V, Ostrovskaya I V, Yarzhemskii Ya Ya (1966) A new hydrous calcium borate, volkovskite. Zapiski Vsesoyuznogo Mineralogicheskogo Obshchestva, 95, 45-50 (in Russian).

Konev A A, Lesedeva V S, Kashaev A A, Ushchapovskaya Z F (1970) Azoproite, a new mineral of the ludwigite group, Zapiski Vsesoyuznogo Mineralogicheskogo Obshchestva 99(2), 225-231 (English translation: International Geological Review, 13, 1183-1188).

Konijnendijk, W.L. and Blasse, G. (1985) On the luminescence of Ti^{4+} in $Mg_5SnB_2O_{10}$ and $Mg_3ZrB_2O_8$. Materials Chemistry and Physics, 12, 591-599.

Konnert, J.A., Clark, J.R. and Christ, C.L. (1970) Crystal structure of strontioginorite, $(Sr, Ca)_2B_{14}O_{20}(OH)_6 \cdot 5H_2O$. American Mineralogist, 55, 1911-1931.

Konovalenko S I, Voloshin A V, Pakhomovskiy Ya A, Anen'yev S A, Perlina G A, Rogachev D L, Kuznetsov V Ya (1983) Tusionite, $MnSn(BO_3)_2$, a new borate from granite pegmatites of southwestern Pamir. Doklady Akademii Nauk SSSR 272, 1449-1453 (in Russian, English translation, International Geology Review, 26(4). 481-485, 1984).

Kracek, F.C., Morey, G.W. & Merwin, H.E. (1938): The system water–boron oxide. American Journal of Science, 235-A, 143-171.

Kraus E H, Seaman W A, Slawson C B (1930) Seamanite, a new manganese phosphoborate from Iron County, Michigan. American Mineralogist 15, 220-225.

Krivovichev S V, Turner R, Rumsey M, Siidra O I, Kirk C A (2009) The crystal structure and chemistry of mereheadite, *Mineralogical Magazine* 73, 103-117.

Krzhizhanovskaya, M.G., Bubnova, R.S. and Filatov, A.K. (2014) Crystallography and high-temperature crystal chemistry of anhydrous borosilicates of alkali and alkali-earth metals. *Journal of Structural Chemistry*. 55, 1342-1355.

Kühn R, Roese K L, Gaertner H (1962) Fabianit $\text{CaB}_3\text{O}_5(\text{OH})$, ein neues mineral. *Kali und Steinsalz* 3, 285-290.

Kumbasar, I. (1979) Veatchite-A, a new modification of veatchite. *American Mineralogist*, 64, 362–366.

Kunitz W (1930) Die Mischungsreihen in der Turmalingruppe und die genetischen Beziehungen zwischen Turmalinen und Glimmern, *Chemie der Erde* 4, 208-251.

Kusachi I, Henmi C, Henmi K (1980) 10 Å tobermorite from Fuka, the town of Bitchu, Okayama Prefecture. *Journal of the Mineralogical Society of Japan* 14, 314-322 (in Japanese)

Kusachi I, Henmi C, Henmi K (1984) An oyelite-bearing vein at Fuka, the town of Bitchu, Okayama Prefecture. *Journal of the Japanese Association of Mineralogists, Petrologists and Economic Geologists* 79, 267-275.

Kusachi I, Henmi C, Kobayashi S (1995) Takedaite, a new mineral from Fuka, Okayama Prefecture, Japan. *Mineralogical Magazine* 59, 549-552.

Kusachi I, Takechi Y, Henmi C, Kobayashi S (1998) Parasibirskite, a new mineral from Fuka, Okayama Prefecture, Japan, *Mineralogical Magazine* 62, 521-525.

Kusachi I, Shiraishi, N., Shimada, K., Onishi, M. and Kobayashi S (2008) CO_3 -rich charlesite from the Fuka mine, Okayama Prefecture, Japan, *Journal of Mineralogical Petrological Sciences*, 103, 47-51.

Kusachi I, Kobayashi S, Takechi Y, Nakamura Y, Nagase T, Yokoyama K, Momma K, Miyawaki R, Shigeoka M, Matsubara S (2013) Shimazakiite-4M and shimazakiite-4O, $\text{Ca}_2\text{B}_2\text{O}_5$, two polytypes of a new mineral from Fuka, Okayama Prefecture, Japan. *Mineralogical Magazine*, 77, 93-105.

- Kutzschbach, M., Wunder, B., Krstulovic, M., Ertl, A., Trumbull, R., Rocholl, A. and Giester, G. (2017) First high-pressure synthesis of rossmanitic tourmaline and evidence for the incorporation of Li at the X site. *Physics and Chemistry of Minerals.* DOI 10.1007/s00269-016-0863-0
- Lacroix A (1902) Note préliminaire sur une nouvelle espèce minérale. *Bulletin de la Société Française de Minéralogie* 25, 85-86.
- Lacroix A (1904) Sur la grandidiérite. *Bulletin de la Société Française de Minéralogie* 27, 259-265.
- Lacroix A (1912) Sur une nouvelle espèce minérale (manandonite) des pegmatites de Madagascar. *Bulletin de la Société Française de Minéralogie* 35, 223-226.
- Lacroix A (1922) *Minéralogie de Madagascar*, vol 1 and 2. Challamel, Paris.
- Larsen, A.O., editor (2010) *The Langesundfjord. History · Geology · Pegmatites · Minerals.* Bode Verlag, Salzhemmendorf, Germany.
- Larsen E S, Hicks W B (1914) Searlesite, a new mineral, *American Journal of Science* 38, 437-440.
- Lehmann, H.-A. and Papenfuss, H.J. (1959) Zur Chemie und Konstitution borsaurer Salze. III. Über ein wasserhaltiges Magnesiumhexaborat der Formel $MgB_6O_{10} \cdot 5H_2O$. *Zeitschrift für Anorganische und Allgemeine Chemie*, 301, 228-232.
- Lehmann, H.-A. and Schubert, E. (1968a) Die Synthese von Hambergit. *Zeitschrift für Chemie*, 8, Issue 3, 116.
- Lehmann, H.-A. and Schubert, E. (1968b) Neue Phasen im System BeO-B₂O₃-H₂O. *Zeitschrift für Chemie*, 8, Issue 9, 346
- Lehmann, H.-A., Zielfelder, A., and Herzog, G. (1958): Zur Chemie und Konstitution borsaurer Salze. I. Die Hydrogenmonoborate des Calciums. *Zeitschrift für Anorganische und Allgemeine Chemie*, 296, 199-207.
- Lehmann, H.-A., Schaarschmidt, K., and Günther, I. (1966) Zur Chemie und Konstitution borsaurer Salze. XIV. Über Bildungs- und Existenzbedingungen von Gowerit, $CaB_6O_{10} \cdot 5$

- H₂O, und Nobleit, CaB₆O₁₀· 4 H₂O, sowie ihre Umwandlung in Ca₃B₂₀O₃₃· 12 H₂O. Zeitschrift für anorganische und allgemeine Chemie, 346, 12–20.
- Levin, E.M. and Ugrinic, G.M. (1953) The system barium oxide-boric oxide-silica. Journal of Research of the National Bureau of Standards, 51, 37-56.
- Li, L.Y., Li, G.B., Xiong, M., Wang, Y.X. and Lin J.H. (2003) A new hydrated ammonium hydroxyborate, (NH₄)₂[B₁₀O₁₄(OH)₄]·H₂O. Acta Crystallographica, C59, i115-i116.
- Lobanova V V (1962) A new borate, halurgite, Doklady Akademii Nauk SSSR 143, 693-696 (in Russian)
- Lobanova V V, Avrova N P (1964) The new mineral metaborite — natural metaboric acid. Zapiski Vsesoyuznogo Mineralogicheskogo Obshchestva 93, issue 3, 329-334 (in Russian)
- London, D. (2011) Experimental synthesis and stability of tourmaline: A historical overview. Canadian Mineralogist, 49, 117-136.
- Lorenzen J (1886) Untersuchungen grönlandischer Mineralien. Zeitschrift für Krystallographie und Mineralogie 11, 315-318
- Lorenzen J (1893) Undersøgelse af Mineralier fra Grønland. Meddelelser om Grønland 7, 1-31
- Luo S, Lu J, Wang L, Zhu J (1993) Qilianshanite - A new boric carbonate mineral. Acta Mineralogica Sinica 13, 97-101 (in Chinese with English abstract).
- Lussier, A., Ball, N.A., Hawthorne, F.C., Henry, D.J., Shimizu, R., Ogasawara, Y., and Ota, T. (2016) Maruyamaite, K(MgAl₂)(Al₅Mg)Si₆O₁₈(BO₃)₃(OH)₃O, a potassium-dominant tourmaline from the ultrahigh-pressure Kokchetav massif, northern Kazakhstan: Description and crystal structure. American Mineralogist, 101, 355-361.
- MacDonald D J, Hawthorne F C, Grice, J D (1993) Foitite, □[Fe²⁺]₂(Al,Fe³⁺)₂Al₆Si₆O₁₈(BO₃)₃(OH)₄, a new alkali-deficient tourmaline: description and crystal structure. American Mineralogist 78, 1299-1303.
- Malinko S V (1961) New boron minerals — uralborite and pentahydroborite. Zapiski Vsesoyuznogo Mineralogicheskogo Obshchestva 90, issue 6, 673-681 (in Russian).
- Malinko S V (1963) A new calcium borate, korzhinskite. Zapiski Vsesoyuznogo Mineralogicheskogo Obshchestva 92, 555-559 (in Russian).

- Malinko S V (1974) The new boron mineral, solongoite. *Zapiski Vsesoyuznogo Mineralogicheskogo Obshchestva* 103, issue 1, 117-121 (in Russian; English translation International Geology Review, 17(3), 319-323, 1975).
- Malinko S V. and Dubinchuk, V.T. (1996) New data on calcium borates – sibirskite and korzhinskite. *Zapiski Vserossijskogo Mineralogicheskogo Obshchestva*, 141(4), 60-71 (in Russian).
- Malinko S V, Lisitsyn A E (1961) A new boron mineral - nifontovite, *Doklady Akademii Nauk SSSR* 139, 188-190 (in Russian).
- Malinko S V, Pertsev N N (1983) Clinokurchatovite, a new structural modification of kurchatovite, *Zapiski Vsesoyuznogo Mineralogicheskogo Obshchestva* 112(4), 483-487(in Russian).
- Malinko S V, Lisitsyn A E, Dorofeeva K A, Ostavskaya I V, Shashkin D P (1966) Kurchatovite, a new mineral. *Zapiski Vsesoyuznogo Mineralogicheskogo Obshchestva* 95, issue 2, 203-209 (in Russian).
- Malinko S V, Stolyarova, T.I. Shashkin D P (1972) First find of magnesian roweite, its parageneses and products of replacement. *Zapiski Vsesoyuznogo Mineralogicheskogo Obshchestva*, 101(4), 465-473 (in Russian).
- Malinko S V, Shashkin D P, Yurkina K V (1976) Fedorovskite, a new boron mineral, and the isomorphous series roweite-fedorovskite. *Zapiski Vsesoyuznogo Mineralogicheskogo Obshchestva* 105(1) 71-85 (in Russian).
- Malinko S V, Kuznetsova N N, Cherkasova L E (1980) Ekaterinite, a new boron mineral, *Zapiski Vsesoyuznogo Mineralogicheskogo Obshchestva* 109(4), 469-476 (in Russian; English translation: International Geology Review, 24(5), 541-547, 1982).
- Malinko, S.V., Khalturina, I.I., Ozol, A.A. and Bocharov, V.M. (1991) Boron minerals. Handbook. Moscow, Nedra. 232 p. (in Russian).
- Malinko S V, Anichich S, Yoksimovich D, Lisitsyn A E, Dorokhova G I, Yamnova M A, Vlasov V V, Ozol, A.A. (1995) Studenitsite $\text{NaCa}_2[\text{B}_9\text{O}_{14}(\text{OH})_4] \cdot 2\text{H}_2\text{O}$ - the new borate from Serbia, Yugoslavia. *Zapiski Vserossijskogo Mineralogicheskogo Obshchestva* 124, issue 3, 57-64 (in Russian with English abstract).

- Malinko S V, Chukanov N V, Dubinchuk V T, Zadov A E, Koporulina E V (2001) Buryatite $\text{Ca}_3(\text{Si},\text{Fe}^{3+},\text{Al})[\text{SO}_4][\text{B}(\text{OH})_4](\text{OH})_5\text{O}\cdot 12\text{H}_2\text{O}$, a new mineral, Zapiski Vserossijskogo Mineralogicheskogo Obshchestva 130(2), 72-78 (in Russian with English abstract).
- Malinko S V, Anic'ic' S, Jokkimovic D, Lisitsyn A E, Rudnev V V, Dorokhova G i, Yamnoa N A, Vlasov V V, Ozol A A, Chukanov N V (2004) Jarandolite $\text{Ca}[\text{B}_3\text{O}_4(\text{OH})_3]$, calcium borate from Serbia: new name and new data. New Data on Minerals. Moscow 39, 26-31.
- Maras A, Parodi G C, Ventura G D, Ohnenstetter D (1995) Vicanite-(Ce): a new Ca-Th-REE borosilicate from the Vico volcanic district (Latium, Italy). European Journal of Mineralogy, 7, 439-446.
- Marincea, S. (2001) New data on szaibelyite from the type locality, Băița Bihor, Romania. Canadian Mineralogist, 39, 111-127.
- Martinez-Ripoll M, Martinez-Carrera S, Garcia-Blanco S (1971) The crystal structure of copper metaborate, CuB_2O_4 . Acta Crystallographica B27, 677-681.
- Mason, B, Donnay, G., and Hardie, L.A. (1964) Ferric tourmaline from Mexico. Science 144. 7l-73.
- Matsubara S, Kato A (1980) Nagashimalite, $\text{Ba}_4(\text{V}^{3+}, \text{Ti})_4[(\text{O},\text{OH})_2|\text{Cl}|\text{Si}_8\text{B}_2\text{O}_{27}]$, a new mineral from the Mogurazawa mine, Gumma prefecture, Japan. Mineralogical Journal 10, 122-130.
- Matsubara S, Miyawaki R, Kato A, Yokoyama K, Okamoto A (1998) Okayamalite, $\text{Ca}_2\text{B}_2\text{SiO}_7$, a new mineral, boron analogue of gehlenite. Mineralogical Magazine 62, 703-706.
- McAndrew J, Scott T R (1955) Stillwellite, a new rare-earth mineral from Queensland. Nature 176, 509-510.
- McDonald A M, Chao G Y (2005) Bobtraillite, $(\text{Na},\text{Ca})_{13}\text{Sr}_{11}(\text{Zr},\text{Y},\text{Nb})_{14}\text{Si}_{42}\text{B}_6\text{O}_{132}(\text{OH})_{12}\cdot 12\text{H}_2\text{O}$, a new mineral species from Mont Saint-Hilaire, Quebec: description, structure determination and relationship to benitoite and wadeite, The Canadian Mineralogist 43, 747-758
- McDonald A M, Chao G Y (2007) Martinite, a new hydrated sodium calcium fluorborosilicate species from Mont Saint-Hilaire, Quebec: Description, structure determination and genetic implication, The Canadian Mineralogist 45, 1281-1292.

- McDonald A M, Chao G Y (2010) Rogermitchellite, $\text{Na}_{12}(\text{Sr},\text{Na})_{24}\text{Ba}_4\text{Zr}_{26}\text{Si}_{78}(\text{B},\text{Si})_{12}\text{O}_{246}(\text{OH})_{24} \cdot 18\text{H}_2\text{O}$, a new mineral species from Mont Saint-Hilaire, Quebec: Description, structure determination and relationship with HFSE-bearing cyclosilicates. *The Canadian Mineralogist* 48, 267-278.
- McMillen, C.D., Emirdag-Eanes, M., Stritzinger, J.T., Kolis, J.W. (2012) Hydrothermal synthesis of new rare earth silicate fluorides: A novel class of polar materials. *Journal of Solid State Chemistry*, 195, 155-160.
- Meisser N, Ansermet S, Brugger J, Krivovichev S, Belton D, Ryan C (2010) The new microporous lead borate, leucostaurite, $\text{Pb}_2[\text{B}_5\text{O}_9]\text{Cl} \cdot 0.5\text{H}_2\text{O}$, from Atacama Desert, *Acta Mineralogica Petrographica Abstract Series*. 20th General Meeting of the International Mineralogical Association 21-27 August, 2010. Budapest, Hungary 6, p. 485.
- Meixner, H (1953) Einige Boratminerale (Colemanit und Tertschit, ein neues Mineral) aus der Türkei, *Fortschritte der Mineralogie*, 31, 39-42.
- Mellor, J.W. (1929) A comprehensive treatise on inorganic and theoretical chemistry, volume 5. B, Al, Ga, In, Tl, Sc, Ce and rare earth metals, C (part I). Longmans, Green and Co., London.
- Merlino S, Sartori F (1969) The crystal structure of larderellite, $\text{NH}_4\text{B}_5\text{O}_7(\text{OH})_2 \cdot \text{H}_2\text{O}$. *Acta Crystallographica*, B25, 2264-2270.
- Merlino S, Sartori F (1970) Santite, a new mineral phase from Larderello, Tuscany. *Contributions to Mineralogy and Petrology* 27, 159-165.
- Meyerhoffer, W. and van't Hoff, J.H. (1907) Krystallisirte Calciumborate. *Justus Liebigs Annalen der Chemie*, 351, 100-107.
- Michel-Lévy, M. (1949) Synthèse de la tourmaline et de la jéréméiéwite. *Comptes Rendus Hebdomadaires des Séances de l'Académie des Sciences*, 228, 1814-1816.
- Milton, C. and Pabst, A. (1974) Garrelsite, $\text{NaBa}_3\text{Si}_2\text{B}_7\text{O}_{16}(\text{OH})_4$. *Journal of Research U.S. Geological Survey*, 2(2), 213-218.

- Milton C, Axelrod J M, Grimaldi F S (1955a) New mineral, garrelsite $(\text{Ba}_{.65}\text{Ca}_{.29}\text{Mg}_{.06})_4\text{H}_6\text{Si}_2\text{B}_6\text{O}_{20}$, from the Green River formation, Utah. Bulletin of the Geological Society of America 66, 1597-1597 (abstract).
- Milton C, Axelrod J M, Grimaldi F S (1955b) New minerals, reedmergnerite $(\text{Na}_2\text{O} \cdot \text{B}_2\text{O}_3 \cdot 6\text{SiO}_2)$ and eitelite $(\text{Na}_2\text{O} \cdot \text{MgO} \cdot 2\text{CO}_2)$ associated with leucosphenite, shortite, searlesite, and crocidolite in the Green River formation, Utah. American Mineralogist 40, 326-327 (abstract).
- Milton C, Chao E C T, Axelrod J M, Grimaldi F S (1960) Reedmergnerite, NaBSi_3O_8 , the boron analogue of albite, from the Green River formation, Utah. American Mineralogist 45, 188-199.
- Moore J M, Waters D J, Niven M L (1990) Werdingite, a new borosilicate mineral from the granulite facies of the western Namaqualand metamorphic complex, South Africa. American Mineralogist, 75, 415-420.
- Mrose M E, Rose H J (1961) Behierite, $(\text{Ta},\text{Nb})\text{BO}_4$, a new mineral from Manjaka, Madagascar, Geological Society of America, Abstracts Annual Meetings 1961, 111A-111A.
- Muessig S, Allen R D (1957) Ezcurrite $(2\text{Na}_2\text{O} \cdot 5\text{B}_2\text{O}_3 \cdot 7\text{H}_2\text{O})$, a new sodium borate from Argentina; occurrence, mineralogy, and associated minerals, Economic Geology 52, 426-437.
- Murdoch J (1962) Wightmanite, a new borate mineral from Crestmore, California. American Mineralogist, 47, 718-722.
- Nakai I, Okada H, Masutomi K, Koyama E, Nagashima K (1986) Henmilite, $\text{Ca}_2\text{Cu}(\text{OH})_4[\text{B}(\text{OH})_4]_2$, a new mineral from Fuka, Okayama Prefecture, Japan, American Mineralogist 71, 1234-1239.
- Nefedov E I (1967) Berborite, a new mineral, Doklady Akademii Nauk SSSR 174, 189-192 (in Russian).
- Nekrasov, I.Ya. (1973) Experimental investigation of the system $\text{MgO}-\text{CaO}-\text{B}_2\text{O}_3-\text{H}_2\text{O}$ under hydrothermal conditions. Ocherki Fiziko-Khimicheskoy Petrologii, 1973, 46-71 (in Russian).

- Nekrasov, I. Ya.; Kashirtseva, G. A. (1975) Conditions of hydrothermal synthesis of stanniferous axinite. *Doklady Akademii Nauk SSSR*, 222, 440-443 (in Russian; English translation *Doklady Earth Science Sections*, 222, 121-123).
- Nekrasov, I.Ya. and Malinko, S.V. (1973) Experimental study of the formation of sakhaite. *Doklady Akademii Nauk*, 210, 1427-1430 (in Russian. English translation: *Doklady Earth Science Sections*, 210, 163-166).
- Nekrasov, I. Ya., Nekrasova, R.A. (1975) Conditions of formation of synthetic analogues of stillwellite—LnBO[SiO₄]. *Doklady Akademii Nauk SSSR*, 201, 1202-1205 (in Russian).
- Nekrasov, I.Ya. and Nekrasova, R.A. (1995) A new thorium borosilicate from the Tommot rare-earth deposit. *Doklady Akademii Nauk*, 342(3), 361-364 (in Russian).
- Nekrasov, I.Ya., Grigor'yev, A.P., Grigor'yeva, T.A., Brovkin, A.A., Diman, Ye.N., Novgorodov, P.G., Suknev, V.S., and Nikishova, L.V. (1970) Investigation of high-temperature borates. Nauka, Moscow (in Russian).
- Nelmes, R.J. (1974) Structural studies of boracites. A review of the properties of boracites. *Journal of Physics C-Solid State Physics*, 7, 3840-3854.
- Nies, N.P. and Hulbert, R.W. (1967) Solubility isotherms in the system sodium oxide – boric oxide – water. Revised solubility-temperature curves of boric acid, borax, sodium pentaborate, and sodium metaborate. *Journal of Chemical and Engineering Data*, 12(5), 303-313.
- Nikolayev (Nikolaev), A.V. and Chelishcheva (Čeliščeva), A.G. (1938) Über die Synthese von Inyoit. *Comptes Rendus (Doklady) de l'Académie des Sciences de l'URSS*, 18(7), 431-432.
- Nikolayev, A.V. and Chelishcheva, A.G. (1940) The 25° isotherm of the systems - CaO+B₂O₃+H₂O and MgO+B₂O₃+H₂O. *Comptes Rendus (Doklady) de l'Académie des Sciences de l'URSS*, 28, 127-130.
- Nikolayev (Nikolaiev), A.V. and Selivanova, N.M. (1938) Synthesis of hydroboracite. *Comptes Rendus (Doklady) de l'Académie des Sciences de l'URSS*, 20, 29-30.
- Nikolaychuk, G.V., Nekrasov, I.Ya., Shaskin, D.P. (1970) Hydrothermal synthesis of kurchatovite in the system CaO–MgO–B₂O₃–H₂O. *Doklady Akademii Nauk SSSR*, 190, 936-

939 (in Russian. English translation : Doklady of the Academy of Sciences of the U.S.S.R, Earth Science Sections, 190, 139-141).

Nishio-Hamane D, Minakawa T, Yamaura J, Oyama T, Ohnishi M, Shimobayashi N (2014) Adachiite, a Si-poor member of the tourmaline supergroup from the Kiura mine, Oita Prefecture, Japan. Journal of Mineralogical and Petrological Sciences 109, 74-78.

Nishio-Hamane, D. Ohnishi, M., Momma, K., Shimobayashi, N., Miyawaki, R., Minakawa, T., and Inaba, S. (2015) Imayoshiite, $\text{Ca}_3\text{Al}(\text{CO}_3)[\text{B}(\text{OH})_4](\text{OH})_6 \cdot 12\text{H}_2\text{O}$, a new mineral of the ettringite group from Ise City, Mie Prefecture, Japan. Mineralogical Magazine, 79, 413-423.

Nöllner C (1870) Ueber den Lüneburgit. Sitzungsberichte der Königlich Bayerischen Akademie der Wissenschaften zu München 1, 291-293.

Nordenskiöld A E (1877) Nya mineralier från Långban, Geologiska Föreningens i Stockholm Förhandlingar 3, 376-384.

Novák M, Ertl A, Povondra P, Galiová M V, Rossman G R, Pristacz H, Prem M, Giester G, Gadas P, Škoda R (2013) Darrellhenryite, $\text{Na}(\text{LiAl}_2)\text{Al}_6(\text{BO}_3)_3\text{Si}_6\text{O}_{18}(\text{OH})_3\text{O}$, a new mineral from the tourmaline supergroup. American Mineralogist 98, 1886-1892.

Oberti R, Ottolini L, Camara F, Della Ventura G (1999) Crystal structure of non-metamict Th-rich hellandite-(Ce) from Latium (Italy) and crystal chemistry of the hellandite-group minerals, American Mineralogist 84, 913-921.

Ohnishi M, Kusachi I, Kobayashi S, Yamakawa J, Tanabe M, Kishi S, Yasuda T (2007) Numanoite, $\text{Ca}_4\text{CuB}_4\text{O}_6(\text{OH})_6(\text{CO}_3)_2$, a new mineral species, the Cu analogue of borcarite from the Fuka mine, Okayama Prefecture, Japan, The Canadian Mineralogist 45, 307-315.

Olesch, M. and Seifert, F. (1976) Synthesis, powder data and lattice constants of grandidierite, $(\text{Mg},\text{Fe})\text{Al}_3\text{BSiO}_9$. Neues Jahrbuch für Mineralogie. Monatshefte, 1976, Issue 11, 513-518.

Ostrovskaya I V, Pertsev N N, Nikitina I B (1966) Sakaite, a new carbonate-borate of calcium and magnesium, Zapiski Vsesoyuznogo Mineralogicheskogo Obshchestva 95, 193-202 (in Russian).

Ouvrard, L. (1906) Sur les borostannates alcalino-terreux : reproduction de la Nordenskiöldine. Comptes Rendus Hebdomadaires des Séances de l'Académie des Sciences, 143, 315-317.

Ozol, Y., Vimba, S., and Ievins, A. (1964) The crystal structure of calcium monoborate $\text{Ca}[\text{B}(\text{OH})_4]_2 \cdot 2\text{H}_2\text{O}$. Soviet Physics – Crystallography, 9, 22-25.

Pajkull S R (1876) Homilit, ett mineral från Brevig i Norge, Geologiska Föreningens i Stockholm Förhandlingar 3, 229-232.

Palache C, Bauer L H (1927) Cahnite, A new boro-arsenate of calcium from Franklin, New Jersey, American Mineralogist 12, 149-153.

Palache C and Foshag W.F. (1938) Antofagastite and bandylite, two new copper minerals from Chile, American Mineralogist 23, 85-90.

Palache, C., Berman, H. and Frondel, C. (1951) The System of Mineralogy. Seventh Edition. Volume II. Halides, Nitrates, Borates, Carbonates, Sulfates, Phosphates, Asenates, Tungstates, Molybdates, Etc. Wiley, New York. 1124 pages.

Pasero, M., Kampf, A.R., Ferraris, C., Pekov, I.V., Rakovan, J., and White, T.J. (2010) Nomenclature of the apatite supergroup minerals. European Journal of Mineralogy, 22, 163-179.

Parkerson, C.R. (1963) Hydrothermal synthesis of veatchite and its calcium isomorph. Naval Ordnance Laboratory Corona Report 583. 15 p.

Pautov L A, Belakovskiy D I, Scala R, Sokolova E V (1992) Vistepite $Mn_5SnB_2Si_5O_{20}$ — a new borosilicate of manganese and tin. Zapiski Vserossijskogo Mineralogicheskogo Obshchestva 121, issue 4, 107-112 (in Russian)

Pautov L A, Khvorov P V, Sokolova E V, Ferraris G, Ivaldi G, Bazhenova L F (2000) Kapitsaite-(Y) $(Ba,K)_4(Y,Ca)_2Si_8(B,Si)_4O_{28}F$ - a new mineral, Zapiski Vserossijskogo Mineralogicheskogo Obshchestva 129(6), 42-49 (in Russian with English abstract).

Pautov L A, Agakhanov A A, Sokolova E, Hawthorne F C (2004) Maleevite, $BaB_2Si_2O_8$, and pekovite, $SrB_2Si_2O_8$, new mineral species from the Dara-I-Pioz Alkaline Massif, northern Tajikistan: description and crystal structure, The Canadian Mineralogist 42, 107-119.

Pautov, L.A., Agakhanov, A.A., Sokolova Ye.V., Hawthorne, F. and Karpenko V.Yu. (2011) Byzantievite, $Ba_5(Ca,REE,Y)_{22}(Ti,Nb)_{18}(SiO_4)_4[(PO_4),(SiO_4)]_4(BO_3)_9O_{21}[(OH),F]_{43}(H_2O)_{1.5}$, a new mineral. New Data on Minerals, 46, 5-12.

Pautov L A, Agakhanov A A, Sokolova E, Hawthorne F C, Karpenko V Y, Siidra O I, Garanin V K, Abdu Y A (2015) Khvorovite, $Pb^{2+}_4Ca_2[Si_8B_2(SiB)O_{28}]F$, a new hyalotekite-group mineral from the Darai-Pioz alkaline massif, Tajikistan: Description and crystal structure. Mineralogical Magazine 79, 949-963.

Peacor D R, Dunn P J, Duggan M (1983) Sturmanite, a ferric iron, boron analogue of ettringite. The Canadian Mineralogist 21, 705-709.

Pekov, I.V. (1998) Minerals first discovered on the territory of the former Soviet Union. Ocean Pictures, Moscow.

Pekov I V, Voloshin A V, Pushcharovskii D Y, Rastsvetaeva R K, Chukanov N V, Belakovskii D I (2001) New data on calcybeborosilite-(Y) $(REE,Ca)_2(B,Be)_2[SiO_4]_2(OH,O)_2$. Moscow University Geology Bulletin 55, 62-70.

- Pekov I V, Yakubovich O V, Massa W, Chukanov N V, Kononkova N N, Agakhanov A A, Karpenko V Y (2010) Londonite from the Urals, and new aspects of the crystal chemistry of the rhodozite-londonite series. *The Canadian Mineralogist* 48, 241-254.
- Pekov I V, Chukanov N V, Filinchuk Y E, Zadov A E, Kononkova N N, Epanchintsev S G, Kaden P, Kutzer A, Göttlicher J (2012) Kasatkinit, $\text{Ba}_2\text{Ca}_8\text{B}_6\text{Si}_8\text{O}_{32}(\text{OH})_3 \cdot 6\text{H}_2\text{O}$, a new mineral from Bazhenovskoye deposit (the middle Urals, Russia). *Zapiski Rossiiskogo Mineralogicheskogo Obshchestva* 141, issue 3, 39-49 (in Russian. English translation: *Geology of Ore Deposits*, 2013, Vol. 55, No. 7, pp. 558–566).
- Pekov I V, Zubkova N V, Pautov L A, Yapaskurt V O, Chukanov N V, Lykova I S, Britvin S N, Sidorov E G, Pushcharovsky D Y (2015) Chubarovite, $\text{KZn}_2(\text{BO}_3)\text{Cl}_2$, a new mineral species from the Tolbachik volcano, Kamchatka, Russia. *The Canadian Mineralogist* 53, 273-284.
- Pertsev N N, Ostravskaya I V, Nikitina I B (1965) The new mineral borcarite. *Zapiski Vsesoyuznogo Mineralogicheskogo Obshchestva*, 94, 180-186 (in Russian).
- Pertsev N N, Malinko S V, Vakhrushev V A, Fitsev B P, Sokolova E V, Nikitina I B (1980) Shabynite, a new hydrated borate-chloride of magnesium, *Zapiski Vsesoyuznogo Mineralogicheskogo Obshchestva*, 109, issue 5, 569-573 (in Russian).
- Pertsev N N, Schreyer W, Armbruster T, Bernhardt H J, Medenbach O (2004) Alumino-magnesiohulsite, a new member of the hulsite group, in kotoite marble from east of Verkhoyansk, Sakha-Yakutia, Russia, *European Journal of Mineralogy* 16, 151-161.
- Peters K F (1862) Szajbélity. *Sitzungsberichte der Mathematisch-Naturwissenschaftlichen Classe der Kaiserlichen Akademie der Wissenschaften*, 44(1), 143-148.

- Petrova Ye.S. (1955) The new mineral calciborite. In Afanas'eva, N.A./, Gimmel'farba, B.M. and Sokolova, A.S. (eds) Geologiya Gorno-khimicheskogo Syr'ya. Trudy Gosudarstvennogo Nauchno-Issledovatel'skogo Instituta Gorno-khimicheskogo Syr'ya, 2, 218-223 (in Russian).
- Petrova E S (1957) A new hydrous calcium borate - frolovite. Zapiski Vsesoyuznogo Mineralogicheskogo Obshchestva 86, issue 5, 622-625 (in Russian).
- Pieczka A, Evans R J, Grew E S, Groat L A, Ma C, Rossman G R (2013) The dumortierite supergroup. II. Three new minerals from the Szklary pegmatite, SW Poland: Nioboholtite, $(Nb_{0.6}\square_{0.4})Al_6BSi_3O_{18}$, titanoholtite, $(Ti_{0.75}\square_{0.25})Al_6BSi_3O_{18}$, and szklaryite, $\square Al_6BAs^{3+}_3O_{15}$. Mineralogical Magazine 77, 2841-2856.
- Plachinda, P.A., Dolgikh, V.A., Stefanovich, S.Yu., and Berdonosov, P.S. (2005) Nonlinear-optical susceptibility of hilgardite-like borates $M_2B_5O_9X$ ($M = Pb, Ca, Sr, Ba; X = Cl, Br$). Solid State Sciences, 7, 1194–1200.
- Pöllmann, H., Kuzel, H.-J., Wenda, R. (1989) Compounds with the ettringite structure. Neues Jahrbuch für Mineralogie, Abhandlungen 160, 133-158.
- Pöllmann (Poellmann), H., Auer, S., Kuzel, H.-J., Wenda, R. (1993) Solid solution in ettringites. Part II. Incorporation of $B(OH)_4^-$ and CrO_4^{2-} in $3CaO \cdot Al_2O_3 \cdot 3CaSO_4 \cdot 32H_2O$. Cement and Concrete Research, 23, 422-430.
- Pöter, B., Werding, G., Schreyer, W., and Bernhardt, H.J. (1998) Synthesis and properties of the new borosilicate mineral boralsilite. Berichte der Deutschen Mineralogischen Gesellschaft, 1, 220
- Prior G T, Coomáraswámy A K (1903) Serendibite, a new borosilicate from Ceylon. Mineralogical Magazine, 13, 224-227.

Proshchenko, E.G., Batalieva, N.G. and Bykova, A.V. (1966) A rare-earth fluosilicate from Siberian pegmatites. *Zapiski Vsesoyuznogo Mineralogicheskogo Obshchestva*, 95, 339-345 (in Russian).

Pryce M W (1971) Holtite: a new mineral allied to dumortierite, *Mineralogical Magazine* 38, 21-25.

Qian Z Q, Chen S Z, Ma S N, Liu X J (1965) Hydrochlorborite, a new hydrous chlor-borate mineral. *Acta Geologica Sinica* 45, 209-217 (in Chinese with English abstract).

Raade, G. and Folvik, H. (2013) On an unnamed Mg-Mn-Sb oxyborate from the blatterite locality of the Kitteln mine, Nordmark, Filipstad, Värmland, Sweden. *Norsk Bergverksmuseum Skrift*, 50, 49-54.

Raade G, Mladeck M H, Din V K, Criddle A J, Stanley C J (1988) Blatterite, a new Sb-bearing Mn²⁺-Mn³⁺ member of the pinakiolite group, from Nordmark, Sweden, *Neues Jahrbuch für Mineralogie, Monatshefte* 1988, 121-136.

Raade G, Johnsen O, Erambert M, Petersen O V (2007) Hundholmenite-(Y) from Norway — a new mineral species in the vicanite group: descriptive data and crystal structure, *Mineralogical Magazine* 71, 179-192.

Raade G, Grice J D, Erambert M, Kristiansson P, Witzke T (2008) Proshchenkoite-(Y) from Russia - a new mineral species in the vicanite group: Descriptive data and crystal structure. *Mineralogical Magazine* 72, 1071-1082.

Randmets R (1960) Orthopinakiolite, a new modification of $Mg_3Mn^{2+}Mn^{3+}_2B_2O_{10}$ from Långban, Sweden, *Arkiv för Mineralogi och Geologi* 2, 551-555.

Rao, C., Hatert, F., Dal Bo, F., Wang, R., Gu, X. and Baijot, M. (2016) Mengxianminite, IMA 2015-070. CNMNC Newsletter No. 29, February 2016, page 200; Mineralogical Magazine, 80, 199–205.

Rao, C., Hatert, F., Dal Bo, F., Wang, R.C., Gu, X. and Baijot, M. (2017) Mengxianminite, ideally $\text{Ca}_2\text{Sn}_2\text{Mg}_3\text{Al}_8[(\text{BO}_3)(\text{BeO}_4)\text{O}_6]_2$, a new borate mineral from Xianghualing skarn, Hunan Province, China. American Mineralogist, in press.

Raup O B, Gude A J, Dwornik E J, Cuttitta F, Rose H J (1968) Braitschite, a new hydrous calcium rare-earth borate mineral from the Paradox Basin, Grand County, Utah, American Mineralogist 53, 1081-1095.

Reznitsky L Z, Sklyarov E V, Ushchapovskaya F, Nartova N V, Kashaev A A, Karmanov N S, Kanakin S V, Smolin A S, Nekrasova E A (2001) Vanadiumdravite, $\text{NaMg}_3\text{V}_6[\text{Si}_6\text{O}_{18}][\text{BO}_3]_3(\text{OH})_4$, a new mineral of the tourmaline group, Zapiski Vserossijskogo Mineralogicheskogo Obshchestva 130, issue 2, 59-72 (in Russian with English abstract).

Reznitskii L, Clark C M, Hawthorne F C, Grice J D, Skogby H, Hålenius U, Bosi F (2014) Chromo-alumino-povondraite, $\text{NaCr}_3(\text{Al}_4\text{Mg}_2)(\text{Si}_6\text{O}_{18})(\text{BO}_3)_3(\text{OH})_3\text{O}$, a new mineral species of the tourmaline supergroup. American Mineralogist 99, 1767-1773.

Richerson, D.W. and Hummel, F.A. (1972) Synthesis and thermal expansion of polycrystalline cesium minerals. Journal of the American Ceramic Society, 55, 269-273.

Robbins, C.R. & Yoder, H.S., Jr. (1962) Stability relations of dravite, a tourmaline. Carnegie Institution of Washington Yearbook, 61, 106-108.

- Roberts A C, Stirling J A R, Grice J D, Burns P C, Roulston B V, Curtis J D, Jambor J L (1993) Pringleite and ruitenbergite, polymorphs of $\text{Ca}_9\text{B}_{26}\text{O}_{34}(\text{OH})_{24}\text{Cl}_4 \cdot 13\text{H}_2\text{O}$, two new mineral species from Sussex, New Brunswick. *The Canadian Mineralogist* 31, 795-800.
- Rose G (1834) Ueber den Rhodizit, eine neue Mineralgattung. *Annalen der Physik und Chemie* 33, 253-256.
- Rosenberg, P.E. and Foit, F.F., Jr. (1979) Synthesis and characterization of alkali-free tourmaline. *American Mineralogist*, 64, 180-186.
- Rosenberg, P.E., Foit, F.F., Jr. and Ekambaram, V. (1986) Synthesis and characterization of tourmaline in the system $\text{Na}_2\text{O}-\text{Al}_2\text{O}_3-\text{SiO}_2-\text{B}_2\text{O}_3-\text{H}_2\text{O}$. *American Mineralogist*, 71, 971-976.
- Rudnev, V.V. (1998) Nordenskiöldine and its zirconium-bearing variety from Yakutiya. *Zapiski Rossiiskogo Mineralogicheskogo Obshchestva* 127(3), 86-92 (in Russian with English abstract)
- Rudnev V V, Chukanov N V, Nechelyustov G N, Yamnova N A (2007) Hydroxylborite, $\text{Mg}_3(\text{BO}_3)(\text{OH})_3$, a new mineral, and the isomorphous fluoborate-hydroxylborite series, *Zapiski Rossiiskogo Mineralogicheskogo Obshchestva* 136(1), 69-82 (in Russian. English translation: *Geology of Ore Deposits*, 2007, 49(8), 710-719).
- Rumantseva E V (1983) Chromdravite, a new mineral, *Zapiski Vsesoyuznogo Mineralogicheskogo Obshchestva* 112(2), 222-226 (in Russian).
- Sanero E, Gottardi G (1968) Nomenclature and crystal-chemistry of axinites. *American Mineralogist* 53, 1407-1411.
- Saradhi, M.P., Boudin, S., Varadaraju, U.V., and Raveau, B. (2010) A new $\text{BaB}_2\text{Si}_2\text{O}_8:\text{Eu}^{2+}/\text{Eu}^{3+}, \text{Tb}^{3+}$ phosphor –Synthesis and photoluminescence properties. *Journal of Solid State Chemistry*, 183, 2496–2500
- Sauer A (1886) Über eine eigenthümliche Granulitart als Muttergestein zweier neuer Mineralspecies. *Zeitschrift der Deutschen Geologischen Gesellschaft* 38, 704-706.

- Schäfer, U.L. (1968) Synthese und röntgenographische Untersuchung der Borate $3\text{CaO} \cdot \text{B}_2\text{O}_3$, $2\text{CaO} \cdot \text{B}_2\text{O}_3$ und $2\text{CaO} \cdot \text{B}_2\text{O}_3 \cdot \text{H}_2\text{O}$. Neues Jahrbuch für Mineralogie, Monatshefte, 1968(3-4), 75-78.
- Schaller W T (1914) Mineralogical notes. Series 3. Journal of the Washington Academy of Sciences 4, 354-356
- Schaller W T (1916) Inyoite and meyerhofferite, two new calcium borates, in Mineralogical notes. Series 3, U.S. Geological Survey Bulletin 610, 35-55.
- Schaller, W.T. (1927) Kernite, a new sodium borate, American Mineralogist, 12, 24-25.
- Schaller, W.T. (1930) Borate minerals from the Kramer District, Mohave Desert, California. U.S. Geological Survey Professional Paper, 158, 137-170.
- Schaller W T (1933) Ammonioborite, a new mineral, American Mineralogist 18, 480-492.
- Schaller, W.T. and Mrose, M.E. (1960) The naming of the hydrous magnesium borate minerals from Boron, California – a preliminary note. American Mineralogist, 45, 732-734.
- Schaller W T, Vlisidis A C, Mrose M E (1965) Macallisterite, $2\text{MgO} \cdot 6\text{B}_2\text{O}_3 \cdot 15\text{H}_2\text{O}$, a new hydrous magnesium borate mineral from the Death Valley region, Inyo County, California, American Mineralogist 50, 629-640.
- Schlatti M (1967) Synthese und Strukturtyp des Berylliumborates $\text{Be}_2\text{BO}_3(\text{OH}) \cdot \text{H}_2\text{O}$. Naturwissenschaften, 54(22), p. 587.
- Schlüter J, Pohl D, Golla-Schindler U (2008) Santarosaite, CuB_2O_4 , a new mineral with disordered structure from the Santa Rosa mine, Atacama desert, Chile. Neues Jahrbuch für Mineralogie, Abhandlungen, 185, 27-32.
- Schmid, H. and Trooster, J.M. (1967) Mössbauer Effect and optical evidence for new phase transitions in Fe-Cl-, Fe-Br-, Fe-I-, Co-Cl- and Zn-Cl-boracite. Solid State Communications, 5, 31-35.
- Schreyer, W. and Seifert, F. (1969) High-pressure phases in the system $\text{MgO} - \text{Al}_2\text{O}_3 - \text{SiO}_2 - \text{H}_2\text{O}$. American Journal of Science, 267A, 407-443.

- Schreyer, W., Pertsev, N.N., Medenbach, O., Burchard, M., and Dettmar, D. (1998) Pseudosinhalite: discovery of the hydrous MgAl-borate as a new mineral in the Tayozhnoye, Siberia, skarn deposit. Contributions to Mineralogy and Petrology, 133, 382-388.
- Schreyer W, Armbruster T, Bernhardt H J, Medenbach O (2003) Pertsevite, a new silicatian magnesioborate mineral with an end-member composition Mg_2BO_3F , in kotoite marble from east of Verkhoyansk, Sakha-Yakutia, Russia, European Journal of Mineralogy 15, 1007-1018.
- Se, S.-D. (Hsieh H T), Tsyan, Ts.-Ts. (Chien T C) and Lyu, L.-B. (Liu L P) (1964) A new mineral—carboborite, $MgCa_2(CO_3)(B_2O_5) \cdot 10H_2O$, Scientia Sinica 13, 813-821 (in Russian).
- Seifert F (1975) Boron-free kornerupine: a high-pressure phase. American Journal of Science, 275, 57-87.
- Selway J B, Novák M, Hawthorne F C, Černý P, Ottolini Luisa, Kyser T K (1998) Rossmanite, $\square(LiAl_2)Al_6(Si_6O_{18})(BO_3)_3(OH)_4$, a new alkali-deficient tourmaline: description and crystal structure. American Mineralogist 83, 896-900.
- Semenov, Ye.I., Dusmatov, V.D., and Samsonova, N.S. (1963) Yttrium-beryllium minerals of the datolite group. Kristallografia, 8, 677-679 (in Russian; English translation Sov Phys Crystal 8: 539-541)
- Shashkin, D.P., Simonov, M.A., Chernova, N.I., Malinko, S.V., Stolyaro, T.I., and Belov, N.V. (1968) A new natural borate - vimsite. Doklady Akademii Nauk SSSR, 182, 1402-1405 (in Russian).
- Shepard C U (1838) Notice of warwickite, a new mineral species, The American Journal of Science and Arts, 34, 313-315.
- Shepard C U (1839a) Notice of danburite, a new mineral species. American Journal of Science and Arts 35, 137-139.
- Shepard C U (1839b) Notice of warwickite, a new mineral species, The American Journal of Science and Arts 36, 85-87.
- Shepard C U (1878) Tincalconite. In Extraits de diverses publications. Bulletin de la Société Minéralogique de France, 1, p. 144.

- Shimizu, R. and Ogasawara, Y. (2013) Diversity of potassium-bearing tourmalines in diamondiferous Kokchetav UHP metamorphic rocks: A geochemical recorder from peak to retrograde metamorphic stages. *Journal of Asian Earth Sciences*, 63, 39–55.
- Silliman B (1873) Mineralogical notes on Utah, California and Nevada, with a description of priceite, a new borate of lime, *The American Journal of Science and Arts* 106, 126-133.
- Simmons W B, Pezzotta F, Falster A U, Webber K L (2001) Londonite, a new mineral species: the Cs-dominant analogue of rhodizite from the Antandrokomby granitic pegmatite, Madagascar, *The Canadian Mineralogist* 39, 747-755.
- Simonov M A, Malinko S V, Belov N V, Kazanskaya E V, Egorov-Tismenko Yu K, Fedorenko M B, Belokoneva E L, Yamnova N A, Kuznetsova N N (1977) Hexahydroborite $\text{Ca}[\text{B}(\text{OH})_4]_2 \cdot 2\text{H}_2\text{O}$ - a new mineral. *Zapiski Vsesoyuznogo Mineralogicheskogo Obshchestva* 106, issue 6, 691-697.
- Smith, F.G. (1949) Transport and deposition of the non-sulphide vein minerals. IV. Tourmaline. *Economic Geology*, 44, 186-192.
- Sokolov, M. and Martin, R.F. (2009) A Pb-dominant member of the tourmaline group, Minh Tien granitic pegmatite, Luc Yen district, Vietnam. *Estudios Geológicos*, 19, 352-353.
- Sokolov P B, Gorskaya M G, Gordienko V V, Petrova M G, Kretser Y L, Frank-Kamenetskii V A (1986) Olenite $\text{Na}_{1-x}\text{Al}_3\text{Al}_6\text{B}_3\text{Si}_6\text{O}_{27}(\text{O},\text{OH})_4$ —a new high-alumina mineral of the tourmaline group. *Zapiski Vsesoyuznogo Mineralogicheskogo Obshchestva* 115(1), 119-123 (in Russian).
- Sokolova EV, Egorov-Tismenko, Yu.K., Kargaltsev, S.V., Klyakhin, V.A., Urusov, V.S. (1987) Refinement of the crystal structure of synthetic fluorian jeremejevite $\text{Al}_6[\text{BO}_3]\text{F}_3$. *Vestnik Moskovskogo Universiteta Seriya 4, Geologiya*, 3, 82-84 (in Russian)
- Sokolova E, Pautov L, Agakhanov A, Hawthorne F (2009) Byzantievite, the first silicate-borate-phosphate mineral. *Acta Crystallographica A* 65, s47-s48 (abstract).
- Sokolova E, Hawthorne F C, Pautov L A, Agakhanov A A (2010) Byzantievite, $\text{Ba}_5(\text{Ca},\text{REE},\text{Y})_{22}(\text{Ti},\text{Nb})_{18}(\text{SiO}_4)_4[(\text{PO}_4),(\text{SiO}_4)]_4(\text{BO}_3)_9\text{O}_{21}[(\text{OH}),\text{F}]_{43}(\text{H}_2\text{O})_{1.5}$: the crystal structure and crystal chemistry of the only known mineral with the oxyanions (BO_3) , (SiO_4) and (PO_4) . *Mineralogical Magazine* 74, 285-308.

Spiryagina, A.I. (1949) Conditions of formation of kurnakovite: Doklady Akademii. Nauk SSSR, 68, 909-911 (in Russian).

Stanley C J, Jones G C, Rumsey M S, Blake C, Roberts A C, Stirling J A R, Carpenter G J C, Whitfield P S, Grice J D, LePage Y (2007) Jadarite, LiNaSiB₃O₇(OH), a new mineral species from the Jadar Basin, Serbia, European Journal of Mineralogy 19, 575-580.

Staute H (1884) Pinnoit, ein neues Borat von Stassfurt. Berichte der Deutschen Chemischen Gesellschaft 17, 1584-1586.

Stubican, V. and Roy, R. (1962) Boron substitution in synthetic micas and clays. American Mineralogist, 47, 1166-1173.

Suhr, H B. (1937) U.S. Patent Office 2,096,266 New borate compound and method of preparing same. 8 p. and 4 figures.

Sun, W., Huang, Y. X., Li, Z., Pan, Y., and Mi, J.X. (2011) Hydrothermal synthesis and single-crystal X-ray structure refinement of three borates: sibirskite, parasibirskite and priceite. Canadian Mineralogist, 49, 823-834.

Switzer G (1938) Veatchite, a new calcium borate from Lang, California, American Mineralogist 23, 409-411.

Tacconi E (1908a) Taramellite, a new silicate of iron and barium. Rendiconti della Reale Accademia dei Lincei, Serie V, 18, 810-814 (in Italian).

Tacconi, E. (1908b) Ueber Taramellit, ein neues Mineral, Centralblatt für Mineralogie, Geologie und Paläontologie, 1908, 506-508.

Tan, Q., Zeng, Y., Mu, P., Yu, X., and Zhang, Y. (2014) Stable phase equilibrium of aqueous quaternary system Li⁺, K⁺, Mg²⁺/borate-H₂O at 348 K. Journal of Chemical & Engineering Data, 59, 4173-4178.

Tarney, J., Nicol, A.W. and Marriner, G.F. (1973) The thermal transformation of datolite, CaBSiO₄(OH), to boron.melilite. Mineralogical Magazine, 39, 158-175.

Thomas, R., Davidson P, Hahn A (2008) Ramanite-(Cs) and ramanite-(Rb): New cesium and rubidium pentaborate tetrahydrate minerals identified with Raman spectroscopy. American Mineralogist 93, 1034-1042.

Tilley C E (1948) Dolomite contact skarns of the Broadford area, Skye: a preliminary note. Geological Magazine 85, 213-218.

Tilley C E (1951) The zoned contact-skarns of the Broadford area, Skye: a study of boron-fluorine metasomatism in dolomites. Mineralogical Magazine 29, 621-666.

Touboul, M., Penin, N. and Nowogrocki, G. (2003) Borates: a survey of main trends concerning crystal-chemistry, polymorphism and dehydration process of alkaline and pseudo-alkaline borates. Solid State Sciences, 5, 1327-1242.

Tschermak G (1874) Ludwigit, ein neues mineral aus dem Banate. Mineralogische Mittheilungen 1874, 59-66.

Tschermak G (1884) Turmalin. In *Lehrbuch der Mineralogie*, Alfred Hölder (Wein, Austria) 470-472.

Turner R, Siidra O I, Rumsey M S, Krivovichev S V, Stanley C J, Spratt J (2012) Hereroite and vladkrivovichevite: two novel lead oxychlorides from the Kombat mine, Namibia. Mineralogical Magazine, 76, 883-890.

Ufer, M. (1996): Synthese und Stabilität von Reedmergerit im System $\text{Na}_2\text{O} - \text{B}_2\text{O}_3 - \text{SiO}_2 - \text{H}_2\text{O}$. Diplomarbeit am Institut für Mineralogie der Ruhr-Universität Bochum, Germany (not consulted).

van't Hoff, J.H. (1902) Untersuchungen über die Bildungsverhältnisse der ozeanischen Salzablagerungen, insbesondere des Stassfurter Salzlagers. XXVIII. Die künstliche Darstellung von Kaliborit. Sitzungsberichte der Königlich Preussischen Akademie der Wissenschaften zu Berlin, part 2, 1008-1012.

van't Hoff, J.H. (1906) Untersuchungen über die Bildung der ozeanischen Salzablagerungen. IL. Künstliche Darstellung von Colemanit. Sitzungsberichte der Königlich Preussischen Akademie der Wissenschaften zu Berlin, part 2, 689-693.

van't Hoff, J.H. (1907) Untersuchungen über die Bildung der ozeanischen Salzablagerungen. L. Franklandit und eine neue, dem Boronatrocacit verwandte Verbindung. Sitzungsberichte der Königlich Preussischen Akademie der Wissenschaften zu Berlin, part 2, 301-305.

van't Hoff, J.H. and Bruni, G. (1902) Untersuchungen über die Bildungsverhältnisse der ozeanischen Salzablagerungen, insbesondere des Stassfurter Salzlagers. XXVII. Die künstliche Darstellung von Pinnoit. Sitzungsberichte der Königlich Preussischen Akademie der Wissenschaften zu Berlin, part 2, 805-807 (in German).

Vasilkova N N (1962) A new calcium borate – sibirskite. Zapiski Vsesoyuznogo Mineralogicheskogo Obshchestva, 91, 455-464 (in Russian).

Vernadsky W (1913) Über die chemische Formel der Turmaline. Zeitschrift für Krystallographie und Mineralogie 53, 273-288.

Verstegen, J.M.P.J., Ter Vrugt, J.W. and Wanmaker, W.L. (1972) Luminescence of Eu²⁺-activated Sr₂B₂Si₂O₈. Journal of Inorganic & Nuclear Chemistry, 34, 3588-3589

Vicat, J. and Aléonard, S. (1968) Étude de borates MeMe'(BO₃)₂ de structure dolomite. Materials Research Bulletin, 3, 611-620.

von Goerne, G. and Franz, G. (2000) Synthesis of Ca-tourmaline in the system CaO-MgO-Al₂O₃-SiO₂-B₂O₃-H₂O-HCl. Mineralogy and Petrology, 69, 161-182.

von Goerne, G., Franz, G., and Robert, J.-L. (1999) Upper thermal stability of tourmaline + quartz in the system MgO–Al₂O₃–SiO₂–B₂O₃–H₂O and Na₂O–MgO–Al₂O₃–SiO₂–B₂O₃–H₂O–HCl in hydrothermal solutions and siliceous melts. Canadian Mineralogist, 37, 1025-1039.

Walenta, K. (1976) Uranmineralien aus der Gipslagerstätte Schildmauer bei Admont in der Steiermark. Mitteilungs-Blatt Abteil Mineralogie am Landesmuseums Joanneum (Graz), 44, 35-41.

Walenta, K. (1979) Admontit, ein neues Boratmineral aus der Gipslagerstätte Schildmauer bei Admont in der Steiermark (Österreich), Tschermaks Mineralogische und Petrographische Mitteilungen, 26, 69-77.

Walenta K, (1982) Zum Chemismus von Admontit und Machatschkiit. Schweizerische Mineralogische und Petrographische Mitteilungen, 62, 177-183

Walenta, K. (2008) Über ein Uranylborat von der Gipslagerstätte Schildmauer bei Admont in der Steiermark. Der Aufschluss, 59, 47-52.

- Walenta K, Dunn P J (1979) Ferridravite, a new mineral of the tourmaline group from Bolivia, American Mineralogist 64, 945-948.
- Wang, F., Zhong, J., Hu, D., and Wang, H. (2007) Preparation of calcium borate from ulexite by hydrothermal depolymerization method. Inorganic Chemicals Industry, 39(9), 27-30 (in Chinese with English abstract).
- Watanabe T (1939) Kotoit, ein neues gesteinsbildendes Magnesiumborat. Mineralogische und Petrographische Mitteilungen 50, 441-463.
- Watanabe T (1953) Suanite, a new magnesium borate mineral from Hol Kol, Suan, North Korea. Mineralogical Journal 1, 54-62.
- Watanabe, T. (1967) On “kotoite” and “suanite”. In Geology and mineral resources of the Far East, Vol. 1, p. 236-267. University of Tokyo Press.
- Watanabe T, Kato A, Matsumoto T, Ito J (1963) Jimboite, $Mn_3(BO_3)_2$, a new mineral from the Kaso mine, Tochigi Prefecture, Japan, Proceedings of the Japan Academy 39, 170-175.
- Websky, M. (1883) Über Jeremejewit und Eichwaldit vom Berge Soktuj in Daurien. Sitzungsberichte der Königlich Preussischen Akademie der Wissenschaften zu Berlin, 28-29, 671-684.
- Weibye P H, Berlin N J, Sjogren K A, Borck J B (1850) Neue mineralien aus Norwegen. Annalen der Physik und Chemie 79, 299-304.
- Welch M D, Criddle A J, Symes R F (1998) Mereheadite, $Pb_2O(OH)Cl$: a new litharge-related oxychloride from Merehead Quarry, Cranmore, Somerset, Mineralogical Magazine 62, 387-393.
- Wendling E, Hodenberg R V, Kühn R (1972) Congolit, der trigonale eisenboracit. Kali und Steinsalz, 6(1), 1-3.
- Wentworth, R.H., Jr. (1957) Cubic form of boron nitride. Journal of Chemical Physics, 26, 956
- Werding G, Schreyer W (1978) Synthesis and crystal chemistry of kornerupine in the system $MgO-Al_2O_3-SiO_2-B_2O_3-H_2O$. Contrib Mineral Petrol 67:247-259.

- Werding, G. and Schreyer, W. (1990) Synthetic dumortierite: its PTX-dependent compositional variations in the system $\text{Al}_2\text{O}_3\text{-B}_2\text{O}_3\text{-SiO}_2\text{-H}_2\text{O}$. Contributions to Mineralogy and Petrology, 105, 11-24.
- Werding G, Schreyer W (1992) Synthesis and stability of werdingite, a new phase in the system $\text{MgO}\text{-Al}_2\text{O}_3\text{-B}_2\text{O}_3\text{-SiO}_2$ (MABS), and another new phase in the ABS-system. European Journal of Mineralogy, 4, 193-207.
- Werding, G. and Schreyer, W. (1996) Experimental studies on borosilicates and selected borates. In Boron: Mineralogy, Petrology and Geochemistry (E.S. Grew and L.M. Anovitz, eds.). Mineralogical Society of America, Reviews in Mineralogy 33, 117-163 Mineralogical Society of America, Washington, DC.
- Werding, G., Alsumady, K.; Schreyer, W.; Medenbach, O. (1981) Low pressure synthesis, physical properties, miscibility, and preliminary stability of sinhalite, MgAlBO_4 . Neues Jahrbuch für Mineralogie. Abhandlungen, 141, 201-216.
- Werding G, Pertsev NN, Schreyer W (1990) Synthesis and phase relationships of serendibite. Doklady Akademii Nauk SSSR, 315, 1454-1457 (in Russian; translation, Doklady USSR Academy of Sciences, Earth Sciences Sections, 315, 243-247).
- Werner, A.G. (1789) Boracit, Bergmannisches Journal, 1, 393-394.
- Wight, Q. and Chao, G.Y. (1995) Mont Saint-Hilaire revisited, part 2. Rocks & Minerals, 70, 90-103, 131-138.
- Yakel, H.L. (1975) Crystal-structure of a boron-rich boron-carbide. Acta Crystallographica, B31, 1797-1806.
- Yakubovich, O., Steele, I., Massa, W., Dimitrova, O. (2013) Genetic aspects of borophosphate crystal chemistry. Zeitschrift für Kristallographie, 288, 509-519.
- Yamnova, N.A., Borikova, E.Yu., and Dimitrova, O.V. (2011) Crystallization, crystal-structure refinement, and IR spectroscopy of a synthetic hexahydroborite analog. Crystallography Reports, 56, 1019–1024.

- Yamnova, N.A., Borikova, E.Yu., Gurbanova, O. A., Dimitrova, O.V., and Zubkova, N.V. (2012) Crystal structure of new synthetic Ca_xNa carbonate–borate Ca₂Na(Na_xCa_{0.5-x})[B'₃B^Δ₂O₈(OH)(O_{1-x}OH_x)](CO₃). *Crystallography Reports*, 57, 381–387.
- Yamnova, N.A., Aksenov, S.M., Stefanovich, S.Yu., Volkov, A.S., and Dimitrova, O.V. (2015) Synthesis, crystal structure refinement, and nonlinear-optical properties of CaB₃O₅(OH): Comparative crystal chemistry of calcium triborates. *Crystallography Reports*, 60, 649–655.
- Yang G, Peng Z, Pan Z (1985) Magnesiohulsite - A new tin-rich borate mineral, *Acta Mineralogica Sinica* 5, 97-101 (in Chinese with English abstract).
- Yarzhemskii Ya Ya (1952) Kurgantaite - a new borate mineral. *Mineralogicheskii Sbornik* 6, 169-174 (in Russian).
- Yarzhemskii Y Y (1956) Preobrazhenskite - a new borate of the saliferous strata of the Inder uplift. *Doklady Akademii Nauk SSSR* 111, 1087-1090 (in Russian).
- Yefimov A F, Dusmatov V D, Alkhazov V Yu, Pudovkina Z G, Kazakova M Ye (1970) Tadzhikite, a new borosilicate of the rare earths of the hellandite group, *Doklady Akademii Nauk SSSR* 195, 1190-1193 (in Russian. English translation, *Doklady of the Academy of Sciences of the U.S.S.R., Earth Science Sections*, 195, 136-139).
- Yu, R., Li, H., Ma, H., Wang, C. and Wang, H. (2014) Luminescence centers and spectrum characteristics of a novel Eu²⁺-activated hexa-aluminate CaZrBAI₉O₁₈. *Physics Status Solidi A*, 211(4), 811-816.
- Yuan, X., Tang, Y., He, Y. (1993) Syntheses and luminescence properties of kurnakovite. *Journal of Mineralogy and Petrology*, 13(4), 50-55 (in Chinese with English abstract).
- Zachariasen W H (1937) The crystal structure of potassium acid dihydronium pentaborate KH₂(H₃O)₂B₅O₁₀, (potassium pentaborate tetrahydrate). *Zeitschrift für Kristallographie*, 98, 266-274
- Zagorsky V Y, Peretyazhko I S, Sapozhnikov A N, Zhukhlistov A P, Zvyagin B B (2003) Borocookeite, a new member of the chlorite group from the Malkhan gem tourmaline deposit, Central Transbaikalia, Russia, *American Mineralogist* 88, 830-836.

- Zambonini, F. (1926) Sulla presenza, tra i prodotti dell' attuale attività del Vesuvio, di una varietà cesifera del fluoborato di potassio, (On the presence, among the products of Vesuvius, of a caesium-bearing variety of potassium fluoborate). Accademia Nazionale del Lincei. Classe di Scienze Fisiche, Matematiche e Naturali, Rendiconti, Roma 3, 644-649.
- Zaslavskiy, A.I. and Zvinchuk, R.A. (1953) On the interaction between Ta_2O_5 and B_2O_3 and the structure of $TaBO_4$. Doklady Akademii Nauk SSSR., 90, 781-783 (in Russian).
- Zeigan, D. (1966) On the structure of some modifications of $Ca[B(OH)_4]_2$. Acta Crystallographica, Supplement 21, A74 (abstract)
- Zeng, Y. and Liou, J.G. (1982) Synthesis of chambersite and its geologic implications. Neues Jahrbuch für Mineralogie Monatshefte, 1982(2), 69-83.
- Zuo, J. and Liu, Z.-H. (2010) Phase equilibria of the $2MgO \cdot 2B_2O_3 \cdot MgCl_2 \cdot 14H_2O + 3.0\% H_3BO_3 + H_2O$ system at various temperatures. Journal of Chemical & Engineering Data, 55, 5280–5282.