

2000 AUTHOR INDEX

- Abe, M., see Ohno et al., 288
Akaogi, M., see Miura et al., 1799
Akhmatskaya, E.V., see Nobes et al., 1706
Akhmatskaya, E.V., see Winkler et al., 608
Allan, N.L., see Purton et al., 1087
Alvarez, J.R., see Garvie et al., 732
Amthauer, G., see Paar et al., 1066
Amthauer, G., see Redhammer et al., 449
Anderson, O.L. and Isaak, D.G.: Calculated melting curves for phases of iron, 376
Anderson, O.L., see Hama et al., 321
Anderson, O.L., see Masuda et al., 279
Anderson, O.L., see Suzuki et al., 304
Andrault, D., Fiquet, G., Charpin, T., and le Bihan, T.: Structure analysis and stability field of β -iron at high P and T , 364
Andreozzi, G.B., Ottolini, L., Lucchesi, S., Graziani, G., and Russo, U.: Crystal chemistry of the axinite-group minerals: A multi-analytical approach, 698
Andreozzi, G.B., Princivalle, F., Skogby, H., and Della Giusta, A.: Cation ordering and structural variations with temperature in $MgAl_2O_4$ spinel: An X-ray single-crystal study, 1164
Angel, R.J., see Bassett et al., 283
Arlt, T., see Kunz et al., 1465
Armbruster, T. and Gnos, E.: $P4/n$ and $P4nc$ long-range ordering in low-temperature vesuvianites 563
Armbruster, T. and Gnos, E.: Tetrahedral vacancies and cation ordering in low-temperature Mn-bearing vesuvianites: Indication of a hydrogarnet-like substitution, 570
Armbruster, T., see Brugger et al., 1307
Armbruster, T., see Geiger et al., 1255
Armbruster, T., see Gnos and Armbruster, 242
Audétat, A., see Garofalo et al., 78

Baba, S., Grew, E.S., Shearer, C.K., and Sheraton, J.W.: Surinamite: A high-temperature metamorphic berylliosilicate from Lewisian sapphirine-bearing kyanite-orthopyroxene-quartz-potassium feldspar gneiss at South Harris, N.W. Scotland, 1474
Bagdassarov, N., Dorfman, A., and Dingwell, D.B.: Effect of alkalis, phosphorus, and water on the surface tension of haplogranite melt, 33
Bancroft, G.M., see Nesbitt et al., 850
Banerjee, D. and Nesbitt, H.W.: *Erratum*: XPS study of reductive dissolution of birnessite by H_2SeO_3 with constraints on reaction mechanism, 1328
Banerjee, D. and Nesbitt, H.W.: XPS study of reductive dissolution of birnessite by H_2SeO_3 with constraints on reaction mechanism, 817
Bancroft, M.G., see Schaufuss et al., 1754
Banfield, J.F., see Kogure and Banfield, 1202

Banfield, J.F., see Sitzman et al., 14
Banno, S., Shibakusa, H., Enami, M., Wang, C.-I., and Ernst, W.G.: Chemical fine structure of Franciscan jadeitic pyroxene from Ward Creek, Cazadero area, California, 1795
Barbier, J., see Lévy and Barbier, 1053
Barkov, A.Y., Martin, R.F., Halloaho, T.A.A., and Poirier, G.: The mechanism of charge compensation in Cu-Fe-PGE thiospinels from the Penikat layered intrusion, Finland, 694
Barnes, H.L., see Benning et al., 495
Barnes, H.L., see Wilkin and Barnes, 1329
Bart, A.P. and Dorais, M.J.: Magmatic anhydrite in granitic rocks: First occurrence and potential petrologic consequences, 430
Bass, J.D., see Jackson et al., 296
Bass, J.D., see Sinogeikin et al., 1834
Bassett, W.A., Reichmann, H.-J., Angel, R.J., Spetzler, H., and Smyth, J.R.: New diamond anvil cells for gigahertz ultrasonic interferometry and X-ray diffraction, 283
Beall, G.H., see Xu et al., 971
Becker, U., see Harrison et al., 1694
Becker, U., see Rosso et al., 1428
Behrens, H., see Holtz et al., 682
Benna, P., see Tribaudino et al., 963
Benning, L.G., Wilkin, R.T., and Barnes, H.L.: Solubility and stability of zeolites in aqueous solution: II. Calcic clinoptilolite and mordenite, 495
Beno, D.J., see Hanchar et al., 1217
Beran, A., see Redhammer et al., 449
Bertka, C.M., see Fei et al., 1830
Berlepsch, P., see Brugger et al., 1307
Bickmore, B., see Bosbach et al., 1209
Bigi, S., see Ottolini et al., 89
Bindi, L., see Giulia et al., 1512
Bindi, L., see Olmi et al., 1508
Bishop, J.L., see Murad and Bishop, 716
Bloss, F.D.: *Memorial*: Memorial of Louis S. Walter, 1933–2000, 1569
Blundy, J.D., see Purton et al., 1087
Bogdanova, A.N., see Subbotin et al., 1516
Bonazzi, P., see Giuli et al., 1512
Bonazzi, P., see Olmi et al., 1508
Bonin, M., see Brugger et al., 1307
Borisov, A. and Palme, H.: Solubilities of noble metals in Fe-containing silicate melts as derived from experiments in Fe-free systems, 1665
Borisov, A. and Walker, R.J.: Os solubility in silicate melts: New efforts and results, 912
Bosbach, D., Charlet, L., Bickmore, B., and Hochella Jr., M.F.: The dissolution of hectorite: In-situ, real-time observations using atomic force microscopy, 1209
Botella, V., see Sainz-Díaz et al., 1038

Bottazzi, P., see Wulff-Pedersen et al., 1397
Brantley, S.L. and Mellott, N.P.: Surface area and porosity of primary silicate minerals, 1767
Brigatti, M.F., Frigieri, P., Ghezzo, C., and Poppi, L.: Crystal chemistry of Al-rich biotites co-existing with muscovites in peraluminous granites, 436
Brigatti, M.F., Lugli, C., Poppi, L., Foord, E.E., and Kile, D.E.: Crystal chemical variations in Li- and Fe-rich micas from Pikes Peak batholith (central Colorado), 1275
Brizi, E., Molin, G., and Zanazzi, P.F.: Experimental study of intracrystalline Fe^{2+} -Mg exchange in three augite crystals: Effect of composition on geothermometric calibration, 1375
Brodholt, J.P., see Dobson et al., 1838
Brodholt, J.P., see Richmond and Brodholt, 1155
Broska, I., Petrík, I., and Williams, C.T.: Coexisting monazite and allanite in peraluminous granitoids of the Tribeč Mountains, Western Carpathians, 22
Brown, G.E. Jr., see Cheah et al., 118
Brown, P.E.: *Memorial*: Memorial of Eugene N. Cameron, 1910–1999, 1566
Brugger, J., Meisser, N., Schenk, K., Berlepsch, P., Bonin, M., Armbruster, T., Nyfeler, D., and Schmidt, S.: Description and crystal structure of cabalzarite $Ca(Mg,Al,Fe)_2(AsO_4)_2(H_2O,OH)_2$, a new mineral of the tsumcorite group, 1307
Brumm, R.C., see Oberti et al., 407
Bruno, E., see Tribaudino et al., 963
Brydson, R., see Garvie et al., 732
Burchard, M., see Grevel et al., 206
Burke, E.A.J., see Wulff-Pedersen et al., 1397
Burns, P.C.: A new uranyl phosphate chain in the structure of parsonsite, 801
Burns, P.C., Pluth, J.J., Smith, J.V., Eng, P., Steele, I., and Housley, R.M.: Quetzalcoatlite: A new octahedral-tetrahedral structure from a $2 \times 2 \times 40$ mm³ crystal at the Advanced Photon Source-GSE-CARS Facility, 604
Burns, P.C., Roberts, A.C., Stirling, J.A.R., Criddle, A.J., and Feinglos, M.N.: Dukeite, $Bi_{32}Cr_6(OH)_6(H_2O)_3$, a new mineral from Brejáuba, Minas Gerais, Brazil: description and crystal structure, 1822
Burns, P.C., see Cahill and Burns, 1294
Burns, P.C., see Li et al., 1521
Buseck, P.R., see Garvie et al., 732
Buseck, P.R., see Janney et al., 1180
Buseck, P., see Xu et al., 509
Büttner, H., see Walter et al., 1117

Caballero, J.M., see Oberti et al., 578
Cahill, C.L. and Burns, P.C.: The structure of

- agrinierite: a Sr-containing uranyl oxide hydrate mineral, 1294
- Callegari, A., Caucia, F., Mazzi, F., Oberti, R., Ottolini, L., and Ungaretti, L.: The crystal structure of peprorsiite-(Ce), an anhydrous REE and Al mica-like borate with square-pyramidal coordination for Al, 586
- Cámará, F. and Ottolini, L.: New data on the crystal-chemistry of fluoroborite by means of SREF, SIMS, and EMP analysis, 103
- Cámará, F., see Ottolini et al., 89
- Can, N., see Karali et al., 668
- Carlson, W.D., see Donelick et al. *Erratum*, 1565
- Carpenter Woods, S., Mackwell, S., and Dyar, D.: Hydrogen in diopside: Diffusion profiles, 480
- Castañeda, C., Oliveira, E.F., Gomes, N., and Soares, A.C.P.: Infrared study of OH sites in tourmaline from the elbaite-schorl series, 1503
- Catlos, E.J., Sorensen, S.S., and Harrison, T.M.: Th-Pb ion-microprobe dating of allanite, 633
- Catlow, C.R.A., see de Leeuw et al., 1143
- Caucia, F., see Callegari et al., 586
- Charlet, L., see Bosbach et al., 1209
- Charpin, T., see Andrault et al., 364
- Chateigner, D., see Manceau et al., 133
- Chateigner, D., see Manceau et al., 153
- Cheadle, M.J., see Jerram and Cheadle, 47
- Cheah, S.-F., Brown G.E. Jr., and Parks, G.A.: XAFS study of Cu model compounds and Cu²⁺ sorption products on amorphous SiO₂, γ -Al₂O₃, and anatase, 118
- Chen, C.H., see Huang et al., 473
- Cheng, X., Zhao, P., and Stebbins, J.F.: Solid state NMR study of oxygen site exchange and Al-O-Al site concentration in analcime, 1030
- Chinnery, N., Pawley, A.R., and Clark, S.M.: The equation of state of lawsonite to 7 GPa and 873 K, and calculation of its high pressure stability, 1001
- Chopelas, A.: Thermal expansivity of mantle relevant magnesium silicates derived from vibrational spectroscopy at high pressure, 270
- Chopin, C., see Ferraris et al., 1195
- Cipriani, C., see Giuli et al., 1172
- Clark, S.M., see Chinnery et al., 1001
- Cohen, R.E., Gülsen, O., and Hemley, R.J.: Accuracy of equation-of-state formulations, 338
- Cole, D.R., see Labotka et al., 488
- Colliex, C., see Gloter et al., 1452
- Conrad, P.G., see Finger and Conrad, 1804
- Cook, G.B. and Cooper, R.F.: Iron concentration and the physical processes of dynamic oxidation in an alkaline earth aluminosilicate glass, 397
- Coombs, D.S., see Nishimura et al., 1625
- Cooper, M.A., see Hawthorne et al., 236
- Cooper, M.A., see Welch et al., 1526
- Cooper, R.F., see Cook and Cooper, 397
- Corazza, M., see Giuli et al., 1172
- Cowley, J.M., see Janney et al., 1180
- Craven, A.J., see Garvie et al., 732
- Crichton, W.A., see Dobson et al., 1838
- Criddle, A.J., see Burns et al., 1822
- Criddle, A.J., see Paar et al., 1066
- Criddle, A.J., see Welch et al., 1526
- Cygan, R.T., see Fisler et al., 217
- Cygan, R.T., see Kalinichev et al., 1046
- da Silva, C.R.S., see Karki et al., 317
- Dainyak, L.G., see Lindgreen et al., 1223
- De Brodtkorb, M.K., see Paar et al., 1066
- De Grave, E., see Eeckhout et al., 943
- del Cerro, J., see Hayward et al., 557
- de Leeuw, N.H., Parker, S.C., Catlow, C.R.A., and Price, G.D.: Proton-containing defects at forsterite {010} tilt grain boundaries and stepped surfaces, 1143
- de Wall, H., see Kontny et al., 1416
- Delbove, F., see Fialips-Guédon et al., 687
- Della Giusta, A., see Andreozzi et al., 1164
- Della Ventura, G., see Hawthorne et al., 1716
- Della Ventura, G., see Robert et al., 926
- Dingwell, D.B., Hess, K.-U., and Romano, C.: Viscosities of granitic (*sensu lato*) melts: Influence of the anorthite component, 1342
- Dingwell, D.B., see Bagdassarov et al., 33
- Dingwell, D.B., see Romano et al., 108
- Dobson, D.P., Crichton, W.A., Vočadlo, L., Jones, A.P., Wang, Y., Uchida, T., Rivers, M., Sutton, S., and Brodholt, J.P.: In situ measurement of viscosity of liquids in the Fe-FeS system at high pressures and temperatures, 1838
- Doering, T., see Witzke et al., 847
- Donelick, R.A., Ketcham, R.A., and Carlson, W.D.: *Erratum*: Variability of apatite fission-track annealing kinetics: II. Crystallographic orientation effects, 1565
- Dorais, M.J., see Barth and Dorais, 430
- Doremus, R.H.: Water speciation in silicate glasses and melts: Langmuir limited site model, 1674
- Dorfman, A., see Bagdassarov et al., 33
- Dorogokupets, P.I.: *Erratum*: Thermodynamic functions at zero pressure and their relation to equations of state of minerals, 879
- Dorogokupets, P.I.: Thermodynamic functions at zero pressure and their relation to equations of state of minerals, 329
- Drits, V.A., see Lanson et al., 826
- Drits, V.A., see Lindgreen et al., 1223
- Drits, V.A., see Manceau et al., 133
- Drits, V.A., see Manceau et al., 153
- Duan, W., see Karki et al., 317
- Dubrovinskaia, N.A., see Dubrovinsky et al., 386
- Dubrovinsky, L.S., Saxena, S.K., Dubrovinskaia, N.A., Rekhi, S., and le Bihan, T.: Grüneisen parameter of ϵ -iron up to 300 GPa from in-situ X-ray study, 386
- Dubrovinsky, L.S., see Saxena and Dubrovinsky, 372
- Duffy, T.S., see Shim and Duffy, 354
- Dunn, P.J., see Grice and Dunn, 806
- Dyar, D., see Carpenter Woods et al., 480
- Eeckhout, S.G., De Grave, E., McCammon, C.A., and Vochten, R.: Temperature dependence of the hyperfine parameters of synthetic $P2_1/c$ Mg-Fe clinopyroxenes along the $MgSiO_3$ - $FeSiO_3$ join, 943
- Elbert, D.C., see Schubel et al., 858
- Elsetinow, A.R., Guevremont, J.M., Strongin, D.R., Schoonen, M.A.A., and Strongin, M.: Oxidation of {100} and {111} surfaces of pyrite: Effects of preparation method, 623
- Enami, M., see Banno et al., 1795
- Eng, P., see Burns et al., 604
- Ernst, W.G., see Banno et al., 1795
- Erskine, D., see Masuda et al., 279
- Essene, E.J., see Wang et al., 41
- Essene, E.J., see Wang et al., 792
- Evans, B.W., Ghiorso, M.S., and Kuehner, S.M.: Thermodynamic properties of tremolite: A correction and some comments, 466
- Evans Jr., H.T., Konnert, J.A., and Ross, M.: The crystal structure of tetratnatrolite from Mont Saint-Hilaire, Québec, and its chemical and structural relationship to paranatrolite and gonnardite, 1808
- Ewing, R.C.: *Memorial*: Memorial of Arthur Montgomery, 1909–1999, 1848
- Fasshauer, D.W., see Grevel et al., 206
- Fei, Y.: Acceptance of the Mineralogical Society of America Award for 1999, 1098
- Fei, Y., Li, J., Bertka, C.M., and Prewitt, C.T.: Structure type and bulk modulus of Fe_3S , a new iron-sulfur compound, 1830
- Feinglos, M.N., see Burns et al., 1822
- Fenter, P., see Hanchar et al., 1217
- Ferraris, C., Chopin, C., and Wessicken, R.: Nano- to micro-scale decompression products in ultrahigh-pressure phengite: HRTEM and AEM study, and some petrological implications, 1195
- Ferro, O., see Subbotin et al., 1516
- Ferry, J.M.: Patterns of mineral occurrence in metamorphic rocks, 1573
- Fialips-Guédon, C.I., Robert, J.L., and Delbove, F.: Experimental study of Cr incorporation in pargasite, 687
- Finch, R.J., see Hanchar et al., 1217
- Finger, L.W. and Conrad, P.G.: The crystal structure of “Tetragonal Almandine-Pyrope Phase” (TAPP): A reexamination, 1804
- Fiquet, G., see Andrault et al., 364
- Fischer, R.X. and Schneider, H.: Crystal structure of Cr-mullite, 1175
- Fischer, R.X., see Kahlenberg et al., 1061
- Fischer, R.X., see Kahlenberg et al., 1492
- Fischer, R.X., see Piotrowski et al., 1534
- Fisler, D.K., Gale, J.D., and Cygan, R.T.: A shell model for the simulation of rhombohedral carbonate minerals and their point defects, 217
- Fjellvåg, H., see Haavik et al., 514
- Fleet, M.E.: Thermodynamics of multicompo-

- pent olivines and the solution properties of $(\text{Ni},\text{Mg},\text{Fe})_2\text{SiO}_4$ and $(\text{Ca},\text{Mg},\text{Fe})_2\text{SiO}_4$ olivines—Comment, 1543
- Fleet, M.E., Liu, X., and Pan, Y.: Rare-earth elements in chlorapatite $[\text{Ca}_{10}(\text{PO}_4)_6\text{Cl}_2]$: Uptake, site preference, and degradation of monoclinic structure, 1437
- Fleet, M.E. and Muthupari, S.: Boron K -edge XANES of borate and borosilicate minerals, 1009
- Fletcher, I., see Silva et al., 649
- Foley, J.A., see Wright et al., 524
- Foord, E.E., see Brigatti et al., 1275
- Francis, C.: *Glossary of Mineral Synonyms*. By Jeffrey de Fourestier, 1570
- Frantz, J.D., see Zhang and Frantz, 918
- Frezzotti, M.-L., see Viti and Frezzotti, 1390
- Friedrich, A., Wildner, M., Tillmanns, E., and Merz, P.L.: Crystal chemistry of the new mineral brandholzite, $\text{Mg}(\text{H}_2\text{O})_6[\text{Sb}(\text{OH})_6]_2$, and of the synthetic analogues $\text{M}^{2+}(\text{H}_2\text{O})_6[\text{Sb}(\text{OH})_6]_2$ ($\text{M}^{2+} = \text{Mg, Co}$), 593
- Frigeri, P., see Brigatti et al., 436
- Frost, R.L., Kristof, J., Mako, E., and Kloprogge, J.T.: Modification of the hydroxyl surface of potassium acetate intercalated halloysite between 25 and 300 °C, 1735
- Fujino, K., see Miura et al., 1799
- Gale, J.D., see Fisler et al., 217
- Garvie, L.A.J., Rez, P., Alvarez, J.R., Buseck, P.R., Craven, A.J., and Brydson, R.: Bonding in alpha-quartz (SiO_2): A view of the unoccupied states, 732
- Garofalo, P., Audébat, A., Günther, D., Heinrich, C.A., and Ridley, J.: Estimation and testing of standard molar thermodynamic properties of tourmaline end-members using data of natural samples, 78
- Gasparik, T., Tripathi, A., and Parise, J.B.: Structure of a new Al-rich phase, $[\text{K}, \text{Na}]_{0.9}[\text{Mg}, \text{Fe}]_2[\text{Mg, Fe, Al, Si}]_6\text{O}_{12}$, synthesized at 24 GPa, 613
- Gates, W.P., see Manceau et al., 133
- Gates, W.P., see Manceau et al., 153
- Geiger, C.A.: Volumes of mixing in aluminosilicate garnets: Solid solution and strain behavior, 893
- Geiger, C.A., Armbruster, T., Khomenko, V., and Quartieri, S.: Cordierite I: The coordination of Fe^{2+} , 1255
- Geiger, C.A., see Kolesov and Geiger, 1265
- Ghent, E.D. and Gordon, T.M.: Application of INVEQ to the geothermobarometry of metamorphic rocks near a kyanite-sillimanite isograd, Mica Creek, British Columbia, 9
- Ghezzo, C., see Brigatti et al., 436
- Ghiorso, M.S., see Evans et al., 466
- Ghorbani, M.R. and Middlemost, E.A.K.: Geochemistry of pyroxene inclusions from the Warrumbungle Volcano, New South Wales, Australia, 1349
- Giester, G., see Kolitsch and Giester, 1298
- Giester, G., see Kolitsch and Giester, 1816
- Giuli, G., Bindl, L., and Bonazzi, P.: Rietveld refinement of okayamalite, $\text{Ca}_2\text{Si}_2\text{O}_7$: Structural evidence for the B/Si ordered distribution, 1512
- Giuli, G., Pratesi, G., Corazza, M., and Cipriani, C.: Aluminum coordination in tektites: A XANES study, 1172
- Giuli, G., see Romano et al., 108
- Gjønnes, J., see Wulff-Pedersen et al., 1397
- Gloter, A., Guyot, F., Martinez, I., and Colliex, C.: Electron energy-loss spectroscopy of silicate perovskite-magnesiowüstite high-pressure assemblages, 1452
- Gmelin, E., see Klemme et al., 1686
- Gnos, E. and Armbruster, T.: Kinoshitalite, $\text{Ba}(\text{Mg})_3(\text{Al}_2\text{Si}_2\text{O}_{10})(\text{OH}, \text{F})_2$, a brittle mica from a manganese deposit in Oman: Paragenesis and crystal chemistry, 242
- Gnos, E., see Armbruster and Gnos, 563
- Gnos, E., see Armbruster and Gnos, 570
- Gomes, N., see Castañeda et al., 1503
- Gordon, T.M., see Ghent and Gordon, 9
- Graziani, G., see Andreozzi et al., 698
- Grevel, K.-D., Nowlan, E.U., Fasshauer, D.W., and Burchard, M.: In situ X-ray diffraction investigation of lawsonite and zoisite at high pressures and temperatures, 206
- Grew, E.S., see Baba et al., 1474
- Grew, E.S., see Jambor et al., 1561
- Grice, J.D. and Dunn, P.J.: Crystal-structure determination of pinalite, 806
- Grice, J.D., see Hawthorne et al., 236
- Griffin, B.J., see Watt et al., 1784
- Guevremont, J.M., see Elsetinow et al., 623
- Gülseren, O., see Cohen et al., 338
- Gunter, M.E., see Palmer and Gunter, 225
- Günther, D., see Garofalo et al., 78
- Günther, D., see Stalder et al., 68
- Gupta, P.K.S., see Moore et al., 810
- Guyot, F., see Gloter et al., 1452
- Haavik, C., Stølen, S., Fjellvåg, H., Hanfland, M., and Häusermann, D.: Equation of state of magnetite and its high-pressure modification: Thermodynamics of the Fe-O system at high pressure, 514
- Haggerty, S.E.: *The Nature of Diamonds*. Edited by George E. Harlow, 1104
- Halkoaho, T.A.A., see Barkov et al., 694
- Hama, J., Suito, K., and Anderson, O.L.: Thermoelasticity of silicate perovskites and magnesiowüstite and its implications for the Earth's lower mantle, 321
- Hamada, Y., see Miura et al., 1799
- Hamilton, M.A., see Terry et al., 1651
- Hanayama, Y., see Ohno et al., 288
- Hanchar, J.M., Nagy, K.L., Fenter, P., Finch, R.J., Beno, D.J., and Sturchio, N.C.: Quantification of minor phases in growth kinetics experiments with powder X-ray diffraction, 1217
- Hanchar, J.M., see Karali et al., 668
- Hanfland, M., see Haavik et al., 514
- Hansen, V., see Wulff-Pedersen et al., 1397
- Harrison, R.J., Becker, U., and Redfern, S.A.T.: Thermodynamics of the $\bar{R}\bar{3}$ to $\bar{R}\bar{3}c$ phase transition in the ilmenite-hematite solid solution, 1694
- Harrison, R.J., Redfern, S.A.T., and Smith, R.I.: In-situ study of the $\bar{R}\bar{3}$ to $\bar{R}\bar{3}c$ phase transition in the ilmenite-hematite solid solution using time-of-flight neutron powder diffraction, 194
- Harrison, T.M., see Catlos et al., 633
- Hartmann, L.A., see Silva et al., 649
- Hattori, T., Nagai, T., Yamanaka, T., Werner, S., and Schulz, H.: Single-crystal X-ray diffraction study of FeGeO_3 high- P clinopyroxene ($C2/c$) up to 8.2 GPa, 1485
- Hattori, T., see Nagai et al., 760
- Hassan, I.: Transmission electron microscopy and differential thermal studies of lazurite polymorphs, 1383
- Hassan, I.: Transmission electron microscopy study of gaudefroyite, $\text{Ca}_8\text{Mn}^{3+}[(\text{BO}_3)_6(\text{CO}_3)_2\text{O}_6]$, 1188
- Häusermann, D., see Haavik et al., 514
- Hawthorne, F.C., Cooper, M.A., Grice, J.D., and Ottolini, L.: A new anhydrous amphibole from the Eifel region, Germany: Description and crystal structure of obertiite, $\text{NaNa}_2(\text{Mg}_3\text{Fe}^{3+}\text{Ti}^{4+})\text{Si}_8\text{O}_{22}\text{O}_2$, 236
- Hawthorne, F.C., Welch, M.D., Della Ventura, G., Liu, S., Robert, J.-L., and Jenkins, D.M.: Short-range order in synthetic aluminous tremolites: An infrared and triple-quantum MAS NMR study, 1716
- Hawthorne, F.C., see Robert et al., 926
- Hawthorne, F.C., see Welch et al., 1526
- Hayward, S.A., del Cerro, J., and Salje, E.K.H.: Antiferroelectric phase transition in titanite: Excess entropy and short range order, 557
- Hazen, R.M., Weinberger, M.B., Yang, H., and Prewitt, C.T.: Comparative high-pressure crystal chemistry of wadsleyite, $\beta-(\text{Mg}_{1-x}\text{Fe}_x)_2\text{SiO}_4$, with $x = 0$ and 0.25, 770
- Hazen, R.M., Yang, H., and Prewitt, C.T.: High-pressure crystal chemistry of Fe^{3+} -wadsleyite, $\beta-\text{Fe}_{2,3}\text{Si}_{0.67}\text{O}_4$, 778
- Heaney, P.J., see Phillips et al., 181
- Heaney, P.J., see Xu et al., 971
- Heinemann, S. and Miletich, R.: Structure and twinning of tetragonal $\text{Ca}_3\text{Mn}_2\text{Ge}_3\text{O}_{12}$ garnet, 993
- Heinrich, C.A., see Garofalo et al., 78
- Hemley, R.J., see Cohen et al., 338
- Hemley, R.J., see Shieh et al., 765
- Hernandez-Laguna, A., see Sainz-Diaz et al., 1038
- Herreros, V., see Oberti et al., 578
- Hess, K.-U., see Dingwell et al., 1342
- Higgins, M.D.: Measurement of crystal size distributions, 1105
- Hirschmann, M.M.: Thermodynamics of multi-component olivines and the solution properties of $(\text{Ni},\text{Mg},\text{Fe})_2\text{SiO}_4$ and $(\text{Ca},\text{Mg},\text{Fe})_2\text{SiO}_4$ olivine—Reply, 1548

- Hochella Jr., M.F., see Bosbach et al., 1209
 Hochella Jr., M.F., see Rosso et al., 1428
 Höchst, H., see Nesbitt et al., 850
 Hoechst, H., see Schaufuss et al., 1754
 Hoffer, E., see Scheuermann et al., 784
 Holdaway, M.J.: Application of new experimental and garnet Margules data to the garnet-biotite geothermometer, 881
 Holtstam, D. and Larsson, A.-K.: Tegen-grenite, a new, rhombohedral spinel-related Sb mineral from the Jakobsberg Fe-Mn deposit, Värmland, Sweden, 1315
 Holtz, F., Roux, J., Behrens, H., and Pichavant, M.: Water solubility in silica and quartzofeldspathic melts, 682
 Hoser, A., see Pavese et al., 1497
 Hou, X., Kirkpatrick, R.J., Yu, P., Moore, D., and Kim, Y.: ^{15}N NMR study of nitrate ion structure and dynamics in hydrotalcite-like compounds, 173
 Housley, R.M., see Burns et al., 604
 Howie, R.A.: Acceptance of the Mineralogical Society of America Public Service Award of 1999, 1101
 Huang, E., Chen, C.H., Huang, T., Lin, E.H., and Xu, J.: Raman spectroscopic characteristics of Mg-Fe-Ca pyroxenes, 473
 Huang, T., see Huang et al., 473
 Hughes, J.M., see Ni et al., 251
 Hughes, J.M., see Wright et al., 524
 Hülsmans, A., Schmücker, M., Mader, W., and Schneider, H.: The transformation of andalusite to mullite and silica: Part I. Transformation mechanism in [001]_A direction, 980
 Hülsmans, A., Schmücker, M., Mader, W., and Schneider, H.: The transformation of andalusite to mullite and silica: Part II. Transformation mechanisms in [100]_A and [010]_A directions, 987
 Huo, D., see Manceau et al., 133
 Huo, D., see Manceau et al., 153
 Isaak, D.G.: *Ultrahigh-Pressure Mineralogy: Physics and Chemistry of the Earth's Deep Interior*. Edited by Russell Hemley, 1103
 Isaak, D.G., see Anderson and Isaak, 376
 Isaak, D.G., see Stacey and Isaak, 345
 Isaak, D.G., see Liebermann and Isaak, 269
 Itaya, T., see Nishimura et al., 1625
 Ivanov, A.V., Zolensky, M.E., Saito, A., Ohsumi, K., Yang, S.V., Kononkova, N.N., and Mikouchi, T.: Florenskyite, FeTiP, a new phosphide from the Kaidun meteorite, 1082
 Jackson, J.M., Sinogeikin, S.V. and Bass, J.D.: Sound velocities and elastic properties of $\gamma\text{-Mg}_2\text{SiO}_4$ to 873 K by Brillouin spectroscopy, 296
 Jacobsen, S.D., Smyth, J.R., Swope, R.J., and Sheldon, R.I.: Two proton positions in the very strong hydrogen bond of serandite, $\text{NaMn}_2[\text{Si}_3\text{O}_8(\text{OH})]$, 745
 Jambor, J.L., Grew, E.S., and Roberts, A.C.: New Mineral Names, 1561
 Jambor, J.L., Kovalenker, V.A., and Roberts, A.C.: New Mineral Names, 873
 Jambor, J.L., Pertsev, N.N., and Roberts, A.C.: New Mineral Names, 1321
 Jambor, J.L., Puziewicz, J., and Roberts, A.C.: New Mineral Names, 627
 Jambor, J.L., Puziewicz, J., and Roberts, A.C.: New Mineral Names, 1843
 Jambor, J.L. and Roberts, A.C.: New Mineral Names, 263
 Janney, D.E., Cowley, J.M., and Buseck, P.R.: Structure of synthetic 2-line ferrihydrite by electron nanodiffraction, 1180
 Jenkins, D.M., see Hawthorne et al., 1716
 Jercinovic, M.J., see Terry et al., 1651
 Jerram, D.A. and Cheadle, M.J.: On the cluster analysis of grains and crystals in rocks, 47
 Johnston, A.D., see McBirney and Johnston, 1327
 Johnston, C.T., see Wang and Johnston, 739
 Jonckheere, R.C. and Wagner, G.A.: On the occurrence of anomalous fission tracks in apatite and titanite, 1744
 Jones, A.P., see Dobson et al., 1838
 Kahl, W.A. and Schumacher, J.C.: Multiple pyroxene and amphibole assemblages in the amphibolite facies: Bulk compositional controls, 1606
 Kahlenberg, V., Fischer, R.X., and Shaw, C.S.J.: High-pressure $\text{Ca}_4\text{Al}_6\text{O}_{13}$: An example of a calcium aluminate with three different types of coordination polyhedra for aluminum, 1492
 Kahlenberg, V., Fischer, R.X., and Shaw, C.S.J.: Rietveld analysis of dicalcium aluminate ($\text{Ca}_2\text{Al}_2\text{O}_5$)—A new high pressure phase with the Brownmillerite-type structure, 1061
 Kahlenberg, V., see Piotrowski et al., 1534
 Kalinichev, A.G., Kirkpatrick, R.J., and Cygan, R.T.: Molecular modeling of the structure and dynamics of the interlayer and surface species of mixed-metal layered hydroxides: Chloride and water in hydrocalumite (Friedel's salt), 1046
 Kampf, A.R.: The crystal structure of pararobertsite and its relationship to mitridatite, 1302
 Kampf, A.R., see Moore et al., 810
 Karali, T., Can, N., Townsend, P.D., Rowlands, A.P., and Hanchar, J.M.: Radioluminescence and thermoluminescence of rare earth element and phosphorus-doped zircon, 668
 Karki, B.B.: Thermal pressure in MgO and MgSiO_3 perovskite at lower mantle conditions, 1447
 Karki, B.B., Duan, W., da Silva, C.R.S., and Wentzcovitch, R.M.: Ab initio structure of MgSiO_3 ilmenite at high pressure, 317
 Katayama, I., Parkinson, C.D., Okamoto, K., Nakajima, Y., and Maruyama, S.: Supersilicic clinopyroxene and silica exsolution in UHPM eclogite and pelitic gneiss from the Kokchetav massif, Kazakhstan, 1368
 Kawamura, K., see Miyake et al., 1159
 Kenny, S.D., McConnell, J.D.C., and Refson, K.: The ab initio study of the stability of low temperature Al/Si ordered albite, $\text{NaAlSi}_3\text{O}_8$, 1681
 Keppler, H., see Sowerby and Keppler *Erratum*, 880
 Keppler, H., see Zотов and Keppler, 600
 Ketcham, R.A., see Donelick et al. *Erratum*, 1565
 Khomenko, V., see Geiger et al., 1255
 Kile, D.E., see Brigatti et al., 1275
 Kim, Y., see Hou et al., 173
 Kimata, M., see Kyono et al., 1287
 Kimura, M., see Ohno et al., 288
 Kinny, P.D., see Watt et al., 1784
 Kirkpatrick, R.J., see Kalinichev et al., 1046
 Kitamura, M., see Miyake et al., 1159
 Klemme, S., O'Neill, H.St.C., Schnelle, W., and Gmelin, E.: The heat capacity of MgCr_2O_4 , FeCr_2O_4 , and Cr_2O_3 at low temperatures and derived thermodynamic properties 1686
 Kloprogge, J.T., see Frost et al., 1735
 Kogure, T. and Banfield, J.F.: New insights into the mechanism for chloritization of biotite using polytype analysis, 1202
 Kohn, S.C., see Toplis et al., 1556
 Kolesov, B.A. and Geiger, C.A.: Cordierite II: The role of CO_2 and H_2O , 1265
 Kolitsch, U., and Giester, G.: Elyite, $\text{Pb}_4\text{Cu}(\text{SO}_4)_2(\text{OH})_4\text{H}_2\text{O}$: crystal structure and new data, 1816
 Kolitsch, U. and Giester, G.: The crystal structure of namiibite, $\text{Cu}(\text{BiO})_2\text{VO}_4(\text{OH})$, and revision of its symmetry, 1298
 Konnert, J.A., see Evans et al., 1808
 Kononkova, N.N., see Ivanov et al., 1082
 Kontny, A., de Wall, H., Sharp, T.G., and Pósfai, M.: Mineralogy and magnetic behavior of pyrrhotite from a 260 °C section at the KTB drilling site, Germany, 1416
 Kontny, A., see Pósfai et al., 1406
 Konzett, J., see Shieh et al., 765
 Konzett, J., see Yang and Konzett, 259
 Kovalenker, V.A., see Jambor et al., 873
 Kristof, J., see Frost et al., 1735
 Krivovichev, S.V., see Li et al., 1521
 Kroeker, S. and Stebbins, J.F.: Magnesium coordination environments in glasses and minerals: New insight from high-field magnesium-25 MAS NMR, 1459
 Kuehner, S.M., see Evans et al., 466
 Kunz, M., Arlt, T., and Stoltz, J.: In situ powder diffraction study of titanite (CaTiOSiO_4) at high pressure and high temperature, 1465
 Kushiro, I.: Acceptance of the Roebling Medal of the Mineralogical Society of America for 1999, 1094
 Kutoglu, A., see Scheuermann et al., 784
 Kyono, A., Kimata, M., and Shimizu, M.: The crystal structure of TiAlSiO_4 : The role of

- inert pairs in exclusion of Tl from silicate minerals, 1287
- Labotka, T.C., Cole, D.R., and Riciputi, L.R.: Diffusion of C and O in calcite at 100 MPa, 488
- Landis, C.A., see Nishimura et al., 1625
- Lanson, B., Drits, V.A., Silvester, E., and Manceau, A.: Structure of H-exchanged hexagonal birnessite and its mechanism of formation from Na-rich monoclinic buserite at low pH, 826
- Lanson, B., see Manceau et al., 133
- Lanson, B., see Manceau et al., 153
- Larsson, A.-K., see Holtstam and Larsson, 1315
- le Bihan, T., see Andrault et al., 364
- le Bihan, T., see Dubrovinsky et al., 386
- Leslie, M., see Matsui et al., 312
- Lévy, D., and Barbier, J.: $\text{v}^{\text{III}}(\text{Mg},\text{Fe})_{0.85} \text{v}^{\text{IV}}(\text{Mg},\text{Fe})_4 \text{v}^{\text{IV}}(\text{Fe},\text{Ge}),\text{O}_{12}$: A new tetragonal phase and its comparison with garnet, 1053
- Levy, D., see Pavese et al., 1497
- Li, B. and Liebermann, R.C.: Sound velocities of wadsleyite $\beta-(\text{Mg}_{0.88}\text{Fe}_{0.12})_2\text{SiO}_4$ to 10 GPa, 292
- Li, J., see Fei et al., 1830
- Li, Y., Krivovichev, S.V., and Burns, P.C.: The crystal structure of thornasite, $\text{Na}_{12}\text{Th}_3[\text{Si}_8\text{O}_{19}]_4(\text{H}_2\text{O})_{18}$: A novel interrupted silicate framework, 1521
- Liebermann, R.C. and Isaak, D.G.: Dedication to Orson L. Anderson, 269
- Liebermann, R.C., see Li and Liebermann, 292
- Lin, E.H., see Huang et al., 473
- Lindgreen, H., Drits, V.A., Sakharov, B.A., Salyn, A.L., Wrang, P., and Dainyak, L.G.: Illite-smectite structural changes during metamorphism in black Cambrian Alum shales from the Baltic area, 1223
- Liou, J.G., see Tsai, and Liou, 1
- Liu, S., see Hawthorne et al., 1716
- Liu, X., see Fleet et al., 1437
- López-Andrés, S., see Oberti et al., 578
- Lottermoser, W., see Redhammer et al., 449
- Lucchesi, S., see Andreozzi et al., 698
- Lugli, C., see Brigatti et al., 1275
- Lutz, H.D., see Parise et al., 189
- Mackwell, S., see Carpenter Woods et al., 480
- Mader, W., see Hülsmans et al., 980
- Mader, W., see Hülsmans et al., 987
- Mako, E., see Frost et al., 1735
- Manceau, A., Drits, V.A., Lanson, B., Chateigner, D., Wu, J., Huo, D., Gates, W.P., and Stucki, J.W.: Oxidation-reduction mechanism of iron in dioctahedral smectites: II. Crystal chemistry of reduced Garfield nontronite, 153
- Manceau, A., Lanson, B., Drits, V.A., Chateigner, D., Gates, W.P., Wu, J., Huo, D., and Stucki, J.W.: Oxidation-reduction mechanism of iron in dioctahedral smectites: I. Crystal chemistry of oxidized reference nontronites, 133
- Manceau, A., see Lanson et al., 826
- Manecki, M., Maurice, P.A., and Traina, S.J.: Uptake of aqueous Pb by Cl⁻, F⁻, and OH⁻ apatites: Mineralogic evidence for nucleation mechanisms, 932
- Mao, H., see Shieh et al., 765
- Marchetti, F. and Perchiazzi, N.: The crystal structure of gearsutite, $\text{CaAlF}_4(\text{OH})\cdot\text{H}_2\text{O}$, 231
- Marshall, W.G., see Parise et al., 189
- Martin, R.F., see Barkov et al., 694
- Martinez, I., see Gloter et al., 1452
- Maruyama, S., see Katayama et al., 1868
- Masuda, K., Erskine, D., and Anderson, O.L.: Differential laser-interferometer for thermal expansion measurements, 279
- Matsubara, S., see Miyawaki et al., 1076
- Matsui, M., Parker, S.C., and Leslie, M.: The MD simulation of the equation of state of MgO: Application as a pressure calibration standard at high temperature and high pressure, 312
- Maurice, P.A., see Manecki et al., 932
- Mazzi, F., see Callegari et al., 586
- McBirney, A.R. and Johnston, A.D.: *Memorial: Memorial of William T. Holser, 1920–1999*, 1327
- McCammon, C.A., see Eeckhout et al., 943
- McConnell, J.D.C., see Kenny et al., 1681
- McNaughton, N.J., see Silva et al., 649
- Meisser, N., see Brugger et al., 1307
- Mellott, N.P., see Brantley and Mellott, 1767
- Menchetti, S., see Olmi et al., 1508
- Merli, M., Ungaretti, L., and Oberti, R.: Leverage analysis and structure refinement of minerals, 532
- Merlino, S., see Subbotin et al., 1516
- Merz, P.L., see Friedrich et al., 593
- Middlemost, E.A.K., see Ghorbani and Middlemost, 1349
- Mikouchi, T., see Ivanov et al., 1082
- Miletich, R., see Heinemann and Miletich, 993
- Miletich, R., see Paar et al., 1066
- Milman, V., see Nobes et al., 1706
- Milman, V., see Winkler et al., 608
- Miura, H., Hamada, Y., Suzuki, T., Akaogi, M., Miyajima, N., and Fujino, K.: Crystal structure of $\text{CaMg}_2\text{Al}_6\text{O}_{12}$, a new Al-rich high pressure form, 1799
- Miyajima, N., see Miura et al., 1799
- Miyake, A., Kawamura, K., and Kitamura, M.: Molecular dynamics simulation of Al/Si-ordered plagioclase feldspar, 1159
- Miyawaki, R., Matsubara, S., Yokoyama, K., Takeuchi, K., Terada, Y., and Nakai, I.: Kozoite-(Nd), $\text{Nd}(\text{CO}_3)(\text{OH})$, a new mineral in an alkali olivine basalt from Hizen-cho, Saga Prefecture, Japan, 1076
- Molin, G., see Brizi et al., 1375
- Molin, G., see Pasqual et al., 953
- Möller, H., see Parise et al., 189
- Moore, D., see Hou et al., 173
- Moore, P.B.: *Långban: The Mines, their Minerals, Geology, and Explorers*. Edited by Dan
- Holtstam and Jürgen Langhof, 1570
- Moore, P.B., Kampf, A.R., and Gupta, P.K.S.: The crystal structure of philolithite, a trellis-like open framework based on cubic closest-packing of anions, 810
- Morse, S.A.: A double magmatic heat pump at the core-mantle boundary, 1589
- Mottana, A., see Romano et al., 108
- Murad, E. and Bishop, J.L.: The infrared spectrum of synthetic akaganéite, $\beta\text{-FeOOH}$, 716
- Muthupari, S., see Fleet and Muthupari, 1009
- Mysen, B.O. and Wheeler, K.: Solubility behavior of water in haploandesitic melts at high pressure and high temperature, 1128
- Mysen, B.O. and Yoder Jr., H.S.: Presentation of the Roebling Medal of the Mineralogical Society of America for 1999 to Ikuo Kushiro, 1092
- Nagai, T., Hattori, T., and Yamanaka, T.: Compression mechanism of brucite: An investigation by structural refinement under pressure, 760
- Nagai, T., see Hattori et al., 1485
- Nagy, K.L., see Hanchar et al., 1217
- Nakai, I., see Miyawaki et al., 1076
- Nakajima, Y., see Katayama et al., 1868
- Navrotsky, A., see Phillips et al., 181
- Nesbitt, H.W., Scaini, M., Höchst, H., Bancroft, G.M., Schaufuss, A.G., and Szargan, R.: Synchrotron XPS evidence for $\text{Fe}^{2+}\text{-S}$ and $\text{Fe}^{3+}\text{-S}$ surface species on pyrite fracture-surfaces, and their 3D electronic states, 850
- Nesbitt, H.W., see Banerjee and Nesbitt *Erratum*, 1328
- Nesbitt, H.W., see Banerjee and Nesbitt, 817
- Nesbitt, H.W., see Pratt and Nesbitt, 619
- Nesbitt, H.W., see Schaufuss et al., 1754
- Neumann, E.-R., see Wulff-Pedersen et al., 1397
- Ni, Y., Post, J.E., and Hughes, J.M.: The crystal structure of parisite-(Ce), $\text{Ce}_2\text{CaF}_2(\text{CO}_3)_3$, 251
- Nickel, E.H., see Strunz and Nickel, 1828
- Nieto, J.M., see Ruiz Cruz et al. *Erratum*, 632
- Nishimura, Y., Coombs, D.S., Landis, C.A., and Itaya, T.: Continuous metamorphic gradient documented by graphitization and K-Ar age, southeast Otago, New Zealand, 1625
- Nobes, R.H., Akhmatkaya, E.V., Milman, V., White, J.A., Winkler, B., and Pickard, C.J.: An ab initio study of hydrogarnets, 1706
- Nobes, R.H., see Winkler et al., 608
- Nowlan, E.U., see Grevel et al., 206
- Nyfeler, D., see Brugger et al., 1307
- Oberti, R., Caballero, J.M., Ottolini, L., López-Andrés, S., and Herreros, V.: Sodic-ferripedritize, a new monoclinic amphibole bridging the magnesium-iron-manganese-lithium and the sodium-calcium groups, 578
- Oberti, R., Vannucci, R., Zanetti, A., Tiepolo, M., and Brumm, R.C.: A crystal chemical

- re-evaluation of amphibole/melt and amphibole/clinopyroxene D_{Ti} values in petrogenetic studies, 407
- Oberti, R., see Callegari et al., 586
- Oberti, R., see Merli et al., 532
- Oda, H., see Ohno et al., 288
- Oglesby, J.V. and Stebbins, J.E.: ²⁹Si CPMAS NMR investigations of silanol-group minerals and hydrous aluminosilicate glasses, 722
- Ohno, I., Abe, M., Kimura, M., Hanayama, Y., Oda, H., and Suzuki, I.: Elasticity measurement of silica glass under gas pressure, 288
- Ohno, I., see Suzuki et al., 304
- Ohsumi, K., see Ivanov et al., 1082
- Okamoto, K., see Katayama et al., 1868
- Oliveira, E.F., see Castañeda et al., 1503
- Olmi, F., Viti, C., Bindì, L., Bonazzi, P., and Menchetti, S.: Second occurrence of okayamalite, Ca₂SiB₂O₇; chemical and TEM characterization, 1508
- O'Neill, H.St.C., see Klemme et al., 1686
- Ottolini, L., Cámaras, F., and Bigi, S.: An investigation of matrix effects in the analysis of fluorine in humite-group minerals by EMPA, SIMS, and SREF 89
- Ottolini, L., see Andreozzi et al., 698
- Ottolini, L., see Callegari et al., 586
- Ottolini, L., see Cámaras and Ottolini, 103
- Ottolini, L., see Hawthorne et al., 236
- Ottolini, L., see Oberti et al., 578
- Ottolini, L., see Wulff-Pedersen et al., 1397
- Owens, B.E.: High-temperature contact metamorphism of calc-silicate xenoliths in the Kiglapait Intrusion, Labrador, 1595
- Paar, W.H., Miletich, R., Topa, D., Criddle, A.J., De Brodtkorb, M.K., Amthauer, G., and Tippelt, G.: Suredaite, PbSnS₃, a new mineral species from the Pirquitas Ag-Sn deposit, NW-Argentina: Mineralogy and crystal structure, 1066
- Pakhomovsky, Y.A., see Subbotin et al., 1516
- Palme, H., see Borisov and Palme, 1665
- Palmer, J.L. and Gunter, M.E.: Optical properties of natural and cation-exchanged heulandite group zeolites, 225
- Pan, Y. and Stauffer, M.R.: Cerium anomaly and Th/U fractionation in the 1.85 Ga Flin Flon Paleosol: Clues from REE- and U-rich accessory minerals and implications for paleoatmospheric reconstruction, 898
- Pan, Y. see Fleet et al., 1437
- Paris, E., see Romano et al., 108
- Parise, J.B., Marshall, W.G., Smith, R.I., Lutz, H.D., and Möller, H.: The nuclear and magnetic structure of "white rust"—Fe(OH_{0.86}D_{0.14})₂, 189
- Parise, J.B., see Gasparik et al., 613
- Parker, S.C., see de Leeuw et al., 1143
- Parker, S.C., see Matsui et al., 312
- Parkinson, C.D., see Katayama et al., 1868
- Parks, G.A., see Cheah et al., 118
- Pasqual, D., Molin, G., and Tribaudino, M.: Single-crystal thermometric calibration of Fe-Mg order-disorder in pigeonites, 953
- Pavese, A., Levy, D., and Hoser, A.: Cation distribution in synthetic zinc ferrite (Zn_{0.97}Fe_{2.02}O₄) from *in situ* high-temperature neutron powder diffraction, 1497
- Pawley, A.R., see Chinnery et al., 1001
- Peacor, D.R., see Wang et al., 792
- Perchiazzi, N., see Marchetti and Perchiazzi, 231
- Pertsev, N.N., see Jambor et al., 1321
- Petrík, I., see Broska et al., 22
- Phillips, B.L., Xu, H., Heaney, P.J., and Navrotsky, A.: ²⁹Si and ²⁷Al MAS-NMR spectroscopy of β-eucryptite (LiAlSiO₄): The enthalpy of Si/Al ordering, 181
- Pichavant, M., see Holtz et al., 682
- Pickard, C.J., see Nobes et al., 1706
- Piotrowski, A., Kahlenberg, V., and Fischer, R.X.: Na₂Ca₂(P₂O₇)F₂, the first diphosphate of the cuspidine family, 1534
- Pluth, J.J., see Burns et al., 604
- Poe, B.T., see Romano et al., 108
- Pohwat, P.: *Dana's New Mineralogy*. By R.V. Gaines, H.C.W. Skinner, E.E. Foord, B. Mason, and A. Rosenzweig, 631
- Poirier, G., see Barkov et al., 694
- Poirier, J.P., see Vočadlo et al., 390
- Pöllmann, H., see Witzke et al., 847
- Poplett, I.J.F., see Toplis et al., 1556
- Popp, R.K., see Virgo and Popp, 753
- Poppi, L., see Brigatti et al., 436
- Poppi, L., see Brigatti et al., 1275
- Pósfai, M., Sharp, T.G., and Kontny, A.: Pyrrhotite varieties from the 9.1 km deep borehole of the KTB project, 1406
- Pósfai, M., see Kontny et al., 1416
- Post, J.E., see Ni et al., 251
- Pratesi, G., see Giulì et al., 1172
- Pratt, A.R. and Nesbitt, H.W.: Core level electron binding energies of realgar (As₄S₄), 619
- Prewitt, C.T.: Presentation of the Mineralogical Society of America Award for 1999 to Yingwei Fei, 1097
- Prewitt, C.T., see Fei et al., 1830
- Prewitt, C.T., see Hazen et al., 770
- Prewitt, C.T., see Hazen et al., 778
- Price, G.D., see de Leeuw et al., 1143
- Price, G.D., see Vočadlo et al., 390
- Princivalle, F., see Andreozzi et al., 1164
- Puga, E., see Ruiz Cruz et al. *Erratum*, 632
- Putron, J.A., Blundy, J.D., and Allan, N.L.: Computer simulation of high-temperature, forsterite-melt partitioning, 1087
- Pushcharovsky, Y.D., see Subbotin et al., 1516
- Puziewicz, J., see Jambor et al., 627
- Puziewicz, J., see Jambor et al., 1843
- Quartieri, S., see Geiger et al., 1255
- Ranson, W.A.: Margarite-corundum phyllites from the Appalachian orogen of South Carolina: Mineralogy and metamorphic history, 1617
- Ramakrishna, B.L., see Xu et al., 509
- Ravna, E.J.K., see Terry et al., 1637
- Redfern, S.A.T., see Harrison et al., 194
- Redfern, S.A.T., see Harrison et al., 1694
- Redhammer, G.J., Beran, A., Schneider, J., Amthauer, G., and Lottermoser, W.: Spectroscopic and structural properties of synthetic micas on the annite-siderophyllite binary: Synthesis, crystal structure refinement, Mössbauer, and infrared spectroscopy, 449
- Refson, K., see Kenny et al., 1681
- Reichmann, H.-J., see Bassett et al., 283
- Rekhi, S., see Dubrovinsky et al., 386
- Retallack, G.J.: *Atlas Of Micromorphology Of Mineral Alteration And Weathering*. By Jean E. Delvigne, 878
- Rez, P., see Garvie et al., 732
- Ribble, P.H.: Presentation of the Distinguished Public Service Award to Robert A. Howie, 1100
- Rice, J.A., see Sullivan et al., 1002
- Richmond, N.C. and Brodholt, J.P.: Incorporation of Fe³⁺ into forsterite and wadsleyite, 1155
- Riciputi, L.R., see Labotka et al., 488
- Ridley, J., see Garofalo et al., 78
- Rivers, M., see Dobson et al., 1838
- Robert, J.L., Della Ventura, G., Welch, M.D., and Hawthorne, F.C.: The OH-F substitution in synthetic pargasite at 1.5 kbar, 850 °C, 926
- Robert, J.-L., see Fialips-Guédon et al., 687
- Robert, J.-L., see Hawthorne et al., 1716
- Roberts, A.C., see Burns et al., 1822
- Roberts, A.C., see Jambor and Roberts, 263
- Roberts, A.C., see Jambor et al., 627
- Roberts, A.C., see Jambor et al., 873
- Roberts, A.C., see Jambor et al., 1321
- Roberts, A.C., see Jambor et al., 1561
- Roberts, A.C., see Jambor et al., 1843
- Robinson, P., see Terry et al., 1637
- Robinson, P., see Terry et al., 1651
- Romano, C., Paris, E., Poe, B.T., Giulì, G., Dingwell, D.B., and Mottana, A.: Effect of aluminum on Ti-coordination in silicate glasses: A XANES study, 108
- Romano, C., see Dingwell et al., 1342
- Roselieb, K., see Walter et al., 1117
- Rosenhauer, M., see Walter et al., 1117
- Ross, M., see Evans et al., 1808
- Rosso, K.M., Becker, U., and Hochella Jr., M.F.: Surface defects and self-diffusion on pyrite {100}: An ultra-high vacuum scanning tunneling microscopy and theoretical modeling study, 1428
- Rouse, R.C., see Wang et al., 792
- Roux, J., see Holtz et al., 682
- Rowlands, A.P., see Karali et al., 668
- Ruiz Cruz, M.D., Puga, E., and Nieto, J.M.: *Erratum*: Silicate and oxide exsolution in pseudo-spinifex olivine from metaultramafic rocks of the Betic Ophiolitic Association: a

- TEM study, 632
 Russo, U., see Andreozzi et al., 698
- Sainz-Diaz, C.I., Timon, V., Botella, V., and Hernandez-Laguna, A.: Isomorphous substitution effect on the vibration frequencies of hydroxyl groups in molecular cluster models of the clay octahedral sheet, 1038
- Saito, A., see Ivanov et al., 1082
- Sakharov, B.A., see Lindgreen et al., 1223
- Salje, E.K.H., see Hayward et al., 557
- Salyn, A.L., see Lindgreen et al., 1223
- Saxena, S.K. and Dubrovinsky, L.S.: Iron phases at high pressures and temperatures: Phase transition and melting, 372
- Saxena, S.K., see Dubrovinsky et al., 386
- Scaini, M., see Nesbitt et al., 850
- Scaini, M.J., see Schaufuss et al., 1754
- Schaufuss, A.G., Nesbitt, H.W., Scaini, M.J., Hoechst, H., Bancroft, M.G., and Szargan, R.: Reactivity of surface sites on fractured arsenopyrite (FeAsS) toward oxygen, 1754
- Schaufuss, A.G., see Nesbitt et al., 850
- Scheuermann, P., Kutoglu, A., Schosnig, M., and Hoffer, E.: Structure and stability of the high-pressure phase, $\text{Ca}_3\text{TiSi}_2(\text{Al},\text{Ti},\text{Si})_9\text{O}_{14}$, 784
- Schilling, F.R., see Sinogeikin et al., 1834
- Schmidt, C. and Ziemann, M.A.: In-situ Raman spectroscopy of quartz: A pressure sensor for hydrothermal diamond-anvil cell experiments at elevated temperatures, 1725
- Schmidt, S., see Brugger et al., 1307
- Schmucker, M., see Hülsmans et al., 980
- Schmucker, M., see Hülsmans et al., 987
- Schneider, J., see Redhammer et al., 449
- Schneider, J., see Stanjek and Schneider, 839
- Schneider, H., see Fischer and Schneider, 1175
- Schneider, H., see Hülsmans et al., 980
- Schneider, H., see Hülsmans et al., 987
- Schnelle, W., see Klemme et al., 1686
- Schoonen, M.A.A., see Elsetinow et al., 623
- Schoonen, M.A.A., see Xu and Schoonen, 543
- Schosnig, M., see Scheuermann et al., 784
- Schubel, K.A., Elbert, D.C., and Veblen, D.R.: Incommensurate c-domain superstructures in calcian dolomite from the Latemar buildup, Dolomites, Northern Italy, 858
- Schuckmann, W., see Witzke et al., 847
- Schulz, H., see Hattori et al., 1485
- Schumacher, J.C., see Kahl and Schumacher, 1606
- Sharp, T.G., see Kontny et al., 1416
- Sharp, T.G., see Pósfai et al., 1406
- Shaw, C.S.J., see Kahlenberg et al., 1061
- Shaw, C.S.J., see Kahlenberg et al., 1492
- Shearer, C.K., see Baba et al., 1474
- Sheldon, R.I., see Jacobsen et al., 745
- Sheraton, J.W., see Baba et al., 1474
- Schenk, K., see Brugger et al., 1307
- Shibakusa, H., see Banno et al., 1795
- Shieh, S.R., Mao, H., Konzett, J., and Hemley, R.J.: In-situ high pressure X-ray diffraction of phase E to 15 GPa, 765
- Shim, S.-H. and Duffy, T.S.: Constraints on the $P-V-T$ equation of state of MgSiO_3 perovskite, 354
- Shimizu, M., see Kyono et al., 1287
- Shore, J.S., see Sullivan et al., 1002
- Silva, L.C.da, Hartmann, L.A., McNaughton, N.J., and Fletcher, I.: Zircon U-Pb SHRIMP dating of a Neoproterozoic overprint in Paleoproterozoic granitic-gneissic terranes, southern Brazil, 649
- Silvester, E., see Lanson et al., 826
- Sinogeikin, S.V., Schilling, F.R., and Bass, J.D.: Single crystal elasticity of lawsonite, 1834
- Sinogeikin, S.V., see Jackson et al., 296
- Sitzman, S.D., Banfield, J.F., and Valley, J.W.: Microstructural characterization of metamorphic magnetite crystals with implications for oxygen isotope distribution, 14
- Skogby, H., see Andreozzi et al., 1164
- Smith, J.V., see Burns et al., 604
- Smith, R.I., see Harrison et al., 194
- Smith, R.I., see Parise et al., 189
- Smith, M.E., see Toplis et al., 1556
- Smyth, J.R., see Bassett et al., 283
- Smyth, J.R., see Jacobsen et al., 745
- Soares, A.C.P., see Castañeda et al., 1503
- Sorensen, S.S., see Catlos et al., 633
- Sorokhtina, N.V., see Subbotin et al., 1516
- Sowerby, J.R. and Keppler, H.: *Erratum*: Water speciation in rhyolitic melt determined by in-situ infrared spectroscopy, 880
- Spetzler, H., see Bassett et al., 283
- Stacey, F.D. and Isaak, D.G.: Extrapolation of lower mantle properties to zero pressure: Constraints on composition and temperature, 345
- Stalder, R., Ulmer, P., Thompson, A.B., and Günther, D.: Experimental approach to constrain second critical end points in fluid/silicate systems: Near-solidus fluids and melts in the system albite-H₂O, 68
- Stanjek, H. and Schneider, J.: Anisotropic peak broadening analysis of a biogenic soil greigite (Fe_3S_4) with Rietveld analysis and single peak fitting, 839
- Staffer, M.R., see Pan et al., 898
- Stebbins, J.F., see Cheng et al., 1030
- Stebbins, J.F., see Kroeker and Stebbins, 1459
- Stebbins, J.F., see Oglesby and Stebbins, 722
- Stebbins, J.F., see Zeng and Stebbins, 863
- Steele, I., see Burns et al., 604
- Stirling, J.A.R., see Burns et al., 1822
- Stølen, Sv., see Haavik et al., 514
- Stolz, J., see Kunz et al., 1465
- Strongin, D.R., see Elsetinow et al., 623
- Strongin, M., see Elsetinow et al., 623
- Strunz, H. and Nickel, E.H.: Pseudosinalhalite is a structural isotype of chondrodite, 1828
- Stucki, J.W., see Manceau et al., 133
- Stucki, J.W., see Manceau et al., 153
- Sturchio, N.C., see Hanchar et al., 1217
- Subbotin, V.V., Merlino, S., Pushcharovsky, Y.D., Pakhomovsky, Y.A., Ferro, O., Bogdanova, A.N., Voloshin, A.V.,
- Sorokhtina, N.V., and Zubkova, N.V.: Tumchaite $\text{Na}_2(\text{Zr},\text{Sn})\text{Si}_4\text{O}_{11}\cdot 2\text{H}_2\text{O}$ —A new mineral from carbonatites of the Vuoriyarvi alkali-ultrabasic massif, Murmansk Region, Russia, 1516
- Suito, K., see Hama et al., 321
- Sullivan, D.J., Shore, J.S., and Rice, J.A.: ¹¹³Cd double-resonance NMR as a probe of clay mineral cation exchange sites, 1022
- Sutton, S., see Dobson et al., 1838
- Suzuki, I., Ohno, I., and Anderson, O.L.: Harmonic and anharmonic properties of spinel MgAl_2O_4 , 304
- Suzuki, I., see Ohno et al., 288
- Suzuki, T., see Miura et al., 1799
- Swope, R.J., see Jacobsen et al., 745
- Szargan, R., see Nesbitt et al., 850
- Szargan, R., see Schaufuss et al., 1754
- Takeuchi, K., see Miyawaki et al., 1076
- Terada, Y., see Miyawaki et al., 1076
- Terry, M.P., Robinson, P., Hamilton, M.A., and Jercinovic, M.J.: Monazite geochronology of UHP and HP metamorphism, deformation, and exhumation, Nordøyane, Western Gneiss Region, Norway, 1651
- Terry, M.P., Robinson, P., and Ravna, E.J.K.: Kyanite eclogite thermobarometry and evidence for thrusting of UHP over HP metamorphic rocks, Nordøyane, Western Gneiss Region, Norway, 1637
- Thomas, R.: Determination of water contents of granite melt inclusions by confocal laser Raman microprobe spectroscopy, 868
- Thompson, A.B., see Stalder et al., 68
- Tiepolo, M., see Oberti et al., 407
- Tilmanns, E., see Friedrich et al., 593
- Timon, V., see Sainz-Diaz et al., 1038
- Tippelt, G., see Paar et al., 1066
- Townsend, P.D., see Karali et al., 668
- Topa, D., see Paar et al., 1066
- Toplis, M. J., Kohn, S.C., Smith, M.E., and Poplett, I.J.F.: Fivefold-coordinated aluminum in tectosilicate glasses observed by triple quantum MAS NMR, 1556
- Traina, S.J., see Manecki et al., 932
- Tribaudino, M.: A transmission electron microscope investigation of the $C2/c \rightarrow P2_1/c$ phase transition in clinopyroxenes along the diopside-enstatite ($\text{CaMgSi}_2\text{O}_6\text{-Mg}_2\text{Si}_2\text{O}_6$) join, 707
- Tribaudino, M., Benna, P., and Bruno, E.: TEM observations on the $\overline{P1}-\overline{I1}$ phase transition in feldspars along the join $\text{CaAl}_2\text{Si}_2\text{O}_8\text{-SrAl}_2\text{Si}_2\text{O}_8$, 963
- Tribaudino, M., see Pasqual et al., 953
- Tripathi, A., see Gasparik et al., 613
- Tsai, C.-H. and Liou, J.G.: Eclogite-facies reliefs and inferred ultrahigh-pressure metamorphism in the North Dabie Complex, central-eastern China, 1
- Uchida, T., see Dobson et al., 1838
- Ulmer, P., see Stalder et al., 68

- Ungaretti, L., see Callegari et al., 586
- Ungaretti, L., see Merli et al., 532
- Valley, J.W., see Sitzman et al., 14
- Vannucci, R., see Oberti et al., 407
- Vannucci, R., see Wulff-Pedersen et al., 1397
- Veblen, D.R., see Schubel et al., 858
- Veblen, D.R., see Xu et al., 509
- Velde, D.: Mineralogy of mafic xenoliths and their reaction zones in the olivine lamproite from Prairie Creek Arkansas and the paragenesis of haggertyite, $\text{Ba}[\text{Fe}_6\text{Ti}_3\text{Mg}]O_{19}$, 420
- Verkouteren, J.R. and Wylie, A.G.: The tremolite-actinolite-ferro-actinolite series: Systematic relationships among cell parameters, composition, optical properties, and habit, and evidence of discontinuities, 1239
- Verkouteren, J.R., see Wylie and Verkouteren, 1540
- Virgo, D. and Popp, R.K.: Hydrogen deficiency in mantle-derived phlogopites, 753
- Viti, C. and Frezzotti, M.-L.: Re-equilibration of glass and CO_2 inclusions in xenolith olivine: A TEM study, 1390
- Viti, C., see Olmi et al., 1508
- Vočadlo, L., see Dobson et al., 1838
- Vočadlo, L., Poirier, J.P., and Price, G.D.: Grüneisen parameters and isothermal equations of state, 390
- Vochten, R., see Eeckhout et al., 943
- Voloshin, A.V., see Subbotin et al., 1516
- Wagner, G.A., see Jonckheere and Wagner, 1744
- Walker, R.J., see Borisov and Walker, 912
- Walter, H., Roselieb, K., Büttner, H., and Rosenhauer, M.: Pressure dependence of the solubility of Ar and Kr in melts of the system $\text{SiO}_2\text{-NaAlSi}_2\text{O}_6$, 1117
- Wang, C.-l., see Banno et al., 1795
- Wang, Y., see Dobson et al., 1838
- Wang, L., Essene, E.J., and Zhang, Y.: Direct observation of immiscibility in pyrope-almandine-grossular garnet, 41
- Wang, S.L. and Johnston, C.T.: Assignment of the structural OH stretching bands of gibbsite, 739
- Wang, L., Rouse, R.C., Essene, E.J., Peacor, D.R., and Zhang, Y.: Carmichaelite, a new hydroxyl-bearing titanate from Garnet Ridge, Arizona, 792
- Watt, G.R., Griffin, B.J., and Kinny, P.D.: Charge contrast imaging of geological materials in the environmental scanning electron microscope, 1784
- Wegner, R., see Witzke et al., 847
- Weinberger, M.B., see Hazen et al., 770
- Welch, M.D., Cooper, M.A., Hawthorne, F.C., and Criddle, A.J.: Symesite, $\text{Pb}_{10}(\text{SO}_4)_2\text{Cl}_4(\text{H}_2\text{O})$, a new PbO-related sheet mineral: Description and crystal structure, 1526
- Welch, M.D., see Hawthorne et al., 1716
- Welch, M.D., see Robert et al., 926
- Wentzcovitch, R.M., see Karki et al., 317
- Werner, S., see Hattori et al., 1485
- Wessicken, R., see Ferraris et al., 1195
- Wheeler, K., see Mysen and Wheeler, 1128
- White, J.A., see Nobes et al., 1706
- Wildner, M., see Friedrich et al., 593
- Wilkin, R.T. and Barnes, H.L.: Nucleation and growth kinetics of analcime from precursor Na-clinoptilolite, 1329
- Wilkin, R.T., see Benning et al., 495
- Williams, C.T., see Broska et al., 22
- Winkler, B., Milman, V., Akhmatkaya, E.V., and Nobes, R.H.: Bonding and dynamics of Mg in pyrope: a theoretical investigation, 608
- Winkler, B., see Nobes et al., 1706
- Witzke, T., Wegner, R., Doering, T., Pöllmann, H., and Schuckmann, W.: Serrabrancaite, $\text{MnPO}_4\text{H}_2\text{O}$, a new mineral from the Alto Serra Branca pegmatite, Pedra Lavrada, Paraíba, Brazil, 847
- Wohletz, K.H.: *The Physics of Explosive Volcanic Eruptions*. Edited by J.S. Gilbert and R.S.J. Sparks, 267
- Wu, J., see Manceau et al., 133
- Wrang, P., see Lindgreen et al., 1223
- Wright, S.E., Foley, J.A., and Hughes, J.M.: Optimization of site occupancies in minerals using quadratic programming, 524
- Wu, J., see Manceau et al., 153
- Wulff-Pedersen, E., Neumann, E.-R., Burke, E.A.J., Vannucci, R., Bottazzi, P., Ottolini, L., Gjønnes, J., and Hansen, V.: Origin and structural character of haüyne_{ss} in spinel dunite xenoliths from La Palma, Canary Islands, 1397
- Wylie, A.G. and Verkouteren, J.R.: Amphibole asbestos from Libby, Montana: Aspects of nomenclature, 1540
- Wylie, A.G., see Verkouteren and Wylie, 1239
- Xu, H., Heaney, P.J., and Beall, G.H.: Phase transitions induced by solid solution in studded derivatives of quartz: A powder synchrotron XRD study of the $\text{LiAlSiO}_4\text{-SiO}_2$ join, 971
- Xu, H., Veblen, D.R., Buseck, P., and Ramakrishna, B.L.: TEM and SFM of exsolution and twinning in an alkali feldspar, 509
- Xu, H., see Phillips et al., 181
- Xu, J., see Huang et al., 473
- Xu, Y. and Schoonen, M.A.A.: The absolute energy positions of conduction and valence bands of selected semiconducting minerals, 543
- Yamanaka, T., see Hattori et al., 1485
- Yamanaka, T., see Nagai et al., 760
- Yang, H. and Konzett, J.: High-pressure synthesis of $\text{Na}_2\text{Mg}_6\text{Si}_6\text{O}_{18}(\text{OH})_2$ —a new hydrous silicate phase isostructural with aenigmatite, 259
- Yang, H., see Hazen et al., 770
- Yang, H., see Hazen et al., 778
- Yang, S.V., see Ivanov et al., 1082
- Yoder Jr., H.S., see Mysen and Yoder, 1092
- Yokoyama, K., see Miyawaki et al., 1076
- Yu, P., see Hou et al., 173
- Zanazzi, P.F., see Brizi et al., 1375
- Zanetti, A., see Oberti et al., 407
- Zhang, Y.G. and Frantz, J.D.: Enstatite-forsterite-water equilibria at elevated temperatures and pressures, 918
- Zhang, Y., see Wang et al., 41
- Zhang, Y., see Wang et al., 792
- Zhao, P., see Cheng et al., 1030
- Ziemann, M.A., see Schmidt and Ziemann, 1725
- Zeng, Q. and Stebbins, J.F.: Fluoride sites in aluminosilicate glasses: High-resolution ^{19}F NMR results, 863
- Zolensky, M.E., see Ivanov et al., 1082
- Zotov, N. and Kepler, H.: In-situ Raman spectra of dissolved silica species in aqueous fluids to 900 °C and 14 kbar, 600
- Zubkova, N.V., see Subbotin et al., 1516