

## **Evidence of dmisteinbergite (hexagonal form of $\text{CaAl}_2\text{Si}_2\text{O}_8$ ) in pseudotachylyte: A tool to constrain the thermal history of a seismic event**

**FABRIZIO NESTOLA,<sup>1,2,\*</sup> SILVIA MITTEMPERGER,<sup>1</sup> GIULIO DI TORO,<sup>1,3</sup> FEDERICO ZORZI,<sup>1</sup>  
AND DANILO PEDRON<sup>4</sup>**

<sup>1</sup>Dipartimento di Geoscienze, Università di Padova, Via Giotto 1, I-35137 Padova, Italy

<sup>2</sup>CNR-IGG, Sezione di Padova, Via Giotto 1, I-35137 Padova, Italy

<sup>3</sup>Istituto Nazionale di Geofisica e Vulcanologia, Via di Vigna Murata 605, 00143 Roma, Italy

<sup>4</sup>Dipartimento di Scienze Chimiche, Università di Padova, Via Marzolo 1, I-35137 Padova, Italy

### **ABSTRACT**

The determination of the maximum temperature achieved by friction melt ( $T_{\text{melt}}$ ) in pseudotachylyte-bearing faults is crucial to estimate earthquake source parameters (e.g., earthquake energy budgets, coseismic fault strength) on a geological basis. Here we investigated the mineralogy of a pseudotachylyte from the Gole Larghe Fault (Italian Alps) by using X-ray powder diffraction, micro-Raman spectroscopy, and EDS-equipped field emission scanning electron microscopy. In particular, we report the presence of the hexagonal polymorph of  $\text{CaAl}_2\text{Si}_2\text{O}_8$  (dmisteinbergite) in a pseudotachylyte. Published experimental work shows dmisteinbergite can crystallize at 1200–1400 °C by rapid quenching. Therefore, the presence of dmisteinbergite in pseudotachylyte could be a reliable geothermometer for friction melts for which  $T_{\text{melt}}$  has only as yet been estimated.

**Keywords:** Pseudotachylyte, earthquake, dmisteinbergite, geothermometer