

2005 Author Index

- Agrosì, G., see Bosi et al., 1661
Ahuja, R., see Skorodumova et al., 1008
Ai, Y., see Zhang et al., 181
Akaogi, M., see Yusa et al., 1017
Aldega, L. and Eberl, D.D.: Detrital ilite crystals identified from crystallite thickness measurements in siliciclastic sediments, 1587
Allada, R.K., Navrotsky, A., and Boerio-Goates, J.: Thermochemistry of hydrotalcite-like phases in the MgO-Al₂O₃-CO₂-H₂O system: A determination of enthalpy, entropy, and free energy, 329
Allan, M.M., Yardley, B.W.D., Forbes, L.J., Shmulovich, K.I., Banks, D.A., and Shepherd, T.J.: Validation of LA-ICP-MS fluid inclusion analysis with synthetic fluid inclusions, 1767
Allard, T., see Balan et al., 50
Allwardt, J.R., Poe, B.T., and Stebbins, J.F.: The effect of fictive temperature on Al coordination in high-pressure (10 GPa) sodium aluminosilicate glasses, 1453
Allwardt, J.R., Stebbins, J.F., Schmidt, B.C., Frost, D.J., Withers, A.C., and Hirschmann, M.M.: Aluminum coordination and the densification of high-pressure aluminosilicate glasses, 1218
Andreozzi, G.B., see Bosi et al., 1784
Angel, R.J., see Benusa et al., 1115
Antao, S.M., Hassan, I., and Parise, J.: Cation ordering in magnesioferrite, MgFe₂O₄, to 982 °C using *in situ* synchrotron X-ray powder diffraction, 219
Antao, S.M., Hassan, I., Crichton, W.A., and Parise, J.B.: Effects of high pressure and high temperature on cation ordering in magnesioferrite, MgFe₂O₄, using *in situ* synchrotron X-ray powder diffraction up to 1430 K and 6 GPa, 1500
Antao, S.M., see Crichton et al., 22
Arai, S., see Tamura and Arai, 473
Arató, B., Szányi, Z., Flies, C., Schüller, D., Frankel, R.B., Buseck, P.R., and Pósfai, M.: Crystal-size and shape distributions of magnetite from uncultured magnetotactic bacteria as a potential biomarker, 1233
Arima, M., see Kozai and Arima, 1759
Arletti, R., Galli, E., Vezzalini, G., and Wise, W.S.: Mazzite-Na, a new zeolite from Boron, California: Its description and crystal structure, 1186
Arletti, R., see Fois et al., 28
Armbruster, T., see Galuskina et al., 1688
Armbruster, T., see Sondergeld et al., 448
Artioli, G., see Dapiaggi et al., 506
Asahara, Y., Ohtani, E., Kondo, T., Kubo, T., Miyajima, N., Nagase, T., Fujino, K., Yagi, T., and Kikegawa, T.: Formation of metastable cubic-perovskite in high-pressure phase transformation of Ca(Mg, Fe, Al)Si₂O₆, 457
Ashbrook, S.E., Berry, A.J., Hibberson, W.O., Steuernagel, S., and Wimperis, S.: High-resolution ¹⁷O MAS NMR spectroscopy of forsterite (α -Mg₂SiO₄), wadsleyite (β -Mg₂SiO₄), and ringwoodite (γ -Mg₂SiO₄), 1861
Balan, E., Lazzeri, M., Saitta, A.M., Allard, T., Fuchs, Y., and Mauri, F.: First-principles study of OH-stretching modes in kaolinite, dickite, and nacrite, 50
Ballaran, T.B., see Gatta et al., 645
Ballaran, T.B., see Jacobsen et al., 61
Bancroft, G.M., see Legrand et al., 1042
Bancroft, G.M., see Legrand et al., 1055
Bandli, B.R., see Gunter et al., 749
Banks, D.A., see Allan et al., 1767
Banno, Y., see Kogure et al., 725
Barbier, J., see Grew et al., 1402
Bargar, J.R., see Webb et al., 1342
Bargar, J.R., Tebo, B.M., Bergmann, U., Webb, S.M., Glatzel, P., Chiu, V.Q., and Villalobos, M.: Biotic and abiotic products of Mn(II) oxidation by spores of the marine *Bacillus* sp. strain SG-1, 143
Bartelmehs, K.L., see Gunter et al., 1684
Bartholomew, P.R., Mancini, F., Cahill, C., Harlow, G.E., and Bernhardt, H.-J.: Zoltaiite, a new barium-vanadium nesosilicate mineral from British Columbia: Description and crystal structure, 1655
Bass, J.D., see Jackson et al., 199
Bassett, W.A., see Shahar et al., 1835
Beard, B.L., see Poulson et al., 758
Becker, K.D., see Mack et al., 1078
Beers, A.W.F., see Vogels et al., 945
Bekenova, G.K., see Saburov et al., 1163
Belonoshko, A.B., see Skorodumova et al., 1008
Benedetto, F.D., Bernardini, G.P., Costagliola, P., Plant, D., and Vaughan, D.J.: Compositional zoning in sphalerite crystals, 1384
Benusa, M.D., Angel, R.J., and Ross, N.L.: Compression of albite, NaAlSi₃O₈, 1115
Bergmann, U., see Bargar et al., 143
Berman, R.G., see Mercier et al., 399
Bernardini, G.P., see Benedetto et al., 1384
Bernhardt, H.-J., see Bartholomew et al., 1655
Berry, A.J., see Ashbrook et al., 1861
Bethke, C.M.: Presentation of the Mineralogical Society of America Dana Medal for 2004 to R. James Kirkpatrick, 1031
be Mezeme, E., see Cocherie et al., 607
Bhadra, S., see Prasad et al., 291
Bhattacharya, A., see Prasad et al., 291
Bihannic, I., see Michot et al., 166
Bindeman, I.N.: Fragmentation phenomena in populations of magmatic crystals, 1801
Bindi, L., Bonazzi, P., Dei, L., and Zoppi, A.: Does the bazhenovite structure really contain a thiosulfate group? A structural and spectroscopic study of a sample from the type locality, 1556
Bindi, L., see Bonazzi et al., 1108
Bindi, L. and Menchetti, S.: Structural changes accompanying the phase transformation between leadhillite and susannite: A structural study by means of *in situ* high-temperature single-crystal X-ray diffraction, 1641
Bishop, J.L. and Murad, E.: The visible and infrared spectral properties of jarosite and alunite, 1100
Birimis, M., see Sen et al., 871
Blake, D., see Stracher et al., 1729
Bloss, F.D., see Gunter et al., 1684

- Boerio-Goates, J., see kumar Allada et al., 329
- Bonazzi, P., Lampronti, G.I., Bindì, L., and Zanardi, S.: Wakabayashilite, $[(\text{As}, \text{Sb})_6\text{S}_9][\text{As}_4\text{S}_5]$: Crystal structure, pseudosymmetry, twinning, and revised chemical formula, 1108
- Bonazzi, P., see Bindì et al., 1556
- Bosi, F., Agrosò, G., Lucchesi, S., Melchiorre, G., and Scandal, E.: Mn-tourmaline from island of Elba (Italy): Crystal chemistry, 1661
- Bosi, F., Andreozzi, G.B., Federico, M., Graziani, G., and Lucchesi, S.: Crystal chemistry of the elbaite-schorl series, 1784
- Botez, C., see Majzlan et al., 411
- Boyer, B., see Tumiati et al., 1177
- Boyle, A.P., see Ohfuji et al., 1693
- Bozhilov, K.N., see Driscall et al., 900
- Britten, J., see Grew et al., 1402
- Britvin, S.N., see Saburov et al., 1163
- Brunet, F., see Vielzeuf et al., 463
- Bryan, N.D., see Shaw et al., 1852
- Bucher, K., Fazis, Y., de Capitani, C., and Grapes, R.: Blueschists, eclogites, and decompression assemblages of the Zermatt-Saas ophiolite: High-pressure metamorphism of subducted Tethys lithosphere, 821
- Buckman, J.O., see Cuthbert and Buckman, 701
- Buhre, S., see Walker et al., 229
- Burke, E.A.J. and Leake, B.E.: "Named Amphiboles": A new category of amphiboles recognized by the International Mineralogical Association (IMA) and a defined sequence order for the use of prefixes in amphibole names, 516
- Burnley, P.C.: Investigation of the martensitic-like transformation from Mg_2GeO_4 olivine to its spinel structure polymorph, 1315
- Burns, P.C., see Kubatko et al., 1284
- Burns, P.C., see Locock et al., 240
- Buseck, P.R., see Arató et al., 1233
- Cahill, C., see Bartholomew et al., 1655
- Calas, G., Galoisy, L., and Kiratisin, A.: The origin of the green color of variscite, 984
- Calvari, S., see Corsaro et al., 1413
- Cámarra, F., see Oberti et al., 732
- Cámarra, F. and Oberti, R.: The crystal chemistry of holmquistites: Ferroholmquistite from Greenbushes (Western Australia) and hints for compositional constraints in BLi amphiboles, 1167
- Capitani, G. and Mellini, M.: HRTEM evidence for 8-reversals in the $m = 17$ antigorite polysome, 991
- Capitanio, F.: Comment on Melluso et al. (2003): The Ricetto and Colle Fabbri wollastonite and melilite-bearing rocks of the central Apennines, Italy, 1934
- Carlson, W., see Sorensen and Carlson, 777
- Carpenter, M.A., see Sondergeld et al., 448
- Castorina, F., see Stoppa et al., 1919
- Catalli, K., see Santillán et al., 1669
- Catalli, K. and Williams, Q.: A high-pressure phase transition of calcite III, 1679
- Chaitanya, V.K., see Prasad et al., 672
- Chapman, B., see Melchiorre et al., 1518
- Chaudhuri, S., see Martin et al., 1522
- Chaya, H., see Nakatsuka et al., 755
- Chen, J., Liu, H., Martin, C.D., Parise, J.B., and Weidner, D.J.: Crystal chemistry of NaMgF_3 perovskite at high pressure and temperature, 1534
- Chen, J., see Song et al., 814
- Cheney, J.T., see Pyle et al., 592
- Chesley, J., see Uchida et al., 1900
- Chiu, V.Q., see Bargar et al., 143
- Chou, I.-M., see Shahar et al., 1835
- Chou, I.-M. and Seal II, R.R.: Acquisition and evaluation of thermodynamic data for bieberite-moorhouseite equilibria at 0.1 MPa, 912
- Chukanov, N.V., see Saburov et al., 1163
- Clark, S.M., see Walker et al., 229
- Clement, S.M., see Dahl et al., 1712
- Cocherie, A., see Mezeme, E., Legendre, O., Fanning, C.M., Faure, M., and Rossi, P.: Electron-microprobe dating as a tool for determining the closure of Th-U-Pb systems in migmatitic monazites, 607
- Cody, G.D., see Lee et al., 1393
- Coleman, R.G., see Tsujimori et al., 836
- Comodi, P., Fumagalli, P., Nazzareni, S., and Zanazzi, P.F.: The 10 Å phase: Crystal structure from single-crystal X-ray data, 1012
- Comodi, P., see Gatta et al., 645
- Conticelli, S., see Melluso et al., 1926
- Conticelli, S., see Melluso et al., 1940
- Cordier, P., see Durinck et al., 1072
- Corsaro, R.A., Calvari, S., and Pompilio, M.: Formation of lava stalactites in the master tube of the 1792–1793 flow field, Mt. Etna (Italy), 1413
- Costagliola, P., see Benedetto et al., 1384
- Courtial, P. and Dingwell, D.B.: High-temperature density of lanthanide-bearing Na-silicate melts: Partial molar volumes for Ce_2O_3 , Pr_2O_3 , Nd_2O_3 , Sm_2O_3 , Eu_2O_3 , Gd_2O_3 , Tb_2O_3 , Dy_2O_3 , Ho_2O_3 , Er_2O_3 , Tm_2O_3 , and Yb_2O_3 , 1597
- Cranswick, L.M.D., see Walker et al., 229
- Crichton, W.A., Parise, J.B., Antao, S.M., and Grzechnik, A.: Evidence for monazite-, barite-, and AgMnO_4 (distorted barite)-type structures of CaSO_4 at high pressure and temperature, 22
- Crichton, W.A., see Antao et al., 1500
- Crichton, W.A., see Welch and Crichton, 1139
- Cuif, J.-P., see Dauphin et al., 1748
- Cundari, A., see Stoppa et al., 1919
- Cuthbert, S.J. and Buckman, J.O.: Charge contrast imaging of fine-scale microstructure and compositional variation in garnet using the environmental scanning electron microscope, 701
- Cutler, J.N., see Sitepu et al., 1740
- D'Antonio, M., see Melluso et al., 1926
- D'Antonio, M., see Melluso et al., 1940
- Dahl, P.S., Hamilton, M.A., Jercinovic, M.J., Terry, M.P., Williams, M.L., and Frei, R.: Comparative isotopic and chemical geochronometry of monazite, with implications for U-Th-Pb dating by electron microprobe: An example from metamorphic rocks of the eastern Wyoming craton (U.S.A.), 619
- Dahl, P.S., Terry, M.P., Jercinovic, M.J., Williams, M.L., Hamilton, M.A., Foland, K.A., Clement, S.M., and Friberg, L.V.M.: Electron probe (Ultrachron) microchronometry of metamorphic monazite: Unraveling the timing of polyphase thermotectonism in the easternmost Wyoming Craton (Black Hills, South Dakota), 1712
- Dale, D., see Melchiorre et al., 1518
- Dang, M.-Z., see Rancourt and Dang, 1571
- Daniel, C.G., see Pyle et al., 547
- Danyushevsky, L.V., see Kamenetsky and Danyushevsky, 1674
- Dapiaggi, M., Geiger, C.A., and Artioli, G.: Microscopic strain in synthetic pyrope-grossular solid solutions determined by synchrotron X-ray powder diffraction at 5 K: The relationship to enthalpy of mixing behavior, 506
- Dapiaggi, M., see Levy et al., 1157

- Dauphin, Y., Cuif, J.-P., Salomé, M., and Susini, J.: Speciation and distribution of sulfur in a mollusk shell as revealed by *in situ* maps using X-ray absorption near-edge structure (XANES) spectroscopy at the S K-edge, 1748
- Dei, L., see Bindi et al., 1556
- Della Ventura, G., Iezzi, G., Redhammer, G.J., Hawthorne, F.C., Scaillet, B., and Novembre, D.: Synthesis and crystal-chemistry of alkali amphiboles in the system $\text{Na}_2\text{O}-\text{MgO}-\text{FeO}-\text{Fe}_2\text{O}_3-\text{SiO}_2-\text{H}_2\text{O}$ as a function of f_{O_2} , 1375
- Della Ventura, G., see Iezzi et al., 695
- Deloule, E., see Demouchy et al., 1084
- Demouchy, S., Deloule, E., Frost, D.J., and Keppler, H.: Pressure and temperature-dependence of water solubility in Fe-free wadsleyite, 1084
- Demouchy, S., see Jacobsen et al., 61
- de Capitani, C., see Bucher et al., 821
- Diella, V., see Levy et al., 1157
- Diella, V., see Pezzotta et al., 1442
- Ding, Y., Veblen, D.R., and Prewitt, C.T.: High-resolution transmission electron microscopy (HRTEM) study of the 4a and 6a superstructure of bornite Cu_5FeS_4 , 1256
- Ding, Y., Veblen, D.R., and Prewitt, C.T.: Possible Fe/Cu ordering schemes in the 2a superstructure of bornite (Cu_5FeS_4), 1265
- Dingwell, D.B., see Courtial and Dingwell, 1597
- Dittrich, M., see Obst et al., 1270
- Dohnalkova, A.C., see Kukkadapu et al., 510
- Dolansky, L.M., see Pe-Piper and Dolansky, 1434
- Domeneghetti, M.C., Zema, M., and Tazzoli, V.: Kinetics of $\text{Fe}^{2+}-\text{Mg}$ order-disorder in $P2/c$ pigeonite, 1816
- Downs, R.T., see Gunter et al., 1684
- Downs, R.T., see Lager et al., 639
- Downs, R.T., see Thompson et al., 1840
- Downs, R.T., see Uchida et al., 1900
- Drebushchak, V.A., see Turkin and Drebushchak, 764
- Driscall, J., Jenkins, D.M., Dyar, M.D., and Bozhilov, K.N.: Cation ordering in synthetic low-calcium actinolite, 900
- Drits, V.A., Sakharov, B.A., Salyn, A.L., and Lindgreen, H.: Determination of the content and distribution of fixed ammonium in illite-smectite using a modified X-ray diffraction technique: Application to oil source rocks of western Greenland, 71
- Drits, V.A., see Ferrage et al., 1358
- Ducea, M.N., Saleeby, J., Morrison, J., and Valencia, V.: Subducted carbonates, metasomatism of mantle wedges, and possible connections to diamond formation: An example from California, 864
- Dumitriş, D.-G., see Marincea and Dumitriş, 1203
- Durinck, J., Legris, A., and Cordier, P.: Influence of crystal chemistry on ideal plastic shear anisotropy in forsterite: First principle calculations, 1072
- Dyar, M.D., see Driscall et al., 900
- Dzierżanowski, P., see Galuska et al., 1688
- Ebel, D.S., see Sack et al., 1000
- Eberl, D.D., see Aldega and Eberl, 1587
- Ellemann-Olesen, R. and Malcherek, T.: A high-temperature diffraction study of the solid solution $\text{CaTiOSiO}_4-\text{CaTiOGGeO}_4$, 1325
- Ellemann-Olesen, R. and Malcherek, T.: Temperature and composition dependence of structural phase transitions in $\text{Ca}(\text{Ti},\text{Zr}_{1-x})\text{OGeO}_4$, 687
- Elphick, S.C., see Wartho et al., 954
- Ercit, T.S., see Pilipon and Ercit, 1466
- Ercit, T.S., see Pilipon et al., 1227
- Ercit, T.S., see Pilipon et al., 768
- Ernst, W.G.: Contact metamorphism of the White Mountain Peak metavolcanic complex, eastern California, 1
- Errandonea, D., see Jackson et al., 199
- Ertl, A., Rossman, G.R., Hughes, J.M., Prowatke, S., and Ludwig, T.: Mn-bearing “oxy-rossmanite” with tetrahedrally coordinated Al and B from Austria: Structure, chemistry, and infrared and optical spectroscopic study, 481
- Escamilla-Roa, E., see Sainz-Díaz et al., 1827
- Essene, E.J., see Page et al., 1092
- Evans, R.J., Rancourt, D.G., and Grodzicki, M.: Hyperfine electric field gradients and local distortion environments of octahedrally coordinated Fe^{2+} , 187
- Evans, R.J., Rancourt, D.G., and Grodzicki, M.: Hyperfine electric field gradient tensors at Fe^{2+} sites in octahedral layers: Toward understanding oriented single-crystal Mössbauer spectroscopy measurements of micas, 1540
- Evans, R.J., see Mercier et al., 382
- Evans, S.H., see Gunter et al., 1684
- Faivre, D., Menguy, N., Guyot, F., Lopez, O., and Zuddas, P.: Morphology of nanomagnetite crystals: Implications for formation conditions, 1793
- Fanning, C.M., see Cocherie et al., 607
- Faure, M., see Cocherie et al., 607
- Fazis, Y., see Bucher et al., 821
- Federico, M., see Bosi et al., 1784
- Fei, Y., see Jackson et al., 199
- Ferrage, E., Lanson, B., Sakharov, B.A., and Drits, V.A.: Investigation of smectite hydration properties by modeling experimental X-ray diffraction patterns: Part I. Montmorillonite hydration properties, 1358
- Ferry, J.M., see Penniston-Dorland and Ferry, 1606
- Flies, C., see Arató et al., 1233
- Flora, N.J., see Yoder and Flora, 488
- Flynn, T.M., see Locock et al., 240
- Fois, E., Gamba, A., Tabacchi, G., Arletti, R., Quartieri, S., and Vezzalini, G.: The “template” effect of the extra-framework content on zeolite compression: The case of yugawaralite, 28
- Foland, K.A., see Dahl et al., 1712
- Fontan, F., see Roda et al., 1887
- Forbes, L.J., see Allan et al., 1767
- Frankel, R.B., see Arató et al., 1233
- Fransolet, A.-M., see Hatert et al., 653
- Fredericks, R., see Sack et al., 1000
- Fredrickson, J.K., see Kukkadapu et al., 510
- Frei, R., see Dahl et al., 619
- Friberg, L.V.M., see Dahl et al., 1712
- Frost, D.J., see Demouchy et al., 1084
- Frost, D.J., see Jacobsen et al., 61
- Frost, D.J., see Allwardt et al., 1218
- Fu, B., see Li et al., 90
- Fuchs, Y., see Balan et al., 50
- Fujino, K., see Asahara et al., 457
- Fumagalli, P., see Comodi et al., 1012
- Gaillard, F., see Iezzi et al., 695
- Galli, E., see Arletti et al., 1186
- Gallup, D.L., Manceau and Gallup, 371
- Galoisy, L., see Calas et al., 984
- Galuskin, E.V., see Galuska et al., 1688
- Galuska, I.O., Galuskin, E.V., Dzierżanowski, P., Armbruster, T., and Kozanecki, M.: A natural scandian garnet, 1688
- Gamba, A., see Fois et al., 28
- Gao, Y.J., see Zhang et al., 857
- Garcia, M.O., see Norman et al., 888
- Gasser, P., see Obst et al., 1270
- Gatta, G.D., Comodi, P., Zanazzi, P.F., and Ballaran, T.B.: Anomalous elastic

- behavior and high-pressure structural evolution of zeolite levyne, 645
- Gatta, G.D., see Iezzi et al., 695
- Geiger, C.A., see Dapiaggi et al., 506
- Geiger, C.A., see Kolesov and Geiger, 1335
- Geisler, T., Pöml, P., Stephan, T., Jansen, A., and Putnis, A.: Experimental observation of an interface-controlled pseudomorphic replacement reaction in a natural crystalline pyrochlore, 1683
- Geus, J.W., see Vogels et al., 931
- Geus, J.W., see Vogels et al., 945
- Ghent, E.D., see Tinkham and Ghent, 737
- Giester, G., see Sondergeld et al., 448
- Gil-Crespo, P.P., see Roda et al., 1887
- Glatzel, P., see Bargar et al., 143
- Glinnemann, J., see Nasdala et al., 745
- Godard, G., see Tumiati et al., 1177
- Golla-Schindler, U., O'Neill, H.St.C., and Putnis, A.: Direct observation of spinodal decomposition in the magnetite-hercynite system by susceptibility measurements and transmission electron microscopy, 1278
- Goncalves, P., Williams, M.L., and Jernicovic, M.J.: Electron-microprobe age mapping of monazite, 578
- Götze, J., Plötze, M., and Trautmann, T.: Structure and luminescence characteristics of quartz from pegmatites, 13
- Grandjean, F., see Hatert et al., 653
- Grapes, R., see Bucher et al., 821
- Grassmann, O., see Sethmann et al., 1213
- Graziani, G., see Bosi et al., 1784
- Grew, E.S., Barbier, J., Britten, J., Yates, M.G., Polyakov, V.O., Shcherbakova, E.P., Hälenius, U., and Shearer, C.K.: Makarochkinite, $\text{Ca}_2\text{Fe}^{2+}\text{Fe}^{3+}\text{TiSi}_4\text{BeAlO}_{20}$, a new beryllsilicate member of the aenigmatite-sapphirine-surianite group from the Il'men Mountains (southern Urals), Russia, 1402
- Grew, E.S., see Jambor et al., 518
- Grew, E.S., see Piilonen et al., 1227
- Grew, E.S., see Piilonen et al., 1945
- Grey, C.P., see Martin et al., 1522
- Grice, J.D., see Tait et al., 304
- Griffen, D.T., see Nelson and Griffen, 969
- Griffin, W.L., see Zhang et al., 801
- Grodzicki, M., see Evans et al., 1540
- Grodzicki, M., see Evans et al., 187
- Grossie, D.A., see Hu et al., 963
- Grow, J.S., see Gunter et al., 1684
- Groy, T.L., see Leinenweber et al., 115
- Grzecznik, A., see Crichton et al., 22
- Gualtieri, A.F., see Ventriti et al., 679
- Guaostoni, A., see Pezzotta et al., 1442
- Guggenheim, S.: *Deer, Howie and Zussman Rock-forming Minerals, Sheet Silicates: Micas, volume 3A, 2nd edition* by M.E. Fleet, 774
- Guidotti, C.V., see Henry et al., 316
- Gunter, M.E., Downs, R.T., Bartelmehs, K.L., Evans, S.H., Pommier, C.J.S., Grow, J.S., Sanchez, M.S., and Bloss, F.D.: Optic properties of centimeter-sized crystals determined in air with the spindle stage using EXCALIBRW, 1648
- Gunter, M.E., Singleton, E., Bandli, B.R., Lowers, H.A., and Meeker, G.P.: Differentiation of commercial vermiculite based on statistical analysis of bulk chemical data: Fingerprinting vermiculite from Libby, Montana U.S.A., 749
- Guyot, F., see Faivre et al., 1793
- Haggerty, S.E.: Presentation of the Mineralogical Society of America Roebling medal for 2004 to Frances R. "Joe" Boyd, 1021
- Häkkänen, H., see Lindblom et al., 428
- Hälenius, U., see Grew et al., 1402
- Hamilton, M.A., see Dahl et al., 1712
- Hamilton, M.A., see Dahl et al., 619
- Han, Y., see Wu et al., 1458
- Hardy, L.S., see Sack et al., 1000
- Harlow, G.E., see Bartholomew et al., 1655
- Harris, J.W., see Nasdala et al., 745
- Hassan, I., see Antao et al., 1500
- Hassan, I., see Antao et al., 219
- Hatert, F., Rebbouh, L., Hermann, R.P., Fransolet, A.-M., Long, G.J., and Grandjean, F.: Crystal chemistry of the hydrothermally synthesized $\text{Na}_2(\text{Mn}_{1-x}\text{Fe}^{2+})_2\text{Fe}^{3+}(\text{PO}_4)_3$ alluaudite-type solid solution, 653
- Hatta, T., see Kyono et al., 1563
- Hawthorne, F.C., see Della Ventura et al., 1375
- Hawthorne, F.C., see Tait et al., 304
- Helean, K.B., see Kubatko et al., 1284
- Henry, D.J., Guidotti, C.V., and Thomson, J.A.: The Ti-saturation surface for low-to-medium pressure metapelitic biotites: Implications for geothermometry and Ti-substitution mechanisms, 316
- Hermann, R.P., see Hatert et al., 653
- Hernández-Laguna, A., see Sainz-Díaz et al., 1827
- Hibberson, W.O., see Ashbrook et al., 1861
- Higgins, S.R., see Hu et al., 963
- Hirai, S., see Zhang et al., 173
- Hirose, K., Kawamura, K., Ohishi, Y., Tateno, S., and Sata, N.: Stability and equation of state of MgGeO_3 post-perovskite phase, 262
- Hirschmann, M.M., see Allwardt et al., 1218
- Hochella, Jr., M.F., Kasama, T., Putnis, A., Putnis, C.V., and Moore, J.N.: Environmentally important, poorly crystalline Fe/Mn hydrous oxides: Ferrihydrite and a possibly new vernadite-like mineral from the Clark Fork River Superfund Complex, 718
- Hochella Jr., M.F.: Presentation of the Mineralogical Society of America Award for 2004 to Kevin M. Rosso, 1025
- Hoffbauer, R., see Sengupta et al., 1241
- Hofmeister, W., see Nasdala et al., 745
- Hölsä, J., see Lindblom et al., 428
- Hriljac, J.A., see Lee et al., 247
- Hriljac, J.A., see Lee et al., 252
- Hu, M.Y., see Jackson et al., 199
- Hu, X., Grossie, D.A., and Higgins, S.R.: Growth and dissolution kinetics at the dolomite-water interface: An in-situ scanning probe microscopy study, 963
- Huang, L., see Skorodumova et al., 1008
- Huddlestone-Holmes, C.R. and Ketcham, R.A.: Getting the inside story: Using computed X-ray tomography to study inclusion trails in garnet porphyroblasts, 1918. See also DOI: 10.2138/am.2005.1840
- Huggett, J.M., Cuadros and Huggett, 1192
- Huggett, J.M. and Cuadros, J.: Low-temperature illitization of smectite in the late eocene and early oligocene of the Isle of Wight (Hampshire basin), U.K., 1192
- Hughes, J.M., see Ertl et al., 481
- Hughes, J.M.: Presentation of the Mineralogical Society of America Distinguished Public Service Medal for Robert F. Martin, 1027
- Iezzi, G., Gatta, G.D., Kockelmann, W., Della Ventura, G., Rinaldi, R., Schäfer, W., Piccinini, M., and Gaillard, F.: Low- T neutron powder-diffraction and synchrotron-radiation

- IR study of synthetic amphibole Na(NaMg)Mg₅Si₈O₂₂(OH)₂, 695
- Iezzi, G., see Della Ventura et al., 1375
- Ikeda, S., see Tsuchiyama et al., 132
- Inoue, A., see Kogure and Inoue, 85
- Ishida, K., see Senda et al., 1062
- Isobe, H., see Suzuki et al., 1308
- Jackson, J.M., Sturhahn, W., Shen, G., Zhao, J., Hu, M.Y., Errandonea, D., Bass, J.D., and Fei, Y.: A synchrotron Mössbauer spectroscopy study of (Mg,Fe)SiO₃ perovskite up to 120 GPa, 199
- Jacobsen, S.D., Demouchy, S., Frost, D.J., Ballaran, T.B., and Kung, J.: A systematic study of OH in hydrous wadsleyite from polarized FTIR spectroscopy and single-crystal X-ray diffraction: Oxygen sites for hydrogen storage in Earth's interior, 61
- Jambor, J.L., Grew, E.S., and Roberts, A.C.: New Mineral Names, 518
- Jambor, J.L., see Piilonen et al., 1227
- Jambor, J.L. and Roberts, A.C.: New Mineral Names, 271
- Janssen, A., see Geisler et al., 1683
- Javorsky, P., see Klemme et al., 663
- Jenkins, D.M., see Driscall et al., 900
- Jenkins, D.M., see Senda et al., 1062
- Jercinovic, M.J., see Dahl et al., 1712
- Jercinovic, M.J., see Dahl et al., 619
- Jercinovic, M.J., see Goncalves et al., 578
- Jercinovic, M.J. and Williams, M.L.: Analytical perils (and progress) in electron microprobe trace element analysis applied to geochronology: Background acquisition, interferences, and beam irradiation effects, 526
- Johansson, B., see Skorodumova et al., 1008
- Johnson, C.M., see Poulson et al., 758
- Johnson, J.E., see Leinenweber et al., 115
- Johnston, C.T., see Sato et al., 1824
- Jones, R.L., see Walker et al., 229
- Kagi, H., see Komatsu et al., 266
- Kägi, R., Müntener, O., Ulmer, P., and Ottolini, L.: Piston-cylinder experiments on H₂O undersaturated Fe-bearing systems: An experimental setup approaching *f*_{O₂} conditions of natural calc-alkaline magmas, 708
- Kameda, J., Yamagishi, A., and Kogure, T.: Morphological characteristics of ordered kaolinite: Investigation using electron back-scattered diffraction, 1462
- Kamenetsky, V.S. and Danyushevsky, L.V.: Metals in quartz-hosted melt inclusions: Natural facts and experimental artifacts, 1674
- Kaneko, Y., Tsunogae, T., and Miyano, T.: Crystal-size distributions of garnets in metapelites from the northeastern Bushveld contact aureole, South Africa, 1422
- Karner, J.M., see Papike et al., 277
- Kasama, T., see Hochella et al., 718
- Kato, Y., see Yusa et al., 1017
- Kawamura, K., see Hirose et al., 262
- Kelley, S.P., see Wartho et al., 954
- Kennedy, D.W., see Kukkadapu et al., 510
- Keppler, H., see Demouchy et al., 1084
- Keppler, H. and Smyth, J.R.: Optical and near infrared spectra of ringwoodite to 21.5 GPa: Implications for radiative heat transport in the mantle, 1209
- Keshav, S., see Sen et al., 871
- Ketcham, R.A., see Huddlestome-Holmes and Ketcham, 1918
- Khomenko, V.M. and Langer, K.: Carbon oxides in cordierite channels: Determination of CO₂ isotopic species and CO by single-crystal IR spectroscopy, 1913
- Kikegawa, T., see Ono et al., 667
- Kikegawa, T., see Asahara et al., 457
- Kimata, M., see Kyono and Kimata, 162
- Kimata, M., see Kyono et al., 1563
- Kingston, M.: Acceptance of the Roebling Medal of the Mineralogical Society of America for 2004, 1023
- Kiratisin, A., see Calas et al., 984
- Kirkpatrick, R.J.: Acceptance of the Dana Medal of the Mineralogical Society of America for 2004, 1032
- Kityk, A., see Sondergeld et al., 448
- Klein, C.: Some Precambrian banded iron-formations (BIFs) from around the world: Their age, geologic setting, mineralogy, metamorphism, geochemistry, and origin, 1473
- Klemme, S., van Miltenburg, J.C., Javorsky, P., and Wastin, F.: Thermodynamic properties of uvarovite garnet (Ca₃Cr₂Si₃O₁₂), 663
- Kloprogge, J.T., see Vogels et al., 931
- Kloprogge, J.T., see Vogels et al., 945
- Koch-Müller, M., see Lathe et al., 36
- Kockelmann, W., see Iezzi et al., 695
- Kogure, T., Miyawaki, R., and Banno, Y.: The true structure of wonesite, an interlayer deficient trioctahedral sodium mica, 725
- Kogure, T., see Kameda et al., 1462
- Kogure, T., see Suzuki et al., 1308
- Kogure, T. and Inoue, A.: Determination of defect structures in kaolin minerals by high-resolution transmission electron microscopy (HRTEM), 85
- Kojitani, H., see Yusa et al., 1017
- Kolesov, B.A. and Geiger, C.A.: The vibrational spectrum of synthetic hydrogrossular (katoite) Ca₃Al₂(O₄H₄)₃: A low-temperature IR and Raman spectroscopic study, 1335
- Komatsu, K., Kagi, H., Okada, T., Kuribayashi, T., Parise, J.B., and Kudoh, Y.: Pressure dependence of the OH-stretching mode in F-rich natural topaz and topaz-OH, 266
- Komatsu, Y., see Yamanaka et al., 1301
- Kondo, T., see Asahara et al., 457
- Konzett, J., see Yang and Konzett, 1223
- Kopylova, M.G., see Sitepu et al., 1740
- Kotelnikov, P.E., see Saburov et al., 1163
- Kotzer, T.G., see Sitepu et al., 1740
- Kozai, Y. and Arima, M.: Experimental study on diamond dissolution in kimberlitic and lamproitic melts at 1300–1420 °C and 1 GPa with controlled oxygen partial pressure, 1759
- Kozanecki, M., see Galuskina et al., 1688
- Kubatko, K.-A., Helean, K.B., Navrotksy, A., and Burns, P.C.: Thermodynamics of uranyl minerals: Enthalpies of formation of rutherfordine, UO₂CO₃, andersonite, Na₂CaUO₂(CO₃)₃(H₂O)₅, and grimselite, K₃NaUO₂(CO₃)₃H₂O, 1284
- Kubo, T., see Asahara et al., 457
- Kudoh, Y., see Komatsu et al., 266
- Kuiper, Y.D.: Isotopic age constraints from electron microprobe U-Th-Pb dates, using a three-dimensional concordia diagram, 586
- Kukkadapu, R.K., Zachara, J.M., Fredrickson, J.K., Kennedy, D.W., Dohnalkova, A.C., and McCready, D.E.: Ferrous hydroxy carbonate is a stable transformation product of biogenic magnetite, 510
- Kung, J., see Jacobsen et al., 61
- Kuribayashi, T., see Komatsu et al., 266
- Kyono, A., and Kimata, M.: Crystal structures of chalcostibite (CuSbS₂) and emplectite (CuBiS₂): Structural relationship of stereochemical activity between chalcostibite and emplectite, 162

- Kyono, A., Kimata, M., and Hatta, T.: Light-induced degradation dynamics in realgar: in situ structural investigation using single-crystal X-ray diffraction study and X-ray photoelectron spectroscopy, 1563
- Lager, G.A., Marshall, W.G., Liu, Z., and Downs, R.T.: Re-examination of the hydrogarnet structure at high pressure using neutron powder diffraction and infrared spectroscopy, 639
- Laird, J., see Thompson and Laird, 843
- Lampronti, G.I., see Bonazzi et al., 1108
- Landtwing, M.R., and Pettke, T.: Relationships between SEM-cathodoluminescence response and trace-element composition of hydrothermal vein quartz, 122
- Langer, K., see Khomenko and Langer, 1913
- Lanson, B., see Ferrage et al., 1358
- Larsen, J.F.: Experimental study of plagioclase rim growth around anorthite seed crystals in rhyodacitic melt, 417
- Lathe, C., Koch-Müller, M., Wirth, R., van Westrenen, W., Mueller, H.-J., Schilling, F., and Lauterjung, J.: The influence of OH in coesite on the kinetics of the coesite-quartz phase transition, 36
- Lauterjung, J., see Lathe et al., 36
- Lavina, B., see Uchida et al., 1900
- Layne, G., see Pyle et al., 592
- Lazzeri, M., see Balan et al., 50
- Leake, B.E., see Burke and Leake, 516
- Lee, S.K., Cody, G.D., and Mysen, B.O.: Structure and the extent of disorder in quaternary (Ca-Mg and Ca-Na) aluminosilicate glasses and melts, 1393
- Lee, Y., Hriljac, J.A., and Vogt, T.: Variable-temperature structural studies of tetratnatrolite from Mt. Saint-Hilaire: Synchrotron X-ray powder diffraction and Rietveld analysis, 247
- Lee, Y., Hriljac, J.A., Parise, J.B., and Vogt, T.: Pressure-induced stabilization of ordered parnatrolite: A new insight into theparnatrolite controversy, 252
- Legendre, O., see Cocherie et al., 607
- Legrand, D.L., Bancroft, G.M., and Nesbitt, H.W.: Oxidation/alteration of pentlandite and pyrrhotite surfaces at pH 9.3: Part 1. Assignment of XPS spectra and chemical trends, 1042
- Legrand, D.L., Bancroft, G.M., and Nesbitt, H.W.: Oxidation of pentlandite and pyrrhotite surfaces at pH 9.3: Part 2. Effect of xanthates and dissolved oxygen, 1055
- Legris, A., see Durinck et al., 1072
- Leinenweber, K., Johnson, J.E., and Groy, T.L.: $\text{Ca}_2\text{SiO}_5\text{OHF}$ —A high-pressure phase with dense calcium polyhedral packing and tetrahedral silicon, 115
- Levy, D., Diella, V., Pavese, A., Dapiaggi, M., and Sani, A.: P - V equation of State, thermal expansion, and P - T stability of synthetic zincochromite (ZnCr_2O_4 spinel), 1157
- Li, X., see Zhang et al., 181
- Li, Y.-L., Zheng, Y.-F., and Fu, B.: Mössbauer spectroscopy of omphacite and garnet pairs from eclogites: Application to geothermobarometry, 90
- Lindblom, J., Hölsä, J., Papunen, H., and Häkkänen, H.: Luminescence study of defects in synthetic as-grown and HPHT diamonds compared to natural diamonds, 428
- Lindgreen, H., see Drifts et al., 71
- Liou, J.G., see Liu et al., 790
- Liou, J.G., see Mosenfelder et al., 779
- Liou, J.G., see Song et al., 814
- Liou, J.G., see Tsujimori and Liou, 1629
- Liou, J.G., see Tsujimori et al., 836
- Liou, J.G., see Zhang et al., 181
- Liou, J.G., see Zhang et al., 801
- Liou, J.G., see Zhang et al., 857
- Liu, F., Liou, J.G., and Xu, Z.: U-Pb SHRIMP ages recorded in the southwestern Sulu terrane, eastern China: New interpretation, 790
- Liu, H., see Chen et al., 1534
- Liu, Z., see Lager et al., 639
- Livens, F.R., see Shaw et al., 1852
- Loan, M., Parkinson, G.M., and Rich mond, W.R.: The effect of zinc sulfide on phase transformations of ferrihydrite, 258
- Löbmann, P., see Sethmann et al., 1213
- Locock, A., see Piilonen et al., 1945
- Locock, A.J., Burns, P.C., and Flynn, T.M.: The role of water in the structures of synthetic hallimondite, $\text{Pb}_2[(\text{UO}_2)(\text{AsO}_4)_2](\text{H}_2\text{O})_n$, and synthetic parsonsite, $\text{Pb}_2[(\text{UO}_2)(\text{PO}_4)_2](\text{H}_2\text{O})_n$, $0 \leq n \leq 0.5$, 240
- London, D., see Morgan and London, 1131
- Long, G.J., see Hatert et al., 653
- Longhi, J.: Temporal stability and pressure calibration of barium carbonate and talc/pyrex pressure media in a piston-cylinder apparatus, 206
- Lopez, O., see Faivre et al., 1793
- Lowers, H.A., see Gunter et al., 749
- Lucchesi, S., see Bosi et al., 1661
- Lucchesi, S., see Bosi et al., 1784
- Ludwig, T., see Ertl et al., 481
- Lütte, A.: Etch pit coalescence, surface area, and overall mineral dissolution rates, 1776
- Mack, D.E., Becker, K.D., and Schneider, H.: High-temperature Mössbauer study of Fe-substituted mullite, 1078
- Mair, V., see Tumiati et al., 1177
- Majzlan, J., Botez, C., and Stephens, P.W.: The crystal structure of synthetics $\text{Fe}_2(\text{SO}_4)_3(\text{H}_2\text{O})_5$ and the type specimen of lausenite, 411
- Makino, K., see Miyoshi et al., 310
- Malcherek, T., see Elleemann-Olesen and Malcherek, 1325
- Malcherek, T., see Elleemann-Olesen and Malcherek, 687
- Manceau A. and Gallup, D.L.: Nanometer-sized, divalent-Mn, hydrous silicate domains in geothermal brine precipitates, 371
- Mancini, F., see Bartholomew et al., 1655
- Manning, C.E., see Tropper and Manning, 502
- Mao, H.-K., see Shahar et al., 1835
- Mao, W., see Shahar et al., 1835
- Marincea, Ş. and Dumitras, D.-G.: First reported sedimentary occurrence of berlineite (AlPO_4) in phosphate-bearing sediments from Cioclovina Cave, Romania—Comment, 1203
- Marshall, W.G., see Lager et al., 639
- Martin, C.D., Chaudhuri, S., Grey, C.P., and Parise, J.B.: Effect of A-site cation radius on ordering of BX_6 octahedra in $(\text{K},\text{Na})\text{MgF}_3$ perovskite, 1522
- Martin, C.D., see Chen et al., 1534
- Martin, R.F.: Acceptance of the Distinguished Public Service Medal for 2004, 1028
- Martin, S., see Tumiati et al., 1177
- Mauri, F., see Balan et al., 50
- Mavrocordatos, D., see Obst et al., 1270
- McCallum, I.S., see Schwartz and Mc Callum, 1871
- Mccormack, J., see Stracher et al., 1729
- McCready, D.E., see Kukkadapu et al., 510
- McKeown, D.A.: Raman spectroscopy and vibrational analyses of albite: From 25 °C through the melting temperature, 1506
- Meeker, G.P., see Gunter et al., 749
- Melchiorre, E., Mills, J. Jr., Dale, D., and

- Chapman, B.: A new occurrence of xiiteshanite $[Fe^{3+}(SO_4)Cl \cdot 6H_2O]$ crystals in acid-mine seepways, Green Valley, Vigo County, Indiana, U.S.A., 1518
- Melchiorre, G., see Bosi et al., 1661
- Mellini, M., see Capitani and Mellini, 991
- Melluso, L., Conticelli, S., D'Antonio, M., Mirco, N.P., and Saccani, E.: Reply to Capitanio 2005: Mineralogic and bulk rock composition of Italian wollastonite- and melilite-bearing paralava and clinker: Further evidence of their pyrometamorphic nature, 1
- Melluso, L., Conticelli, S., D'Antonio, M., Mirco, N.P., and Saccani, E.: Reply to Stoppa et al. 2005: Wollastonite- anorthite- gehlenite-, and fassaite-bearing rocks: Igneous petrological oddity or paralavas? 1926
- Menchetti, S., Bindi and Menchetti, 1641
- Meneghini, C., see Ventrucci et al., 679
- Meng, D., see Wu et al., 1458
- Menguy, N., see Faivre et al., 1793
- Mercier, P.H.J., Evans, R.J., and Rancourt, D.G.: Geometric crystal chemical models for structural analysis of micas and their stacking polytypes, 382
- Mercier, P.H.J., Rancourt, D.G., Robert, J.-L., Berman, R.G., and Redhammer, G.J.: Fundamental difference between synthetic powder and natural or synthetic single-crystal 1M micas: Geometric homo-octahedral vs. geometric meso-octahedral sheets, 399
- Michot, L.J., Bihannic, I., Pelletier, M., Rinnert, E., and Robert, J.-L.: Hydration and swelling of synthetic Na-saponites: Influence of layer charge, 166
- Mikaelian, H., see Purka et al., 276
- Mills, J. Jr., see Melchiorre et al., 1518
- Mirco, N.P., see Melluso et al., 1926
- Mirco, N.P., see Melluso et al., 1940
- Miyajima, N., see Asahara et al., 457
- Miyano, T., see Kaneko et al., 1422
- Miyawaki, R., see Kogure et al., 725
- Miyoshi, N., Yamaguchi, Y., and Makino, K.: Successive zoning of Al and H in hydrothermal vein quartz, 310
- Moore, J.N., see Hochella et al., 718
- Morgan, G.B., VI and London, D.: Effect of current density on the electron microprobe analysis of alkali aluminosilicate glasses, 1131
- Morrison, J., see Ducea et al., 864
- Mosenfelder, J.L., Schertl, H.-P., Smyth, J.R., and Liou, J.G.: Factors in the preservation of coesite: The importance of fluid infiltration, 779
- Mueller, H.-J., see Lathe et al., 36
- Mukasa, S.B., see Page et al., 1092
- Mukhopadhyay, D., see Sengupta et al., 1241
- Müntener, O., see Kägi et al., 708
- Murad, E., see Bishop and Murad, 1100
- Murakami, T., see Suzuki et al., 1308
- Murthy, S.R., see Prasad et al., 1636
- Mysen, B.O., see Lee et al., 1393
- Nagai, T., see Yamanaka et al., 1301
- Nagase, T., see Asahara et al., 457
- Nakano, T., see Tsuchiyama et al., 132
- Nakashima, S., see Okumura and Nakashima, 441
- Nakatsuka, A., Chaya, H., and Yoshiasa, A.: Crystal structure of single-crystal $CaGeO_3$ tetragonal garnet synthesized at 3 GPa and 1000 °C, 755
- Nasdala, L., Hofmeister, W., Harris, J.W., and Glinnemann, J.: Growth zoning and strain patterns inside diamond crystals as revealed by Raman maps, 745
- Navrotsky, A., see Kubatko et al., 1284
- Navrotsky, A., see Kumar Allada et al., 329
- Nayak, V.K., see Tait et al., 304
- Nazzareni, S., see Comodi et al., 1012
- Nelson, W.R. and Griffen, D.T.: Crystal chemistry of Zn-rich rhodonite ("fowlereite"), 969
- Nesbitt, H.W., see Legrand et al., 1042
- Nesbitt, H.W., see Legrand et al., 1055
- Nimis, P., see Tumiati et al., 1177
- Nishimura, Y., see Putnis et al., 1909
- Niu, Y., see Song et al., 814
- Norman, M., Garcia, M.O., and Pietruszka, A.J.: Trace-element distribution coefficients for pyroxenes, plagioclase, and olivine in evolved tholeiites from the 1955 eruption of Kilauea Volcano, Hawai'i, and petrogenesis of differentiated rift-zone lavas, 88
- Novembre, D., see Della Ventura et al., 1375
- O'Neill, H.St.C., Golla-Schindler et al., 1278
- O'Neill, H.St.C.: A method for controlling alkali-metal oxide activities in one-atmosphere experiments and its application to measuring the relative activity coefficients of $NaO_{0.5}$ in silicate melts, 497
- O'Reilly, S.Y., see Zhang et al., 801
- Oberti, R., Cámarra, F., and Ottolini, L.: Clinoholmquistite discredited: The new amphibole end-member fluorosodic-pedrizite, 732
- Oberti, R., see Cámarra and Oberti, 1167
- Obst, M., Gasser, P., Mavrocordatos, D., and Dittrich, M.: TEM-specimen preparation of cell/mineral interfaces by Focused Ion Beam milling, 1270
- Ohfuri, H., Boyle, A.P., Prior, D.J., and Rickard, D.: Structure of frambooidal pyrite: An electron backscatter diffraction study, 1693
- Ohishi, Y., see Hirose et al., 262
- Ohishi, Y., see Ono et al., 667
- Ohishi, Y., see Yusa et al., 1017
- Ohtani, E., see Asahara et al., 457
- Okada, T., see Komatsu et al., 266
- Okumura, S. and Nakashima, S.: Molar absorptivities of OH and H_2O in rhyolitic glass at room temperature and at 400–600 °C, 441
- Ono, K., see Sato et al., 1824
- Ono, S., Kikegawa, T., Ohishi, Y., and Tsuchiya, J.: Post-aragonite phase transformation in $CaCO_3$ at 40 GPa, 667
- Ottolini, L., see Kägi et al., 708
- Ottolini, L., see Oberti et al., 732
- Ottolini, L., see Tait et al., 304
- Page, F.Z., Essene, E.J., and Mukasa, S.B.: Quartz exsolution in clinopyroxene is not proof of ultrahigh pressures: Evidence from eclogites from the Eastern Blue Ridge, Southern Appalachians, U.S.A., 1092
- Papike, J.J., Karner, J.M., and Shearer, C.K.: Comparative planetary mineralogy: Valence state partitioning of Cr, Fe, Ti, and V among crystallographic sites in olivine, pyroxene, and spinel from planetary basalts, 277
- Papunen, H., see Lindblom et al., 428
- Parise, J., see Antao et al., 219
- Parise, J.B., see Antao et al., 1500
- Parise, J.B., see Chen et al., 1534
- Parise, J.B., see Crichton et al., 22
- Parise, J.B., see Komatsu et al., 266
- Parise, J.B., see Lee et al., 252
- Parise, J.B., see Martin et al., 1522
- Parkinson, G.M., see Loan et al., 258
- Parra, T., see Vidal et al., 347
- Parra, T., Vidal, O., and Theye, T.: Experimental data on the Tschermark substitution in Fe-chlorite, 359
- Patino, L.C., see Price et al., 101
- Pavese, A., see Levy et al., 1157
- Pe-Piper, G. and Dolansky, L.M.: Early diagenetic origin of Al phosphate-sulfate minerals (woodhouseite and cran-

- dallite series) in terrestrial sandstones, Nova Scotia, Canada, 1434
- Pelletier, M., see Michot et al., 166
- Penniston-Dorland, S.C. and Ferry, J.M.: Coupled dichotomies of apatite and fluid composition during contact metamorphism of siliceous carbonate rocks, 1606
- Pepper, S.E., see Shaw et al., 1852
- Pesquera, A., see Roda et al., 1887
- Pettke, T., see Landtwing and Pettke, 122
- Pezzotta, F., Diella, V., and Guastoni, A.: Scandium silicates from the Baveno and Cuasso al Monte NYF-granites, Southern Alps (Italy): Mineralogy and genetic inferences, 1442
- Piccinini, M., see Iezzi et al., 695
- Pietruszka, A.J., see Norman et al., 888
- Piilonen, P.C., Ercit, T.S., and Roberts, A.C.: New Mineral Names, 768
- Piilonen, P.C., Grew, E.S., Ercit, T.S., Roberts, A.C., and Jambor, J.L.: New Mineral Names, 1227
- Piilonen, P.C., Locock, A., and Grew, E.S.: New Mineral Names, 1945
- Piilonen, P.C. and Ercit, T.S.: New Mineral Names, 1466
- Plant, D., see Benedetto et al., 1384
- Plötze, M., see Götzte et al., 13
- Poe, B.T., see Allwardt et al., 1453
- Polyakov, V.O., see Grew et al., 1402
- Pöml, P., see Geisler et al., 1683
- Pommier, C.J.S., see Gunter et al., 1684
- Pompilio, M., see Corsaro et al., 1413
- Pósfai, M., see Arató et al., 1233
- Poulson, R.L., Johnson, C.M., and Beard, B.L.: Iron isotope exchange kinetics at the nanoparticulate ferrihydrite surface, 758
- Prakash, A., see Stracher et al., 1729
- Prasad, K.S., see Prasad et al., 1636
- Prasad, K.S., see Prasad et al., 672
- Prasad, P.S.R., Chaitanya, V.K., Prasad, K.S., and Rao, D.N.: Direct formation of the γ -CaSO₄ phase in dehydration process of gypsum: In situ FTIR study, 672
- Prasad, P.S.R., Prasad, K.S., and Murthy, S.R.: Dehydration of natural stilbite: An in situ FTIR study, 1636
- Prasad, S., Bhattacharya, A., Raith, M.M., and Bhadra, S.: The origin of orthopyroxene/biotite + plagioclase coronas from the Bolangir anorthosite complex (India), and implications for reconstructing *P-T* paths, 291
- Prewitt, C.T., see Ding et al., 1256
- Price, J.R., Velbel, M.A., and Patino, L.C.: Allanite and epidote weathering at the Coweeta Hydrologic Laboratory, western North Carolina, U.S.A., 101
- Pring, A., see Snow and Pring, 1705
- Prior, D.J., see Ohfuchi et al., 1693
- Prowatke, S., see Ertl et al., 481
- Purika, K.D., Mikaelian, H., Ryerson, F., and Shaw, H.: Erratum to New clinopyroxene-liquid thermobarometers for mafic, evolved, and volatile-bearing lava compositions, with applications to lavas from Tibet and the Snake River Plain, 276
- Putirka, K.D.: Igneous thermometers and barometers based on plagioclase + liquid equilibria: Tests of some existing models and new calibrations, 336
- Putnis, A., Golla-Schindler et al., 1278
- Putnis, A., see Geisler et al., 1683
- Putnis, A., see Hochella et al., 718
- Putnis, A., see Sethmann et al., 1213
- Putnis, C.V., see Hochella et al., 718
- Putnis, C.V., Tsukamoto, K., and Nishimura, Y.: Direct observations of pseudomorphism: compositional and textural evolution at a fluid-solid interface, 1909
- Pyle, J.M., Spear, F.S., Cheney, J.T., and Layne, G.: Monazite ages in the Chesham Pond Nappe, SW New Hampshire, U.S.A.: Implications for assembly of central New England thrust sheets, 592
- Pyle, J.M., Spear, F.S., Wark, D.A., Daniel, C.G., and Storm, L.C.: Contributions to precision and accuracy of monazite microprobe ages, 547
- Quartieri, S., see Fois et al., 28
- Quirt, D.H., see Sitepu et al., 1740
- Railsback, L.B.: A synthesis of systematic mineralogy, 1033
- Raith, M.M., see Prasad et al., 291
- Rancourt, D.G., see Evans et al., 1540
- Rancourt, D.G., see Evans et al., 187
- Rancourt, D.G., see Mercier et al., 382
- Rancourt, D.G., see Mercier et al., 399
- Rancourt, D.G. and Dang, M.-Z.: Absolute quantification by powder X-ray diffraction of complex mixtures of crystalline and amorphous phases for applications in the Earth sciences, 1571
- Rao, D.N., see Prasad et al., 672
- Rebbouh, L., see Hatert et al., 653
- Redfern, S.A.T., see Zhang et al., 173
- Redhammer, G.J., see Della Ventura et al., 1375
- Redhammer, G.J., see Mercier et al., 399
- Redhammer, G.J., see Thompson et al., 1840
- Richet, P., see Roskosz et al., 1146
- Richmond, W.R., see Loan et al., 258
- Rickard, D., see Ohfuchi et al., 1693
- Rinaldi, R., see Iezzi et al., 695
- Rinnert, E., see Michot et al., 166
- Robert, J.-L., see Mercier et al., 399
- Robert, J.-L., see Michot et al., 166
- Roberts, A.C., see Jambor and Roberts, 271
- Roberts, A.C., see Jambor et al., 518
- Roberts, A.C., see Piilonen et al., 1227
- Roberts, A.C., see Piilonen et al., 768
- Roda, E., Pesquera, A., Gil-Crespo, P.P., Torres-Ruiz, J., and Fontan, F.: Origin and internal evolution of the Li-F-Be-B-P-bearing Pinilla de Fermoselle pegmatite (Central Iberian Zone, Zamora, Spain), 1887
- Rosatelli, G., see Stoppa et al., 1919
- Roskosz, M., Toplis, M.J., and Richet, P.: Experimental determination of crystal growth rates in highly supercooled aluminosilicate liquids: Implications for rate-controlling processes, 1146
- Ross, N.L., see Benusa et al., 1115
- Rossi, P., see Cocherie et al., 607
- Rossmann, G.R., see Ertl et al., 481
- Rosso, K.M.: Acceptance of the Mineralogical Society of America Award for 2004, 1026
- Rumble, D., see Zhang et al., 857
- Rumble, D.: A mineralogical and geochemical record of atmospheric photochemistry, 918
- Ryerson, F., see Purika et al., 276
- Saburov, S.P., Britvin, S.N., Bekenova, G.K., Sergieva, M.N., Kotelnikov, P.E., Chukanov, N.V., and Yagovkin, M.A.: Niksergievite, [Ba_{1.33}Ca_{0.67}Al(CO₃)(OH)₄][Al₂(AlSi₃O₁₀)₂]·nH₂O, a new phyllosilicate related to the surite-ferrisurite series, 1163
- Saccani, E., see Melluso et al., 1926
- Saccani, E., see Melluso et al., 1940
- Sack, R.O., Fredericks, R., Hardy, L.S., and Ebel, D.S.: Origin of high-Ag fahlores from the Galena Mine, Wallace, Idaho, U.S.A., 1000
- Sainz-Díaz, C.I., Escamilla-Roa, E., and Hernández-Laguna, A.: Quantum mechanical calculations of trans-vacant and cis-vacant polymorphism in dioc-

- tahedral 2:1 phyllosilicates, 1827
 Saitta, A.M., see Balan et al., 50
 Sakharov, B.A., see Drits et al., 71
 Sakharov, B.A., see Ferrage et al., 1358
 Saleeby, J., see Ducea et al., 864
 Salje, E.K.H., see Zhang et al., 173
 Salomé, M., see Dauphin et al., 1748
 Salyn, A.L., see Drits et al., 71
 Sanchez, M.S., see Gunter et al., 1684
 Sani, A., see Levy et al., 1157
 Santillán, J., Catalli, K., and Williams, Q.: An infrared study of carbon-oxygen bonding in magnesite to 60 GPa, 1669
 Sata, N., see Hirose et al., 262
 Sata, N., see Yusa et al., 1017
 Sato, H., Ono, K., Johnston, C.T., and Yamagishi, A.: First-principles studies on the elastic constants of a 1:1 layered kaolinite mineral, 1824
 Sato, T., see Suzuki et al., 1308
 Scaillet, B., see Della Ventura et al., 1375
 Scandal, E., see Bosi et al., 1661
 Schäfer, W., see Iezzi et al., 695
 Schertl, H.-P., see Mosenfelder et al., 779
 Schilling, F., see Lathe et al., 36
 Schingaro, E., see Ventrucci et al., 679
 Schmidt, B.C., see Allwardt et al., 1218
 Schneider, H., see Mack et al., 1078
 Schranz, W., see Sondergeld et al., 448
 Schroeder, P., see Stracher et al., 1729
 Schüler, D., see Arató et al., 1233
 Schwartz, J.M. and McCallum, I.S.: Comparative study of equilibrated and unequilibrated eucrites: Subsolidus thermal histories of Haraiya and Pasamonte, 1871
 Scordari, F., see Ventrucci et al., 679
 Seal II, R.R., see Chou and Seal, 912
 Sen, G., Keshav, S., and Bizimis, M.: Hawaiian mantle xenoliths and magmas: Composition and thermal character of the lithosphere, 871
 Senda, K., Ishida, K., and Jenkins, D.M.: X-ray Rietveld refinement and FTIR spectra of synthetic (Si,Ge)-richterites, 1062
 Sengupta, N., Mukhopadhyay, D., Sengupta, P., and Hoffbauer, R.: Tourmaline-bearing rocks in the Singhbhum shear zone, eastern India: Evidence of boron infiltration during regional metamorphism, 1241
 Sengupta, P., see Sengupta et al., 1241
 Sergieva, M.N., see Saburov et al., 1163
 Sethmann, I., Putnis, A., Grassmann, O., and Löbmann, P.: Observation of nano-clustered calcite growth via a transient phase mediated by organic polyanions: A close match for biomineralization, 1213
 Shahar, A., Bassett, W.A., Mao, H.-K., Chou, I.-M., and Mao, W.: The stability and Raman spectra of ikaite, $\text{CaCO}_3 \cdot 6\text{H}_2\text{O}$, at high pressure and temperature, 1835
 Shaw, H., see Purika et al., 276
 Shaw, S., Pepper, S.E., Bryan, N.D., and Livens, F.R.: The kinetics and mechanisms of goethite and hematite crystallization under alkaline conditions, and in the presence of phosphate, 1852
 Shcherbakova, E.P., see Grew et al., 1402
 Shearer, C.K., see Grew et al., 1402
 Shearer, C.K., see Papike et al., 277
 Shen, G., see Jackson et al., 199
 Shepherd, T.J., see Allan et al., 1767
 Shmulovich, K.I., see Allan et al., 1767
 Singleton, E., see Gunter et al., 749
 Sitepu, H., Kopylova, M.G., Quirt, D.H., Cutler, J.N., and Kotzer, T.G.: Synchrotron micro-X-ray fluorescence analysis of natural diamonds: First steps in identification of mineral inclusions in situ, 1740
 Skinner, B.J.: Introduction to Ore-Forming Processes. Laurence Robb, 276
 Skorodumova, N.V., Belonoshko, A.B., Huang, L., Ahuja, R., and Johansson, B.: Stability of the MgCO_3 structures under lower mantle conditions, 1008
 Smyth, J.R., see Keppler and Smyth, 1209
 Smyth, J.R., see Mosenfelder et al., 779
 Snow, M.R. and Pring, A.: The mineralogical microstructure of shells: Part 2. The iridescence colors of abalone shells, 1705
 Sondergeld, P., Schranz, W., Tröster, A., Armbruster, T., Giester, G., Kitk, A., and Carpenter, M.A.: Ordering and elasticity associated with low-temperature phase transitions in lawsonite, 448
 Song, S., see Zhang et al., 181
 Song, S., Zhang, L., Chen, J., Liou, J.G., and Niu, Y.: Sodic amphibole exsolutions in garnet from garnet-peridotite, North Qaidam UHPM belt, NW China: Implications for ultradeep-origin and hydroxyl defects in mantle garnets, 814
 Sorensen, S.S. and Carlson, W.: An Ernstfest Festschrift: Mineralogy and petrology of high P/T terranes, P - T -ometry, and experimental phase relations, 777
 Spear, F.S., see Pyle et al., 547
 Spear, F.S., see Pyle et al., 592
 Stebbins, J.F., see Allwardt et al., 1218
 Stebbins, J.F., see Allwardt et al., 1453
 Stephan, T., see Geisler et al., 1683
 Stephens, P.W., see Majzlan et al., 411
 Steuernagel, S., see Ashbrook et al., 1861
 Stimpfl, M.: Erratum to The Mn, Mg-intracrystalline exchange reaction in donpeacorite ($\text{Mn}_{0.54}\text{Ca}_{0.03}\text{Mg}_{1.43}\text{Si}_2\text{O}_6$) and its relation to the fractionation behavior of Mn in Fe, Mg-orthopyroxene, 776
 Stimpfl, M.: The Mn, Mg-intracrystalline exchange reaction in donpeacorite ($\text{Mn}_{0.54}\text{Ca}_{0.03}\text{Mg}_{1.43}\text{Si}_2\text{O}_6$) and its relation to the fractionation behavior of Mn in Fe, Mg-orthopyroxene, 155
 Stoppa, F., Rosatelli, G., Cundari, A., Castorina, F., and Woolley, A.R.: Comment on Melluso et al. (2003): Reported data and interpretation of some wollastonite- and melilite-bearing rocks from the Central Apennines of Italy, 1919
 Storm, L.C., see Pyle et al., 547
 Stowell, H.H., see Zuluaga et al., 1619
 Stracher, G.B., Prakash, A., Schroeder, P., McCormack, J., Zhang, X., Van Dijk, P., and Blake, D.: New mineral occurrences and mineralization processes: Wuda coal-fire gas vents of Inner Mongolia, 1729
 Sturhahn, W., see Jackson et al., 199
 Sugihara, M., see Yamanaka et al., 1301
 Susini, J., see Dauphin et al., 1748
 Suzuki, Y., Sato, T., Isobe, H., Kogure, T., and Murakami, T.: Dehydration processes in the meta-autunite group minerals meta-autunite, measaléite, and metatorbernite, 1308
 Szányi, Z., see Arató et al., 1233
 Tabacchi, G., see Fois et al., 28
 Tait, K.T., Hawthorne, F.C., Grice, J.D., Ottolini, L., and Nayak, V.K.: Delaventuraite, $\text{NaNa}_2(\text{MgMn}^{3+}\text{Ti}^{4+}\text{Li})\text{Si}_8\text{O}_{22}\text{O}_2$, a new anhydrous amphibole from the Kajlidongri Manganese Mine, Jhabua District, Madhya Pradesh, India, 304
 Tamura, A. and Arai, S.: Unmixed spinel in chromitite from the Iwanai-dake peridotite complex, Hokkaido, Japan:

- A reaction between peridotite and highly oxidized magma in the mantle wedge, 473
- Tarantino, S.C. and Zema, M.: Mixing and ordering behavior in manganocolumbite-ferrocolumbite solid solution: A single-crystal X-ray diffraction study, 1291
- Tateno, S., see Hirose et al., 262
- Tazzoli, V., see Domeneghetti et al., 1816
- Tebo, B.M., see Bargar et al., 143
- Tebo, B.M., see Webb et al., 1342
- Terry, M.P., see Dahl et al., 1712
- Terry, M.P., see Dahl et al., 619
- Theye, T., see Parra et al., 359
- Thompson, A.B. and Laird, J.: Calibrations of modal space for metamorphism of mafic schist, 843
- Thompson, R.M., Downs, R.T., and Redhammer, G.J.: Model pyroxenes III: Volume of C2/c pyroxenes at mantle P , T , and x , 1840
- Thomson, J.A., see Henry et al., 316
- Tinkham, D.K., see Zuluaga et al., 1619
- Tinkham, D.K. and Ghent, E.D.: XR-MapAnal: A program for analysis of quantitative X-ray maps, 737
- Tobisc, O.: A Practical Guide to Rock Microstructure by Ron H. Vernon, 1472
- Toplis, M.J., see Roskosz et al., 1146
- Torres-Ruiz, J., see Roda et al., 1887
- Tracy, R.J., see Williams and Tracy, 525
- Trautmann, T., see Götze et al., 13
- Tropper, P. and Manning, C.E.: Very low solubility of rutile in H_2O at high pressure and temperature, and its implications for Ti-mobility in subduction zones, 502
- Tröster, A., see Sondergeld et al., 448
- Tsuchiya, J., see Ono et al., 667
- Tsuchiya, J., Tsuchiya, T., and Tsuneyuki, S.: First-principles study of hydrogen bond symmetrization of phase D under high pressure, 44
- Tsuchiya, T., see Tsuchiya et al., 44
- Tsuchiyama, A., Uesugi, K., Nakano, T., and Ikeda, S.: Quantitative evaluation of attenuation contrast of X-ray computed tomography images using monochromatized beams, 132
- Tsujimori, T., Liou, J.G., and Coleman, R.G.: Coexisting retrograde jadeite and omphacite in a jadeite-bearing lawsonite eclogite from the Motagua Fault Zone, Guatemala, 836
- Tsujimori, T. and Liou, J.G.: Low-pressure and low-temperature K-bearing kosmochloric diopside from the Osayama serpentinite mélange, SW Japan, 1629
- Tsukamoto, K., see Putnis et al., 1909
- Tsuneyuki, S., see Tsuchiya et al., 44
- Tsunogae, T., see Kaneko et al., 1422
- Tumiati, S., Godard, G., Martin, S., Nimis, P., Mair, V., and Boyer, B.: Dissakisite-(La) from the Ulten zone peridotite (Italian Eastern Alps): A new end-member of the epidote group, 1177
- Turkin, A.I. and Drebuschak, V.A.: Cation distribution in $MgFe_2O_4$ vs. pressure and temperature: Experiments in a "piston-cylinder" apparatus, 764
- Uchida, H., Lavina, B., Downs, R.T., and Chesley, J.: Single-crystal X-ray diffraction of spinels from the San Carlos Volcanic Field, Arizona: Spinel as a geothermometer, 1900
- Uesugi, K., see Tsuchiya et al., 132
- Ulmer, P., see Kägi et al., 708
- Valencia, V., see Ducea et al., 864
- Van Dijk, P., see Stracher et al., 1729
- van Miltenburg, J.C., see Klemme et al., 663
- van Westrenen, W., see Lathe et al., 36
- Vaughan, D.J., see Benedetto et al., 1384
- Veblen, D.R., see Ding et al., 1256
- Veblen, D.R., see Ding et al., 1265
- Velbel, M.A., see Price et al., 101
- Ventruti, G., Scordari, F., Schingaro, E., Gualtieri, A.F., and Meneghini, C.: The order-disorder character of $FeOHSO_4$ obtained from the thermal decomposition of metahohmannite, $Fe^{3+}_2(H_2O)_4[O(SO_4)_2]$, 679
- Verma, P.K., see Walker et al., 229
- Veschambre, M., see Vielzeuf et al., 463
- Vezzalini, G., see Arletti et al., 1186
- Vezzalini, G., see Fois et al., 28
- Vidal, O., Parra, T., and Vieillard, P.: Thermodynamic properties of the Tschermak solid solution in Fe-chlorite: Application to natural examples and possible role of oxidation, 347
- Vidal, O., see Parra et al., 359
- Vieillard, P., see Vidal et al., 347
- Vielzeuf, D., Veschambre, M., and Brunet, F.: Oxygen isotope heterogeneities and diffusion profile in composite metamorphic-magmatic garnets from the Pyrenees, 463
- Villalobos, M., see Bargar et al., 143
- Vogels, R.J.M.J., Kloprogge, J.T., and Geus, J.W.: Synthesis and characterization of saponite clays, 931
- Vogels, R.J.M.J., Kloprogge, J.T., Geus, J.W., and Beers, A.W.F.: Synthesis and characterization of saponite clays: Part 2. Thermal stability, 945
- Vogt, T., see Lee et al., 247
- Vogt, T., see Lee et al., 252
- Walker, D., Verma, P.K., Cranswick, L.M.D., Clark, S.M., Jones, R.L., and Buhre, S.: Halite-sylvite thermocon-solution, 229
- Wang, L., see Zhang et al., 173
- Wark, D.A., see Pyle et al., 547
- Warthro, J.-A., Kelley, S.P., and Elphick, S.C.: Estimates of Ar diffusion and solubility in leucite and nepheline: Electron microprobe imaging of Ar distribution in a mineral, 954
- Wastin, F., see Klemme et al., 663
- Webb, S.M., see Bargar et al., 143
- Webb, S.M., Tebo, B.M., and Bargar, J.R.: Structural characterization of biogenic Mn oxides produced in seawater by the marine *bacillus* sp. strain SG-1, 1342
- Weidner, D.J., see Chen et al., 1534
- Welch, M.D. and Crichton, W.A.: A high-pressure polytypic transformation in type-I chlorite, 1139
- Williams, M.L., see Dahl et al., 1712
- Williams, M.L., see Dahl et al., 619
- Williams, M.L., see Goncalves et al., 578
- Williams, M.L., see Jercinovic and Williams, 526
- Williams, M.L. and Tracy, R.J.: Preface to collected papers on monazite mi-croprobe geochronology, 525
- Williams, Q., see Cataldi and Williams, 1679
- Williams, Q., see Santillán et al., 1669
- Wimperis, S., see Ashbrook et al., 1861
- Wirth, R., see Lathe et al., 36
- Wise, W.S., see Arletti et al., 1186
- Withers, A.C., see Allwardt et al., 1218
- Woolley, A.R., see Stoppa et al., 1919
- Wu, X., Meng, D., and Han, Y.: α - PbO_2 -type nanophase of TiO_2 from coesite-bearing eclogite in the Dabie Mountains, China, 1458
- Xiao, Y.L., see Zhang et al., 857
- Xu, Z., see Liu et al., 790
- Yagi, T., see Asahara et al., 457
- Yagovkinam, M.A., see Saburov et al., 1163
- Yamagishi, A., see Kameda et al., 1462
- Yamagishi, A., see Sato et al., 1824
- Yamaguchi, Y., see Miyoshi et al., 310
- Yamanaka, T., Komatsu, Y., Sugahara, M., and Nagai, T.: Structure change of Mg-

- SiO_3 , MgGeO_3 , and MgTiO_3 ilmenites under compression, 1301
- Yang, H. and Konzett, J.: Crystal chemistry of a high-pressure $C2/c$ clinopyroxene with six-coordinated silicon, 1223
- Yardley, B.W.D., see Allan et al., 1767
- Yates, M.G., see Grew et al., 1402
- Yoder, C.H. and Flora, N.J.: Geochemical applications of the simple salt approximation to the lattice energies of complex materials, 488
- Yoshiasa, A., see Nakatsuka et al., 755
- Yui, T.-F., see Zhang et al., 801
- Yusa, H., Akaogi, M., Sata, N., Kojitani, H., Kato, Y., and Ohishi, Y.: Unquenchable hexagonal perovskite in high-pressure polymorphs of strontium silicates, 1017
- Zachara, J.M., see Kukkadapu et al., 510
- Zanardi, S., see Bonazzi et al., 1108
- Zanazzi, P.F., see Comodi et al., 1012
- Zanazzi, P.F., see Gatta et al., 645
- Zema, M., see Domeneghetti et al., 1816
- Zema, M., see Tarantino and Zema, 1291
- Zhang, L., see Song et al., 814
- Zhang, L., Song, S., Liou, J.G., Ai, Y., and Li, X.: Relict coesite exsolution in omphacite from Western Tianshan eclogites, China, 181
- Zhang, M., Wang, L., Hirai, S., Redfern, S.A.T., and Salje, E.K.H.: Dehydroxylation and CO_2 incorporation in annealed mica (sericite): An infrared spectroscopic study, 173
- Zhang, R.Y., Liou, J.G., Zheng, J.-P., Griffin, W.L., Yui, T.-F., and O'Reilly, S.Y.: Petrogenesis of the Yangkou layered garnet-peridotite complex, Sulu UHP terrane, China, 801
- Zhang, X., see Stracher et al., 1729
- Zhang, Z.M., Rumble, D., Liou, J.G., Xiao, Y.L., and Gao, Y.J.: Oxygen isotope geochemistry of rocks from the Pre-Pilot Hole of the Chinese Continental Scientific Drilling Project (CCSD-PPH1), 857
- Zhao, J., see Jackson et al., 199
- Zheng, J.-P., see Zhang et al., 801
- Zheng, Y.-F., see Li et al., 90
- Zheng, Y.-F., see Zhou and Zheng, 1121
- Zhou, G.-T. and Zheng, Y.-F.: Effect of polymorphic transition on oxygen isotope fractionation between aragonite, calcite, and water: A low-temperature experimental study, 1121
- Zoppi, A., see Bindu et al., 1556
- Zuddas, P., see Faivre et al., 1793
- Zuluaga, C.A., Stowell, H.H., and Tinkham, D.K.: The effect of zoned garnet on metapelitic pseudosection topology and calculated metamorphic P - T paths, 1619