

**AUTHOR INDEX, VOLUME 80, 1995**

- Abe, N. *see* Arai, S., 1041
- Anderson, J.L., Smith, D.R.: The effects of temperature and  $f_{O_2}$  on the Al-in-hornblende barometer, 549
- Angel, R.J. *see* Hackwell, T.P., 239
- Appleman, D.E. *see* Dai, Y., 173
- Arai, S., Abe, N.: Reaction of orthopyroxene in peridotite xenoliths with alkali-basalt melt and its implication for genesis of alpine-type chromitite, 1041
- Armbruster, T. *see* Libowitzky, E., 1277
- Armbruster, T. *see* Nyfeler, D., 377
- Artioli, G. *see* Pavese, A., 457
- Artioli, G., Rinaldi, R., Wilson, C.C., Zanazzi, P.F.: High-temperature Fe-Mg cation partitioning in olivine: In-situ single-crystal neutron diffraction study, 197
- Ashley, P.M. *see* Hawthorne, F.C., 165
- Aust, A.E. *see* Werner, A.J., 1093
- Bai, T.B. *see* Chou, I-M., 865
- Bailey, S.W.: Memorial of Richard Conrad Emmons, 1898–1993, 194
- Bailey, S.W. *see* Banfield, J.F., 1116
- Bailey, S.W. *see* Zheng, H., 387
- Bailey, S.W., Banfield, J.F.: Derivation and identification of nonstandard serpentine polytypes, 1104
- Bailey, S.W., Banfield, J.F., Barker, W.W., Katchan, G.: Dozyite, a 1:1 regular interstratification of serpentine and chlorite, 65
- Baker, J., Newton, R.C.: Experimentally determined activity-composition relations for Ca-rich scapolite in the system  $CaAl_2Si_2O_8$ - $NaAlSi_3O_8$ - $CaCO_3$  at 7 kbar, 744
- Bancroft, G.M. *see* Li, D., 432, 873
- Banfield, J.F. *see* Bailey, S.W., 65, 1104
- Banfield, J.F., Bailey, S.W., Barker, W.W., Smith, R.C., II: Complex polytypism: Relationships between serpentine structural characteristics and deformation, 1116
- Bao, P. *see* Peng, G., 1307
- Barker, W.W. *see* Bailey, S.W., 65
- Barker, W.W. *see* Banfield, J.F., 1116
- Barras, J. *see* Welch, M.D., 441
- Bartelmehs, K.L., Downs, R.T., Gibbs, G.V., Boisen, M.B., Jr., Birch, J.B.: Tetrahedral rigid-body motion in silicates, 680
- Bassett, W.A.: Acceptance of the Roebling Medal of the Mineralogical Society of America for 1994, 852
- Bassett, W.A. *see* Chou, I-M., 865
- Bassett, W.A. *see* Haselton, H.T., Jr., 1302
- Bassett, W.A. *see* Wu, T., 941
- Baumgartner, L.P. *see* Eiler, J.M., 757
- Baumgartner, L.P. *see* Gerdes, M.L., 1004
- Beckett, J.R. *see* Chamberlin, L., 285
- Behrens, H. *see* Holtz, F., 94
- Bell, D.R., Ihinger, P.D., Rossman, G.R.: Quantitative analysis of trace OH in garnet and pyroxenes, 465
- Benna, P. *see* Tribaudino, M., 907
- Benson, W.E., Sclar, C.B.: Memorial of Alvin Van Valkenburg, Jr., 1913–1991, 191
- Bermanec, V. *see* Nyfeler, D., 377
- Birch, J.B. *see* Bartelmehs, K.L., 680
- Bish, D.L. *see* Guthrie, G.D., Jr., 869
- Bodnar, R.J. *see* Vityk, M.O., 641
- Bohlen, S.R., Eckert, J.O., Jr., Hankins, W.B.: Experimentally determined solidi in the Ca-bearing granite system  $NaAlSi_3O_8$ - $CaAl_2Si_2O_8$ - $KAlSi_3O_8$ - $SiO_2$ - $H_2O$ - $CO_2$ , 752
- Boisen, M.B., Jr. *see* Bartelmehs, K.L., 680
- Bonazzi, P., Borrini, D., Mazzi, F., Olmi, F.: Crystal structure and twinning of  $Sb_2AsS_2$ , the synthetic analogue of päakkönenite, 1054
- Bonazzi, P., Menchetti, S., Pratesi, G.: The crystal structure of pararealgar,  $As_4S_4$ , 400
- Borrini, D. *see* Bonazzi, P., 1054
- Bose, K., Ganguly, J.: Quartz-coesite transition revisited: Reversed experimental determination at 500–1200 °C and retrieved thermochemical properties, 231
- Bosenick, A., Geiger, C.A., Schaller, T., Sebald, A.: A  $^{29}Si$  MAS NMR and IR spectroscopic investigation of synthetic pyrope-grossular garnet solid solutions, 691
- Bottinga, Y., Richet, P., Sipp, A.: Viscosity regimes of homogeneous silicate melts, 305
- Brack, H.P. *see* Devine, J.D., 319
- Brown, G.E., Jr.: Presentation of the Distinguished Public Service Medal for 1994 to Konrad Bates Krauskopf, 857
- Brown, G.E., Jr. *see* Galoisy, L., 1089
- Bruno, E. *see* Tribaudino, M., 907
- Brydson, R. *see* Garvie, L.A.J., 1132

- Burnley, P.C.: The fate of olivine in subducting slabs: A reconnaissance study, 1293
- Burns, P.C., Hawthorne, F.C.: The crystal structure of sinkankasite, a complex heteropolyhedral sheet mineral, 620
- Buseck, P.R. *see* Wang, S., 1174
- Calas, G. *see* Galoisy, L., 1089
- Cannillo, E. *see* Hawthorne, F.C., 165
- Casey, W.H. *see* Walling, E.M., 355
- Catlow, C.R.A. *see* Wright, K., 1020
- Cavell, R.G. *see* Locock, A., 27
- Černý, P. *see* Ercit, T.S., 613
- Cesare, B., Grobéty, B.: Epitaxial replacement of kyanite by staurolite: A TEM study of the microstructures, 78
- Chamberlain, K.R. *see* Scoates, J.S., 1317
- Chamberlin, L., Beckett, J.R., Stolper, E.: Palladium oxide equilibration and the thermodynamic properties of  $MgAl_2O_4$  spinel, 285
- Chao, G.Y. *see* Grice, J.D., 1059
- Chou, I-M. *see* Haselton, H.T., Jr., 1302
- Chou, I-M. *see* Wu, T., 941
- Chou, I-M., Bassett, W.A., Bai, T.B.: Hydrothermal diamond-anvil cell study of melts: Eutectic melting of the assemblage  $Ca(OH)_2 + CaCO_3$  with excess  $H_2O$  and lack of evidence for "portlandite II" phase, 865
- Christensen, C. *see* Spera, F.J., 1188
- Clayton, R.N. *see* Santos, R.V., 336
- Clayton, R.N. *see* Snyder, G.A., 799
- Clemens, J.D.: Phlogopite stability in the silica-saturated portion of the system  $KAlO_2$ - $MgO$ - $SiO_2$ - $H_2O$ : New data and a reappraisal of phase relations to 1.5 GPa, 982
- Cloosmann, C., Williams, Q.: In-situ spectroscopic investigation of high-pressure hydrated  $(Mg,Fe)SiO_3$  glasses: OH vibrations as a probe of glass structure, 201
- Coe, J.M.D. *see* Fabris, J.D., 664
- Cohen, R.E.: Acceptance of the Mineralogical Society of America Award for 1994, 855
- Cong, B. *see* Enami, M., 475
- Craven, A.J. *see* Garvie, L.A.J., 1132
- Cuney, M. *see* Podor, R., 1261
- Cygan, R.T. *see* Schwandt, C.S., 483
- Dai, Y., Post, J.E.: Crystal structure of hillebrandite: A natural analogue of calcium silicate hydrate (CSH) phases in Portland cement, 841
- Dai, Y., Post, J.E., Appleman, D.E.: Crystal structure of minehillite: Twinning and structural relationships to reyerite, 173
- Daniel, I., Gillet, P., Ghose, S.: A new high-pressure phase transition in anorthite ( $CaAl_2Si_2O_8$ ) revealed by Raman spectroscopy, 645
- Daniels, P. *see* Wunder, B., 638
- Deines, P. *see* Snyder, G.A., 799
- Devine, J.D., Gardner, J.E., Brack, H.P., Layne, G.D., Rutherford, M.J.: Comparison of microanalytical methods for estimating  $H_2O$  contents of silicic volcanic glasses, 319
- Dillenburg, R.G. *see* Huebner, J.S., 46
- Dingwell, D.B. *see* Hess, K.-U., 297
- Dingwell, D.B. *see* Holtz, F., 94
- Dirken, P.J., Kentgens, A.P.M., Nachtegaal, G.H., van der Eerden, A.M.J., Jansen, J.B.H.: Solid-state MAS NMR study of pentameric aluminosilicate groups with  $180^\circ$  intertetrahedral Al-O-Si angles in zunyite and harkerite, 39
- Dixon, J.E., Pan, V.: Determination of the molar absorptivity of dissolved carbonate in basanitic glass, 1339
- Dixon, R. *see* Nyfeler, D., 377
- Domeneghetti, M.C., Molin, G.M., Stimpfl, M., Tribaudino, M.: Orthopyroxene from the Serra de Magé meteorite: Structure refinement and estimation of  $C2/c$  pyroxene contributions to apparent  $Pbca$  diffraction violations, 923
- Domeneghetti, M.C., Molin, G.M., Tazzoli, V.: A crystal-chemical model for  $Pbca$  orthopyroxene, 253
- Downs, R.T. *see* Bartelmehs, K.L., 680
- Downs, R.T., Hazen, R.M., Finger, L.W., Gasparik, T.: Crystal chemistry of lead aluminosilicate hollandite: A new high-pressure synthetic phase with octahedral Si, 937
- Duffy, T.S., Meade, C., Fei, Y., Mao, H.-K., Hemley, R.J.: High-pressure phase transition in brucite,  $Mg(OH)_2$ , 222
- Duke, M.J.M. *see* Locock, A., 27
- Dungan, M.A. *see* Singer, B.S., 776
- Dupree, R. *see* Kohn, S.C., 705
- Dutrow, B.L. *see* Holdaway, M.J., 520
- Dymek, R.F. *see* Owens, B.E., 144
- Eckert, J.O., Jr. *see* Bohlen, S.R., 752
- Eiben, B.A. *see* Gasparik, T., 1269

- Eiler, J.M., Valley, J.W., Graham, C.M., Baumgartner, L.P.: The oxygen isotope anatomy of a slowly cooled metamorphic rock, 757
- El-Shazly, A.D.K.: On the thermodynamic data of kaolinite, 1048
- Enami, M., Cong, B., Yoshida, T., Kawabe, I.: A mechanism for Na incorporation in garnet: An example from garnet in orthogneiss from the Su-Lu terrane, eastern China, 475
- England, K.E.R. *see* Lennie, A.R., 960
- England, K.E.R. *see* Vaughan, D.J., 725
- Ercit, T.S., Wise, M.A., Černý, P.: Compositional and structural systematics of the columbite group, 613
- Essene, E.J. *see* Hayob, J.L., 810
- Evans, B.W. *see* Ghiorso, M.S., 502
- Evans, B.W., Ghiorso, M.S.: Thermodynamics and petrology of cummingtonite, 649
- Ewing, R.C. *see* Lumpkin, G.R., 732
- Fabris, J.D., Coey, J.M.D., Qi, Q., Mussel, W.N.: Characterization of Mg-rich maghemite from tuffite, 664
- Farnan, I. *see* Stebbins, J.F., 861
- Farrow, C.M. *see* Leake, B.E., 162
- Fei, Y. *see* Duffy, T.S., 222
- Feng, X.H. *see* Li, D., 432
- Ferry, J.M.: Role of fluid flow in the contact metamorphism of siliceous dolomitic limestones—Reply to Hanson, 1226
- Finger, L.W. *see* Downs, R.T., 937
- Fleet, M.E. *see* Li, D., 432, 873
- Fleet, M.E., Pan, Y.: Site preference of rare earth elements in fluorapatite, 329
- Foit, F.F., Jr., Robinson, P.D., Wilson, J.R.: The crystal structure of gillulyite,  $Tl_2(As,Sb)_8S_{13}$ , from the Mercur gold deposit, Tooele County, Utah, U.S.A., 394
- Foord, E.E. *see* Kampf, A.R., 179
- Fowler, G.W. *see* Papike, J.J., 1208
- Freer, R. *see* Wright, K., 1020
- Frey, F.A., Grove, T.L.: Memorial of Roger G. Burns, 1937–1994, 1082
- Frimmel, H.E., Hoffmann, D., Watkins, R.T., Moore, J.M.: An Fe analogue of kinoshitalite from the Broken Hill massive sulfide deposit in the Namaqualand Metamorphic Complex, South Africa, 833
- Gaffey, S.J.:  $H_2O$  and OH in echinoid calcite: A spectroscopic study, 947
- Galoisy, L., Calas, G., Brown, G.E., Jr.: Intracrystalline distribution of Ni in San Carlos olivine: An EXAFS study, 1089
- Ganguly, J. *see* Bose, K., 231
- Gardner, J.E. *see* Devine, J.D., 319
- Garvie, L.A.J., Craven, A.J., Brydson, R.: Parallel electron energy-loss spectroscopy (PEELS) study of B in minerals: The electron energy-loss near-edge structure (ELNES) of the B K edge, 1132
- Gasparik, T. *see* Downs, R.T., 937
- Gasparik, T., Parise, J.B., Eiben, B.A., Hriljac, J.A.: Stability and structure of a new high-pressure silicate,  $Na_{1.8}Ca_{1.1}Si_6O_{14}$ , 1269
- Gault, R.A. *see* Grice, J.D., 1059
- Geiger, C.A. *see* Bosenick, A., 691
- George, A.M., Stebbins, J.F.: High-temperature  $^{23}Na$  MAS NMR data for albite: Comparison to chemical-shift models, 878
- Gerdes, M.L., Baumgartner, L.P., Person, M., Rumble, D., III: One- and two-dimensional models of fluid flow and stable isotope exchange at an outcrop in the Adamello contact aureole, Southern Alps, Italy, 1004
- Ghiorso, M.S. *see* Evans, B.W., 649
- Ghiorso, M.S., Evans, B.W., Hirschmann, M.M., Yang, H.: Thermodynamics of the amphiboles: Fe-Mg cummingtonite solid solutions, 502
- Ghose, S. *see* Daniel, I., 645
- Ghose, S. *see* Yang, H., 9
- Giampaolo, C. *see* Line, C.M.B., 268
- Gibbs, G.V. *see* Bartelmebs, K.L., 680
- Gillet, P. *see* Daniel, I., 645
- Graham, C.M. *see* Eiler, J.M., 757
- Grice, J.D. *see* Hawthorne, F.C., 165
- Grice, J.D., Gault, R.A., Chao, G.Y.: Reederite-(Y), a new sodium rare-earth carbonate mineral with a unique fluorosulfate anion, 1059
- Grobóty, B. *see* Cesare, B., 78
- Grove, T.L. *see* Frey, F.A., 1082
- Guidotti, C.V.: Erratum and addendum: Petrogenetic implications of the  $Fe^{3+}$  content of muscovite in pelitic schists, 1078
- Guthrie, G.D., Jr. *see* Werner, A.J., 1093
- Guthrie, G.D., Jr., Bish, D.L., Reynolds, R.C., Jr.: Modeling the X-ray diffraction pattern of opal-CT, 869
- Hackwell, T.P., Angel, R.J.: Reversed brackets for the  $P\bar{1}$

- $\Rightarrow$   $\bar{I}\bar{I}$  transition in anorthite at high pressures and temperatures, 239
- Hankins, W.B. *see* Bohlen, S.R., 752
- Hanson, R.B.: Role of fluid flow in the contact metamorphism of siliceous dolomitic limestones—Discussion, 1222
- Hardy, J.A. *see* Werner, A.J., 1093
- Harrison, R.J., Putnis, A.: Magnetic properties of the magnetite-spinel solid solution: Saturation magnetization and cation distributions, 213
- Haselton, H.T., Jr., Chou, I.-M., Shen, A.H., Bassett, W.A.: Techniques for determining pressure in the hydrothermal diamond-anvil cell: Behavior and identification of ice polymorphs (I, III, V, VI), 1302
- Hawkins, K.D., MacKinnon, I.D.R., Schneeberger, H.: Influence of chemistry on the pyroelectric effect in tourmaline, 491
- Hawthorne, F.C.: A multinuclear NMR study of synthetic pargasite—Discussion, 628
- Hawthorne, F.C. *see* Burns, P.C., 620
- Hawthorne, F.C., Oberti, R., Cannillo, E., Sardone, N., Zanetti, A., Grice, J.D., Ashley, P.M.: A new anhydrous amphibole from the Hoskins mine, Grenfell, New South Wales, Australia: Description and crystal structure of ungarrettiite,  $\text{NaNa}_2(\text{Mn}_2^{2+}\text{Mn}_3^{3+})\text{Si}_8\text{O}_{22}\text{O}_2$ , 165
- Hayob, J.L., Essene, E.J.: Armalcolite in crustal paragneiss xenoliths, central Mexico, 810
- Hazen, R.M. *see* Downs, R.T., 937
- Helz, R.T.: The Stillwater Complex, Montana: A subvolcanic magma chamber?, 1343
- Hemingway, B.S. *see* Robie, R.A., 560
- Hemley, R.J. *see* Duffy, T.S., 222
- Henderson, C.M.B. *see* Kohn, S.C., 705
- Hess, K.-U., Dingwell, D.B., Webb, S.L.: The influence of excess alkalis on the viscosity of a haplogranitic melt, 297
- Hess, P.C. *see* Li, D., 873
- Hewitt, D.A. *see* Rebbert, C.R., 345
- Hirschmann, M.M. *see* Ghiorso, M.S., 502
- Hirschmann, M.M. *see* Yang, H., 916
- Hochella, M.F., Jr. *see* Werner, A.J., 1093
- Hoering, T.C. *see* Popp, R.K., 534
- Hoffmann, D. *see* Frimmel, H.E., 833
- Hofmeister, A.M. *see* McAloon, B.P., 1145
- Holdaway, M.J., Mukhopadhyay, B., Dutrow, B.L.: Thermodynamic properties of stoichiometric staurolite  $\text{H}_2\text{Fe}_4\text{Al}_{18}\text{Si}_8\text{O}_{48}$  and  $\text{H}_6\text{Fe}_2\text{Al}_{18}\text{Si}_8\text{O}_{48}$ , 520
- Holtstam, D., Norrestam, R., Sjödin, A.: Plumboferrite: New mineralogical data and atomic arrangement, 1065
- Holtz, F., Behrens, H., Dingwell, D.B., Johannes, W.:  $\text{H}_2\text{O}$  solubility in haplogranitic melts: Compositional, pressure, and temperature dependence, 94
- Hovis, G.L., Navrotsky, A.: Enthalpies of mixing for disordered alkali feldspars at high temperature: A test of regular solution thermodynamic models and a comparison of hydrofluoric acid and lead borate solution calorimetric techniques, 280
- Hriljac, J.A. *see* Gasparik, T., 1269
- Huang, E. *see* Xu, J., 1157
- Huebner, J.S. *see* Robie, R.A., 560
- Huebner, J.S., Dillenburg, R.G.: Impedance spectra of hot, dry silicate minerals and rock: Qualitative interpretation of spectra, 46
- Hughes, J.M. *see* Ni, Y., 21
- Hunter, B.K. *see* Millard, R.L., 885
- Icenhower, J., London, D.: An experimental study of element partitioning among biotite, muscovite, and coexisting peraluminous silicic melt at 200 MPa ( $\text{H}_2\text{O}$ ), 1229
- Ihinger, P.D. *see* Bell, D.R., 465
- Ihinger, P.D. *see* Zhang, Y., 593
- Jakobsen, H.J., Nielsen, N.C., Lindgreen, H.: Sequences of charged sheets in rectorite, 247
- Jambor, J.L., Kovalenker, V.A., Roberts, A.C.: New mineral names, 630
- Jambor, J.L., Pertsev, N.N., Roberts, A.C.: New mineral names, 845
- Jambor, J.L., Puziewicz, J., Roberts, A.C.: New mineral names, 404, 1328
- Jambor, J.L., Roberts, A.C.: New mineral names, 184, 1073
- Jansen, J.B.H. *see* Dirken, P.J., 39
- Jerde, E.A. *see* Snyder, G.A., 799
- Johannes, W. *see* Holtz, F., 94
- Kampf, A.R., Foord, E.E.: Artroite,  $\text{PbAlF}_3(\text{OH})_2$ , a new mineral from the Grand Reef mine, Graham County, Arizona: Description and crystal structure, 179
- Katchan, G. *see* Bailey, S.W., 65
- Kawabe, I. *see* Enami, M., 475

- Kelsall, G.H. *see* Vaughan, D.J., 725
- Kentgens, A.P.M. *see* Dirken, P.J., 39
- Keppler, H. *see* Shen, A.H., 1335
- Klinowski, J. *see* Welch, M.D., 441, 629
- Kohn, M.J. *see* Spear, F.S., 361
- Kohn, S.C., Henderson, C.M.B., Dupree, R.: Si-Al order in leucite revisited: New information from an analcite-derived analogue, 705
- Kolodziejski, W. *see* Welch, M.D., 629
- Kovalenker, V.A. *see* Jambor, J.L., 630
- Koziol, A.M., Newton, R.C.: Experimental determination of the reactions magnesite + quartz = enstatite + CO<sub>2</sub> and magnesite = periclase + CO<sub>2</sub>, and enthalpies of formation of enstatite and magnesite, 1252
- Krauskopf, K.B.: Acceptance of the Distinguished Public Service Medal for 1994, 859
- Labotka, T.C.: Evidence for immiscibility in Ti-rich garnet in a calc-silicate hornfels from northeastern Minnesota, 1026
- Lamb, W.M. *see* Letargo, C.M.R., 131
- Larson, A.C. *see* Swope, R.J., 448
- Lattard, D.: Experimental evidence for the exsolution of ilmenite from titaniferous spinel, 968
- Layne, G.D. *see* Devine, J.D., 319
- Layne, G.D. *see* Singer, B.S., 776
- Leake, B.E., Farrow, C.M., Townend, R.: K-poor titanian fluor-richterite from near Nullagine, Western Australia, 162
- Lennie, A.R., England, K.E.R., Vaughan, D.J.: Transformation of synthetic mackinawite to hexagonal pyrrhotite: A kinetic study, 960
- Letargo, C.M.R., Lamb, W.M., Park, J.-S.: Comparison of calcite + dolomite thermometry and carbonate + silicate equilibria: Constraints on the conditions of metamorphism of the Llano uplift, central Texas, U.S.A., 131
- Lewis, J. *see* Peng, G., 1307
- Li, D., Bancroft, G.M., Fleet, M.E., Feng, X.H., Pan, Y.: Al K-edge XANES spectra of aluminosilicate minerals, 432
- Li, D., Bancroft, G.M., Fleet, M.E., Hess, P.C., Yin, Z.F.: Coordination of B in K<sub>2</sub>O-SiO<sub>2</sub>-B<sub>2</sub>O<sub>3</sub>-P<sub>2</sub>O<sub>5</sub> glasses using B K-edge XANES, 873
- Liang, Y. *see* Watson, E.B., 1179
- Libowitzky, E., Armbruster, T.: Low-temperature phase transitions and the role of hydrogen bonds in lawsonite, 1277
- Lin, J. *see* Xu, J., 1157
- Lindgreen, H. *see* Jakobsen, H.J., 247
- Line, C.M.B., Putnis, A., Putnis, C., Giampaolo, C.: The dehydration kinetics and microtexture of analcime from two parageneses, 268
- Lipin, B. *see* Peng, G., 1307
- Liu, J. *see* Wang, S., 1174
- Locock, A., Luth, R.W., Cavell, R.G., Smith, D.G.W., Duke, M.J.M.: Spectroscopy of the cation distribution in the schorlomite species of garnet, 27
- London, D. *see* Icenhower, J., 1229
- London, D. *see* Wolf, M.B., 765
- Lumpkin, G.R., Ewing, R.C.: Geochemical alteration of pyrochlore group minerals: Pyrochlore subgroup, 732
- Luth, R.W. *see* Locock, A., 27
- MacKinnon, I.D.R. *see* Hawkins, K.D., 491
- Makovicky, E.: Structural parallels between the high-pressure B phases and the leucophoenicite series, 676
- Mao, H.-K.: Presentation of the Roebling Medal of the Mineralogical Society of America for 1994 to William A. Bassett, 851
- Mao, H.-K. *see* Duffy, T.S., 222
- Mariano, A.N. *see* Ni, Y., 21
- Mayeda, T.K. *see* Snyder, G.A., 799
- Mazzi, F. *see* Bonazzi, P., 1054
- McAloon, B.P., Hofmeister, A.M.: Single-crystal IR spectroscopy of grossular-andradite garnets, 1145
- McCallum, I.S. *see* Papike, J.J., 1208
- McCammon, C.A.: Equation of state, bonding character, and phase transition of cubanite, CuFe<sub>2</sub>S<sub>3</sub>, studied from 0 to 5 GPa, 1
- McGee, J. *see* Peng, G., 1307
- McKay, G.A. *see* Mikouchi, T., 585
- Meade, C. *see* Duffy, T.S., 222
- Medenbach, O. *see* Wunder, B., 638
- Menchetti, S. *see* Bonazzi, P., 400
- Mikouchi, T., Takeda, H., Miyamoto, M., Ohsumi, K., McKay, G.A.: Exsolution lamellae of kirschsteinite in magnesium-iron olivine from an angrite meteorite, 585
- Millard, R.L., Peterson, R.C., Hunter, B.K.: Study of the cubic to tetragonal transition in Mg<sub>2</sub>TiO<sub>4</sub> and Zn<sub>2</sub>TiO<sub>4</sub> spinels by <sup>17</sup>O MAS NMR and Rietveld refinement of X-ray diffraction data, 885

- Miyamoto, M. *see* Mikouchi, T., 585  
Molin, G.M. *see* Domeneghetti, M.C., 253, 923  
Moore, J.M. *see* Frimmel, H.E., 833  
Mukhopadhyay, B. *see* Holdaway, M.J., 520  
Mussel, W.N. *see* Fabris, J.D., 664
- Nachtegaal, G.H. *see* Dirken, P.J., 39  
Navrotsky, A.: Presentation of the Mineralogical Society of America Award for 1994 to Ronald E. Cohen, 854  
Navrotsky, A. *see* Hovis, G.L., 280  
Newton, R.C.: Review of *Granulites and Crustal Evolution*. Edited by D. Vielzeuf and P. Vidal, 415  
Newton, R.C. *see* Baker, J., 744  
Newton, R.C. *see* Koziol, A.M., 1252  
Ni, Y., Hughes, J.M., Mariano, A.N.: Crystal chemistry of the monazite and xenotime structures, 21  
Nielsen, N.C. *see* Jakobsen, H.J., 247  
Nixon, P.H.: Memorial of Oleg von Knorring, 1915–1994, 189  
Norrestam, R. *see* Holtstam, D., 1065  
Nyfeler, D., Armbruster, T., Dixon, R., Bermanec, V.: Nchwaningite,  $Mn_2^+SiO_3(OH)_2 \cdot H_2O$ , a new pyroxene-related chain silicate from the N'chwaning mine, Kalahari manganese field, South Africa, 377
- Oberti, R. *see* Hawthorne, F.C., 165  
Ohsumi, K. *see* Mikouchi, T., 585  
Oldenburg, C.M. *see* Spera, F.J., 1188  
Olmi, F. *see* Bonazzi, P., 1054  
Owens, B.E., Dymek, R.F.: Significance of pyroxene megacrysts for massif anorthosite petrogenesis: Constraints from the Labrieville, Quebec, pluton, 144
- Paetzold, S. *see* Spear, F.S., 361  
Pan, V. *see* Dixon, J.E., 1339  
Pan, Y. *see* Fleet, M.E., 329  
Pan, Y. *see* Li, D., 432  
Papike, J.J., Spilde, M.N., Fowler, G.W., McCallum, I.S.: SIMS studies of planetary cumulates: Orthopyroxene from the Stillwater Complex, Montana, 1208  
Parise, J.B. *see* Gasparik, T., 1269  
Park, J.-S. *see* Letargo, C.M.R., 131  
Partin, E. *see* Rebbert, C.R., 345  
Pavese, A., Artioli, G., Prencipe, M.: X-ray single-crystal diffraction study of pyrope in the temperature range 30–973 K, 457  
Pawley, A.R. *see* Smyth, J.R., 454  
Pawley, A.R., Wood, B.J.: The high-pressure stability of talc and 10 Å phase: Potential storage sites for H<sub>2</sub>O in subduction zones, 998  
Peng, G., Lewis, J., Lipin, B., McGee, J., Bao, P., Wang, X.: Inclusions of phlogopite and phlogopite hydrates in chromite from the Hongguleleng ophiolite in Xinjiang, northwest China, 1307  
Person, M. *see* Gerdes, M.L., 1004  
Pertsev, N.N. *see* Jambor, J.L., 845  
Petersen, E.U.: Review of *Metallogeny of Tin, Lecture Notes in Earth Sciences 32*. By B. Lehmann, 416  
Peterson, R.C. *see* Millard, R.L., 885  
Phillips, M.W. *see* Popp, R.K., 534, 1347  
Podor, R., Cuney, M., Trung, C.N.: Experimental study of the solid solution between monazite-(La) and (Ca<sub>0.5</sub>U<sub>0.5</sub>)PO<sub>4</sub> at 780 °C and 200 MPa, 1261  
Popp, R.K., Virgo, D., Phillips, M.W.: H deficiency in kaersutitic amphiboles: Experimental verification, 1347  
Popp, R.K., Virgo, D., Yoder, H.S., Jr., Hoering, T.C., Phillips, M.W.: An experimental study of phase equilibria and Fe oxy-component in kaersutitic amphibole: Implications for the  $f_{O_2}$  and  $a_{H_2O}$  in the upper mantle, 534  
Post, J.E. *see* Dai, Y., 173, 841  
Pratesi, G. *see* Bonazzi, P., 400  
Prencipe, M. *see* Pavese, A., 457  
Pring, A.: Annealing of synthetic hammarite, Cu<sub>2</sub>Pb<sub>2</sub>-Bi<sub>4</sub>S<sub>9</sub>, and the nature of cation-ordering processes in the bismuthinite-aikinite series, 1166  
Putnis, A. *see* Harrison, R.J., 213  
Putnis, A. *see* Line, C.M.B., 268  
Putnis, C. *see* Line, C.M.B., 268  
Puziewicz, J. *see* Jambor, J.L., 404, 1328
- Qi, Q. *see* Fabris, J.D., 664
- Rebbert, C.R., Partin, E., Hewitt, D.A.: Synthetic biotite oxidation under hydrothermal conditions, 345  
Reynolds, R.C., Jr. *see* Guthrie, G.D., Jr., 869  
Rice, S.B.: Transmission electron microscope observations of planar defects in ferrierite from Kamloops Lake, British Columbia, 930  
Richet, P. *see* Bottinga, Y., 305  
Rimstidt, J.D. *see* Werner, A.J., 1093  
Rinaldi, R. *see* Artioli, G., 197  
Roberts, A.C. *see* Jambor, J.L., 184, 404, 630, 845

- 1073, 1328
- Robie, R.A., Huebner, J.S., Hemingway, B.S.: Heat capacities and thermodynamic properties of braunite ( $\text{Mn}_7\text{SiO}_{12}$ ) and rhodonite ( $\text{MnSiO}_3$ ), 560
- Robinson, P.D. *see* Foit, F.F., Jr., 394
- Rock, P.A. *see* Walling, E.M., 355
- Rose, W.I.: Review of *Mount Pelée, Martinique: A Study of an Active Island-arc Volcano*. By A.L. Smith and M.J. Roobol, 1334
- Rosenbaum, J.M., Slagel, M.M.: C-O-H speciation in piston-cylinder experiments, 109
- Rosenberg, P.E. *see* Yang, W., 576
- Ross, M. *see* Takeda, H., 715
- Rossman, G.R. *see* Bell, D.R., 465
- Rossman, G.R. *see* Snyder, G.A., 799
- Rumble, D., III *see* Gerdes, M.L., 1004
- Rutherford, M.J. *see* Devine, J.D., 319
- Salvi, S., Williams-Jones, A.E.: Zirconosilicate phase relations in the Strange Lake (Lac Brisson) pluton, Quebec-Labrador, Canada, 1031
- Santos, R.V., Clayton, R.N.: The carbonate content in high-temperature apatite: An analytical method applied to apatite from the Jacupiranga alkaline complex, 336
- Sardone, N. *see* Hawthorne, F.C., 165
- Schaller, T. *see* Bosenick, A., 691
- Schmidt, M.W.: Lawsonite: Upper pressure stability and formation of higher density hydrous phases, 1286
- Schneeberger, H. *see* Hawkins, K.D., 491
- Schreyer, W. *see* Wunder, B., 638
- Schwandt, C.S., Cygan, R.T., Westrich, H.R.: Mg self-diffusion in pyrope garnet, 483
- Sclar, C.B. *see* Benson, W.E., 191
- Scoates, J.S., Chamberlain, K.R.: Baddeleyite ( $\text{ZrO}_2$ ) and zircon ( $\text{ZrSiO}_4$ ) from anorthositic rocks of the Laramie anorthosite complex, Wyoming: Petrologic consequences and U-Pb ages, 1317
- Sebald, A. *see* Bosenick, A., 691
- Sen, S. *see* Stebbins, J.F., 861
- Shen, A.H. *see* Haselton, H.T., Jr., 1302
- Shen, A.H. *see* Wu, T., 941
- Shen, A.H., Keppler, H.: Infrared spectroscopy of hydrous silicate melts to 1000 °C and 10 kbar: Direct observation of  $\text{H}_2\text{O}$  speciation in a diamond-anvil cell, 1335
- Singer, B.S.: Review of *Magma Transport and Storage*. Edited by M.P. Ryan, 636
- Singer, B.S., Dungan, M.A., Layne, G.D.: Textures and Sr, Ba, Mg, Fe, K, and Ti compositional profiles in volcanic plagioclase: Clues to the dynamics of calc-alkaline magma chambers, 776
- Sipp, A. *see* Bottinga, Y., 305
- Sjödin, A. *see* Holtstam, D., 1065
- Slagel, M.M. *see* Rosenbaum, J.M., 109
- Smith, D.G.W. *see* Locock, A., 27
- Smith, D.R. *see* Anderson, J.L., 549
- Smith, R.C., II *see* Banfield, J.F., 1116
- Smyth, J.R. *see* Swope, R.J., 448
- Smyth, J.R., Swope, R.J., Pawley, A.R.: H in rutile-type compounds: II. Crystal chemistry of Al substitution in H-bearing stishovite, 454
- Snyder, G.A., Taylor, L.A., Jerde, E.A., Clayton, R.N., Mayeda, T.K., Deines, P., Rossman, G.R., Sobolev, N.V.: Archean mantle heterogeneity and the origin of diamondiferous eclogites, Siberia: Evidence from stable isotopes and hydroxyl in garnet, 799
- Sobolev, N.V. *see* Snyder, G.A., 799
- Spear, F.S., Kohn, M.J., Paetzold, S.: Petrology of the regional sillimanite zone, west-central New Hampshire, U.S.A., with implications for the development of inverted isograds, 361
- Spera, F.J. *see* Stein, D.J., 417
- Spera, F.J., Oldenburg, C.M., Christensen, C., Todesco, M.: Simulations of convection with crystallization in the system  $\text{KAlSi}_2\text{O}_6\text{-CaMgSi}_2\text{O}_6$ : Implications for compositionally zoned magma bodies, 1188
- Spilde, M.N. *see* Papike, J.J., 1208
- Stebbins, J.F. *see* George, A.M., 878
- Stebbins, J.F., Sen, S., Farnan, I.: Silicate species exchange, viscosity, and crystallization in a low-silica melt: In situ high-temperature MAS NMR spectroscopy, 861
- Steele, I.M.: Oscillatory zoning in meteoritic forsterite, 823
- Stein, D.J., Spera, F.J.: Molecular dynamics simulations of liquids and glasses in the system  $\text{NaAlSi}_3\text{O}_8\text{-SiO}_2$ : Methodology and melt structures, 417
- Stimpfl, M. *see* Domeneghetti, M.C., 923
- Stolper, E.M. *see* Chamberlin, L., 285
- Stolper, E.M. *see* Zhang, Y., 593
- Swope, R.J. *see* Smyth, J.R., 454
- Swope, R.J., Smyth, J.R., Larson, A.C.: H in rutile-type compounds: I. Single-crystal neutron and X-ray diffraction study of H in rutile, 448

- Takeda, H. *see* Mikouchi, T., 585
- Takeda, H., Ross, M.: Mica polytypism: Identification and origin, 715
- Taylor, L.A. *see* Snyder, G.A., 799
- Taylor, S.R.: Memorial of Louis H. Ahrens, 1918–1990, 410
- Tazzoli, V. *see* Domeneghetti, M.C., 253
- Todesco, M. *see* Spera, F.J., 1188
- Townend, R. *see* Leake, B.E., 162
- Treiman, A.H.: Ca-rich carbonate melts: A regular-solution model, with applications to carbonatite magma + vapor equilibria and carbonate lavas on Venus, 115
- Tribaudino, M. *see* Domeneghetti, M.C., 923
- Tribaudino, M., Benna, P., Bruno, E.: *I1-I2/c* phase transition in alkaline-earth feldspars: Evidence from TEM observations of Sr-rich feldspars along the  $\text{CaAl}_2\text{Si}_2\text{O}_8$ - $\text{SrAl}_2\text{Si}_2\text{O}_8$  join, 907
- Trung, C.N. *see* Podor, R., 1261
- Valley, J.W. *see* Eiler, J.M., 757
- van der Eerden, A.M.J. *see* Dirken, P.J., 39
- Vaughan, D.J. *see* Lennie, A.R., 960
- Vaughan, D.J., England, K.E.R., Kelsall, G.H., Yin, Q.: Electrochemical oxidation of chalcopyrite ( $\text{CuFeS}_2$ ) and the related metal-enriched derivatives  $\text{Cu}_4\text{Fe}_5\text{S}_8$ ,  $\text{Cu}_9\text{Fe}_9\text{S}_{16}$ , and  $\text{Cu}_9\text{Fe}_8\text{S}_{16}$ , 725
- Veblen, D.R. *see* Xu, H., 87, 897
- Virgo, D. *see* Popp, R.K., 534, 1347
- Vityk, M.O., Bodnar, R.J.: Do fluid inclusions in high-grade metamorphic terranes preserve peak metamorphic density during retrograde decompression?, 641
- Walling, E.M., Rock, P.A., Casey, W.H.: The Gibbs energy of formation of huntite,  $\text{CaMg}_3(\text{CO}_3)_4$ , at 298 K and 1 bar from electrochemical cell measurements, 355
- Wang, S., Buseck, P.R., Liu, J.: High-angle annular dark-field microscopy of franckeite, 1174
- Wang, X. *see* Peng, G., 1307
- Warren, P.H.: Extrapolated partial molar densities of  $\text{SO}_3$ ,  $\text{P}_2\text{O}_5$ , and other oxides in silicate melts, 1085
- Watkins, R.T. *see* Frimmel, H.E., 833
- Watson, E.B., Liang, Y.: A simple model for sector zoning in slowly grown crystals: Implications for growth rate and lattice diffusion, with emphasis on accessory minerals in crustal rocks, 1179
- Weathers, M.S. *see* Wu, T., 941
- Webb, S.L. *see* Hess, K.-U., 297
- Welch, M.D., Barras, J., Klinowski, J.: A multinuclear NMR study of clinocllore, 441
- Welch, M.D., Kolodziejski, W., Klinowski, J.: A multinuclear NMR study of synthetic pargasite—Reply to Hawthorne, 629
- Werner, A.J., Hochella, M.F., Jr., Guthrie, G.D., Jr., Hardy, J.A., Aust, A.E., Rimstidt, J.D.: Asbestiform riebeckite (crocidolite) dissolution in the presence of Fe chelators: Implications for mineral-induced disease, 1093
- Westrich, H.R. *see* Schwandt, C.S., 483
- Williams, M.L.: Memorial of Jeffrey A. Grambling, 1953–1993, 1079
- Williams, Q. *see* Cloosmann, C., 201
- Williams-Jones, A.E. *see* Salvi, S., 1031
- Wilson, C.C. *see* Artioli, G., 197
- Wilson, J.R. *see* Foit, F.F., Jr., 394
- Wise, M.A. *see* Ercit, T.S., 613
- Wolf, M.B., London, D.: Incongruent dissolution of REE- and Sr-rich apatite in peraluminous granitic liquids: Differential apatite, monazite, and xenotime solubilities during anatexis, 765
- Wood, B.J. *see* Pawley, A.R., 998
- Wright, K., Freer, R., Catlow, C.R.A.: Oxygen diffusion in grossular and some geological implications, 1020
- Wu, T., Shen, A.H., Weathers, M.S., Bassett, W.A., Chou, I-M.: Anisotropic thermal expansion of calcite at high pressures: An in situ X-ray diffraction study in a hydrothermal diamond-anvil cell, 941
- Wunder, B., Medenbach, O., Daniels, P., Schreyer, W.: First synthesis of the hydroxyl end-member of humite,  $\text{Mg}_7\text{Si}_3\text{O}_{12}(\text{OH})_2$ , 638
- Xu, H., Veblen, D.R.: Transmission electron microscopy study of optically anisotropic and isotropic haüyne, 87
- Xu, H., Veblen, D.R., Zhang, Y.: Structural modulation and phase transition in a Na-rich alkali feldspar, 897
- Xu, J., Huang, E., Lin, J., Xu, L.Y.: Raman study at high pressure and the thermodynamic properties of corundum: Application of Kieffer's model, 1157
- Xu, L.Y. *see* Xu, J., 1157
- Xu, Z. *see* Zhang, Y., 670
- Yagi, K.: Memorial of Zyunpei Harada, 1898–1992, 412



- Yang, H. *see* Ghiorso, M.S., 502
- Yang, H., Ghose, S.: A transitional structural state and anomalous Fe-Mg order-disorder in Mg-rich orthopyroxene,  $(\text{Mg}_{0.75}\text{Fe}_{0.25})_2\text{Si}_2\text{O}_6$ , 9
- Yang, H., Hirschmann, M.M.: Crystal structure of  $P2_1/m$  ferromagnesian amphibole and the role of cation ordering and composition in the  $P2_1/m$ - $C2/m$  transition in cummingtonite, 916
- Yang, W., Rosenberg, P.E.: The free energy of formation of datolite, 576
- Yin, Q. *see* Vaughan, D.J., 725
- Yin, Z.F. *see* Li, D., 873
- Yoder, H.S., Jr. *see* Popp, R.K., 534
- Yoshida, T. *see* Enami, M., 475
- Zanazzi, P.F. *see* Artioli, G., 197
- Zanetti, A. *see* Hawthorne, F.C., 165
- Zhang, Y. *see* Xu, H., 897
- Zhang, Y., Stolper, E.M., Ihinger, P.D.: Kinetics of the reaction  $\text{H}_2\text{O} + \text{O} = 2\text{OH}$  in rhyolitic and albitic glasses: Preliminary results, 593
- Zhang, Y., Xu, Z.: Atomic radii of noble gas elements in condensed phases, 670
- Zheng, H., Bailey, S.W.: The crystal structure of manandonite- $2\text{H}_2$ , 387