

LETTER

Rapid solid-state sintering in volcanic systems

AMY G. RYAN^{1,*}, JAMES K. RUSSELL¹, AND MICHAEL J. HEAP²

¹Volcanology and Petrology Laboratory, Department of Earth and Ocean Sciences, University of British Columbia, 2020-2207 Main Mall, Vancouver, British Columbia, V6T 1Z4, Canada

²Institut de Physique de Globe de Strasbourg, UMR 7516 CNRS, Université de Strasbourg/EOST, 5 rue René Descartes, 67084 Strasbourg, France

ABSTRACT

Solid-state sintering is a process wherein atomic diffusion along grain boundaries converts unconsolidated, crystalline aggregates into dense composites. It is a process that has largely been overlooked as significant to volcanic systems. Here, we present a preliminary suite of hot isostatic pressing experiments performed on naturally occurring crystalline dacite powders that demonstrate the efficacy of solid-state sintering at elevated pressures (40, 70 MPa) and temperatures (700–900 °C) over short timescales (2.5 days). The experimental products are dense, low-permeability rocks, supporting the hypothesis that solid-state sintering may be an important process that acts on timescales relevant to magma rise and eruption. We use the experimental data to constrain a preliminary model for the extent of densification as a function of temperature, confining pressure and time. Last, we present *sintering maps* relevant to the time-dependent loss of porosity and permeability in granular volcanic materials. Solid-state sintering is a densification process with the capacity to heal fluid-flow pathways in volcanic systems within months to years.

Keywords: Experiments, modeling, hot isostatic pressing, permeability, Mount St. Helens, densification