

2004 Author Index

- Adatte, T., see Buatier et al., 1807
Ague, J.J., see Breeding et al., 1067
Ahrens, T.J., see Luo et al., 455
Akai, M., see Song et al., 1247
Akaogi, M., see Sugawara and Akaogi, 1586
Akasaka, M., see Nagashima, and Akasaka, 1119
Alberti, A., see Zanardi et al., 1033
Albrecht-Schmitt, T.E., see Almond and Albrecht-Schmitt, 976
Allan, N.L., see Lavrentiev et al., 1149
Allwardt, J.R. and Stebbins, J.F.: Ca-Mg and K-Mg mixing around non-bridging O atoms in silicate glasses: An investigation using ^{17}O MAS and 3QMAS NMR, 777
Almond, P.M. and Albrecht-Schmitt, T.E.: Hydrothermal synthesis and crystal chemistry of the new strontium uranyl selenites, $\text{Sr}[(\text{UO}_2)_3(\text{SeO}_3)_2\text{O}_2]\cdot 4\text{H}_2\text{O}$ and $\text{Sr}[\text{UO}_2(\text{SeO}_3)_2]$, 976
Alviola, R., see Konishi et al., 15
Amthauer, G., see Redhammer et al., 405
Anderson, D.L.: Introduction to the physics of the earth's interior. Jean-Paul Poirier, 1150
Anderson, R., see Llamedo et al., 1264
Andreozzi, G.B., Lucchesi, S., Graziani, G., and Russo, U.: Site distribution of Fe^{2+} and Fe^{3+} in the axinite mineral group: New crystal-chemical formula, 1763
Andreozzi, G.B., Princivalle, F., Skogby, H., and Della Giusta, A.: Ordering in spinels—A Monte Carlo study: Discussion, 1148
Andreozzi, G.B., see Bosi et al., 1367
Ansermet, S., see Brugger et al., 339
Antao, S.M., Hassan, I., and Parise, J.B.: Tugtupite: High-temperature structures obtained from in situ synchrotron diffraction and Rietveld refinements, 492
Antao, S.M., Mulder, W.H., Ishmael Hassan, I., Crichton, W.A., and Parise, J.B.: Cation disorder in dolomite, $\text{CaMg}(\text{CO}_3)_2$, and its influence on the aragonite + magnesite \leftrightarrow dolomite reaction boundary, 1142
Antao, S.M., see Hassan et al., 359
Arai, S., see Ikehata and Arai, 1396
Aranovich, L.Y.: Model independent phase equilibrium constraints on the ferrosilite activity in the binary Fe-Mg orthopyroxene solid solution, 432
Arboleda, P.H., see Cavell et al., 519
Armbruster, T., Döbelin, N., Peretti, A., Günther, D., Reusser, E., and Grobéty, B.: The crystal structure of painite $\text{CaZrB}[\text{Al}_9\text{O}_{18}]$ revisited, 610
Armbruster, T., Krivovichev, S.V., Weber, T., Gnos, E., Organova, N.N., Yakovenchuk, V.N., and Shlyukova, Z.V.: Origin of diffuse superstructure reflections in labuntsovite-group minerals, 1655
Armbruster, T., Krivovichev and Armbruster, 314
Armbruster, T., see Brugger et al., 339
Armbruster, T., see Krivovichev et al., 1138
Armbruster, T., see Krivovichev et al., 1561
Armbruster, T., see Krivovichev et al., 1816
Armbruster, T., see Simoncic and Armbruster, 421
Arvidson, R.S., Beig, M.S., and Lutge, A.: Single-crystal plagioclase feldspar dissolution rates measured by vertical scanning interferometry, 51
Asimow, P.D., see Luo et al., 455
Atencio, D., Carvalho, F.M.S., and Mاتيoli, P.A.: Coutinhoite, a new thorium uranyl silicate hydrate, from Urucum mine, Galiléia, Minas Gerais, Brazil, 721
Atencio, D., Coutinho, J.M.V., Graeser, S., Mاتيoli, P.A., and Filho, L.A.D.M.: Lindbergite, a new Mn oxalate dihydrate from Boca Rica mine, Galiléia, Minas Gerais, Brazil, and other occurrences, 1087
Baker, D.R.: Piston-cylinder calibration at 400 to 500 MPa: A comparison of using water solubility in albite melt and NaCl melting, 1553
Balan, E., see Nasdala et al., 219
Balassone, G., Franco, E., Mattia, C.-A., and Puliti, R.: Indialite in xenolithic rocks from Somma-Vesuvius volcano (Southern Italy): Crystal chemistry and petrogenetic features, 1
Ballaran, T.B., Carpenter, M.A., and Domeneghetti, M.C.: Order parameter variation through the $C2/m$ - $P2_1/m$ phase transition in cummingtonite, 1717
Ballaran, T.B., see Gatta et al., 633
Ballaran, T.B., see Nestola et al., 1474
Ballaran, T.B., see Nestola et al., 189
Bancroft, G.M., see Nesbitt et al., 382
Bancroft, G.M., see Nesbitt et al., 878
Banfield, J.F., see Moreau et al., 950
Barnes, E.M., see Cavell et al., 519
Bass, J.: Presentation of the Mineralogical Society of America Award to Guillaume Fiquet, 903
Bass, J.D., see Jackson et al., 239
Bass, J.D., see Jackson et al., 663
Batt, G.E., see Rahn et al., 473
Baxter, G.M., see Tinker et al., 1701
Behrens, H., see Liu et al., 277
Behrens, H., Tamic, N., and Holtz, F.: Determination of the molar absorption coefficient for the infrared absorption band of CO_2 in rhyolitic glasses, 301
Beig, M.S., see Arvidson et al., 51
Bell, D.R., Rossman, G.R., Maldener, J., Endisch, D., and Rauch, F.: Hydroxide in kyanite: A quantitative determination of the absolute amount and calibration of the IR spectrum, 998
Bendell-Young, L.I., see Jürgensen et al., 1110
Benisek, A., Kroll, H., and Cemič, L.: New developments in two-feldspar thermometry, 1496
Benna, P., see Nestola et al., 1474
Bergantz, G.W., see Wallace and Bergantz, 64
Berger, A.: An improved equation for crystal size distribution in second-phase influenced aggregates, 126
Berlepsch, P., see Brugger et al., 339
Berlich, A.G., see Nesbitt et al., 382
Berndt, J., see Geisler et al., 1341
Bernhardt, H.-J., see Hughes et al., 629

- Berry, A.J., see Jayasuriya et al., 1597
- Berry, A.J. and O'Neill, H.St.C.: A XANES determination of the oxidation state of chromium in silicate glasses, 790
- Bézos, A., see Fialin et al., 654
- Bindi, L., Spry, P.G., and Cipriani, C.: Empressite, AgTe, from the Empress-Josephine mine, Colorado, U.S.A.: Composition, physical properties, and determination of the crystal structure, 1043
- Bindi L., and Cipriani, C.: Ordered distribution of Au and Ag in the crystal structure of muthmannite, AuAgTe₂, a rare telluride from Sacarîmb, western Romania, 1505
- Birch, W.D., see Leake et al., 883
- Bish, D.L., Vaniman, D.T., Chipera, S.J., and Carey, J.W.: Erratum to The distribution of zeolites and their effects on the performance of a nuclear waste repository at Yucca Mountain, Nevada, U.S.A., 248
- Blencoe, J.G.: The CO₂-H₂O system: IV. Empirical, isothermal equations for representing vapor-liquid equilibria at 110–350 °C, $P \leq 150$ MPa, 1447
- Bobe S. and Tait, K.T.: Methanol—inhibitor or promoter of the formation of gas hydrates from deuterated ice? 1208
- Boiocchi, M., Callegari, A., Ottolini, L., and Maras, A.: The chemistry and crystal structure of okanoganite-(Y) and comparison with vicanite-(Ce), 1540
- Borisov, A., Lahaye, Y., and Palme, H.: The effect of TiO₂ on Pd, Ni, and Fe solubilities in silicate melts, 564
- Bosi, F., Andreozzi, G.B., Ferrini, V., and Lucchesi, S.: Behavior of cation vacancy in kenotetrahedral Cr-spinels from Albanian eastern belt ophiolites, 1367
- Boström, T.E., see Klopogge et al., 245
- Bozhilov, K.N., Jenkins, D.M., and Vebler, D.R.: Pyroboles evolution during tremolite synthesis from oxides, 74
- Brandon, M.T., see Rahn et al., 473
- Brandstätter, F., see Hughes et al., 447
- Brandt, C., see Zatsepina et al., 1254
- Brearley, A.J., see Golden et al., 681
- Brearley, A.J., see Moecher and Brearley, 1486
- Breeding, C.M., Ague, J.J., Grove, M., and Rupke, A.L.: Isotopic and chemical alteration of zircon by metamorphic fluids: U-Pb age depth-profiling of zircon crystals from Barrow's garnet zone, northeast Scotland, 1067
- Brenker, F.E. and Krot, A.N.: Late-stage, high-temperature processing in the Allende meteorite: Record from Ca,Fe-rich silicate rims around dark inclusions, 1280
- Bromiley, F.A., see Bromiley, G.D. et al., 941
- Bromiley, F.A., see Bromiley et al., Erratum, 1352
- Bromiley, G.D., Keppler, H., McCammon, C., Bromiley, F.A., and Jacobsen, S.D.: Erratum to Hydrogen solubility and speciation in natural, gem-quality chromian diopside, 1352
- Bromiley, G.D., Keppler, H., McCammon, C., Bromiley, F.A., and Jacobsen, S.D.: Hydrogen solubility and speciation in natural, gem-quality chromian diopside, 941
- Bromiley, G.D., see Bromiley et al., Erratum, 1352
- Brown, G.E., Jr., see Catalano and Brown, 1004
- Brugger, J., Krivovichev, S.V., Berlepsch, P., Meisser, N., Ansermet, S., and Armbruster, T.: Spriggite, Pb₃[(UO₂)₆O₈(OH)₂](H₂O)₃, a new mineral with β-U₃O₈-type sheets: Description and crystal structure, 339
- Bruno, E., see Nestola et al., 1474
- Buatier, M.D., Guillaume, D., Wheat, C.G., Hervé, L., and Adatte, T.: Mineralogical characterization and genesis of hydrothermal Mn oxides from the flank of the Juan the Fuca Ridge, 1807
- Buffett, B.A., see Zatsepina et al., 1254
- Buhre, S., see Walker et al., 204
- Bunno, M., see Kogure and Bunno, 1680
- Burke, E.A.J., see Leake et al., 883
- Burke, E.A.J. and Ferraris, G.: New minerals approved in 2003 and nomenclature modifications approved in 2003 by the Commission on New Minerals and Mineral Names, International Mineralogical Association, 1566
- Burns, P.C., see Krivovichev et al., 1138
- Buseck, P.R., see Dódonny and Buseck, 1631
- Buseck, P.R., see Garvie and Buseck, 485
- Buseck, P.R., see Garvie et al., 1610
- Buseck, P.R., see Johnson et al., 1374
- Buseck, P.R., see Konishi et al., 15
- Busigny, V., Cartigny, P., Philippot, P., and Javoy, M.: Quantitative analysis of ammonium in biotite using infrared spectroscopy, 1625
- Büttner, H., see Webb et al., 812
- Černý, P., Chapman, R., Ferreira, K., and Smeds, S.-A.: Geochemistry of oxide minerals of Nb, Ta, Sn, and Sb in the Varuträsk granitic pegmatite, Sweden: The case of an "anomalous" columbite-tantalite trend, 505
- Caballero, J.M., see Oberti et al., 888
- Callegari, A., see Boiocchi et al., 1540
- Cámara, F., Oberti, R., Della Ventura, G., Welch, M.D., and Maresch, W.V.: The crystal-structure of synthetic NaNa₂Mg₃Si₈O₂₁(OH)₃, a triclinic C1 amphibole with a triple-cell and excess hydrogen, 1464
- Cámara, F., see Iezzi et al., 640
- Cámara, F., see Oberti et al., 888
- Campbell, S.J., see Jayasuriya et al., 1597
- Capitani, G. and Mellini, M.: The modulated crystal structure of antigorite: The $m = 17$ polysome, 147
- Caporuscio, F.: Emeralds of the World, Extralapis English #2: The Legendary Green Beryl. 1841
- Caporuscio, F.: Tourmaline. extraLapis English No. 3: A Gemstone Spectrum. Alexander Falster and Günter Neumeier (translators), 919
- Carey, J.W., see Bish et al., 248
- Carmichael, I.: Presentation of the Mineralogical Society of America Dana Medal for 2003 to Mark S. Ghiorso, 909
- Carmichael, I.S.E.: The activity of silica, water, and the equilibration of intermediate and silicic magmas, 1438
- Carpenter, M.A., see Ballaran et al., 1717
- Carpenter, M.A., see Jackson et al., 239
- Carpenter, M.A., see Jackson et al., 663
- Carroll, S.A., see O'Day et al., 572
- Carstensen, A., Creek, J.L., and Koh, C.A.: Investigating the performance of clathrate hydrate inhibitors using in situ Raman spectroscopy and differential scanning calorimetry, 1215
- Cartigny, P., see Busigny et al., 1625
- Carvalho, F.M.S., see Atencio et al., 721
- Catalano, J.G. and Brown, G.E., Jr.: Analysis of uranyl-bearing phases by EXAFS spectroscopy: Interferences, multiple scattering, accuracy of structural parameters, and spectral

- differences, 1004
- Cavell, P.A., see Cavell et al., 519
- Cavell, R.G., Barnes, E.M., Arboleda, P.H., Cavell, P.A., Feng, R., Gordon, R.A., and Webb, M.A.: An X-ray and electron microprobe study of Fe, Ni, Ga, and Ge distribution and local structure in a section of the Canyon Diablo iron meteorite, 519
- Cemič, L., see Benisek et al., 1496
- Ceriani, C., Fois, E., Gamba, A., Tabacchi, G., Ferro, O., Quartieri, S., and Vezzalini, G.: Dehydration dynamics of bikitaite: Part II. Ab initio molecular dynamics study, 102
- Ceriani, C., see Ferro et al., 94
- Chakhmouradian, A.R.: Crystal chemistry and paragenesis of compositionally unique (Al-, Fe-, Nb-, and Zr-rich) titanite from Afrikanda, Russia, 1752
- Chakoumakos, B.C.: Preface to the *Clathrate Hydrates* special issue, 1153
- Chapman, R., see Černý et al., 505
- Charnock, J.M., see Pattick et al., 541
- Chen, B., see Song et al., 1247
- Cheng, L., see Park et al., 1647
- Cherniak, D.J., Pyle, J., and Rakovan, J.: Synthesis of REE and Y phosphates by Pb-free flux methods and their utilization as standards for electron microprobe analysis and in design of monazite chemical U-Th-Pb dating protocol, 1533
- Chio, C.H., Sharma, S.K., and Muenow, D.W.: Micro-Raman studies of gypsum in the temperature range between 9 K and 373 K, 390
- Chipera, S.J., see Bish et al., 248
- Chiu, E., see Riestenberg et al., 1240
- Christy, A.G. and Grew, E.S.: Synthesis of beryllian sapphirine in the system MgO-BeO-Al₂O₃-SiO₂-H₂O and comparison with naturally occurring beryllian sapphirine and khmaralite, Part 2: A chemographic study of Be content as a function of *P*, *T*, assemblage and FeMg₁ exchange, 327
- Chukalina, M., see Lemelle et al., 547
- Chukanov, N.V., see Krivovichev et al., 1138
- Churchill, H., Teng, H., and Hazen, R.M.: Correlation of pH-dependent surface interaction forces to amino acid adsorption: Implications for the origin of life, 1048
- Cipriani, C., see Bindi and Cipriani, 1505
- Cipriani, C., see Bindi et al., 1043
- Circone, S., see Stern et al., 1162
- Circone, S., Sternk L.A., and Kirby, S.H.: The effect of elevated methane pressure on methane hydrate dissociation, 1192
- Clark, S.M., see Walker et al., 204
- Clausse, D., see Dalmazzone et al., 1183
- Cole, D.R., see Labotka et al., 1822
- Cole, D.R., see Labotka et al., 799
- Comodi, P., Fumagalli, P., Montagnoli, M., and Zanazzi, P.F.: A single-crystal study on the pressure behavior of phlogopite and petrological implications, 647
- Comodi, P., see Gatta et al., 633
- Coombs, M.L. and Gardner, J.E.: Reaction rim growth on olivine in silicic melts: Implications for magma mixing, 748
- Cornelius, S., see Gunter et al., Erratum, 1579
- Cortee, C., see Eeckhout et al., 1743
- Coutinho, J.M.V., see Atencio et al., 1087
- Cowley, J.M., see Loan et al., 1735
- Cranswick, L.M.D., see Walker et al., 204
- Creek, J.L., see Carstensen et al., 1215
- Crichton, W.A., see Antao et al., 1142
- Crozier, E.D., see Jürgensen et al., 1110
- Cruciani, G., see Ferro et al., 94
- Cruciani, G., see Zanardi et al., 1033
- Dalmazzone, C., see Dalmazzone et al., 1183
- Dalmazzone, D., Clausse, D., Dalmazzone, C., and Herzhaft, B.: The stability of methane hydrates in highly concentrated electrolyte solutions by differential scanning calorimetry and theoretical computation, 1183
- Danielson, L., see Hervig et al., 498
- Davidson, R., see Nesbitt et al., 878
- Davis, K.J., Dove, P.M., Wasylenki, L.E., and De Yoreo, J.J.: Morphological consequences of differential Mg²⁺ incorporation at structurally distinct steps on calcite, 714
- De, S., Heaney, P.J., Fei, Y., and Vicenzi, E.P.: Erratum to Microstructural study of synthetic sintered diamond and comparison with carbonado, a natural polycrystalline diamond, 920
- De, S., Heaney, P.J., Fei, Y., and Vicenzi, E.P.: Microstructural study of synthetic sintered diamond and comparison with carbonado, a natural polycrystalline diamond, 439
- Decarreau, A., see Petit et al., 319
- Delaney, J.S., see McCanta et al., 1685
- Della Giusta, A., see Andreozzi et al., 1148
- Della Ventura, G., see Cámara et al., 1464
- Della Ventura, G., see Iezzi et al., 640
- Depmeier, W., see Krivovichev et al., 1561
- Depmeier, W., see Krivovichev et al., 1816
- De Grave, E., see Eeckhout et al., 1743
- De Paepe, P., see Eeckhout et al., 1743
- De Yoreo, J.J., see Davis et al., 714
- Dick, H.J.B., see Morishita et al., 759
- Diella, V., Sani, A., Levy, D., and Pavese, A.: High-pressure synchrotron X-ray diffraction study of spessartine and uvarovite: A comparison between different equation of state models, 371
- Ding, Y. and Veblen, D.R.: Impactite from Henbury, Australia, 961
- Dingwell, D., see Giuli et al., 1640
- Döbelin, N., see Armbruster et al., 610
- Döbelin, N., see Krivovichev et al., 1561
- Dobson, D.P. and Jacobsen, S.D.: The flux growth of magnesium silicate perovskite single crystals, 807
- Dódony I. and Buseck, P.R.: Lizardite-chlorite structural relationships and an inferred high-pressure lizardite polytype, 1631
- Domeneghetti, M.C., see Ballaran et al., 1717
- Dove, M.T., see Méducin et al., 981
- Dove, M.T., see Palin and Dove, 176
- Dove, M.T., see Palin et al., 164
- Dove, P.M., see Davis et al., 714
- Downs, R.T., see Thompson and Downs, 614
- Duckworth, O.W. and Martin, S.T.: Dissolution rates and pit morphologies of rhombohedral carbonate minerals, 554
- Duff, M.C.: Applications of Synchrotron Radiation in Low-Temperature Geochemistry and Environmental Science. Edited by P.A. Fenter, M.L. Rivers, N. C. Sturchio, and S.R. Sutton, 472
- Duff, M.C.: Applications of Synchrotron Radiation in Low-Temperature Geochemistry and Environmental Science by P.A. Fenter, M.L. Rivers, N.C. Sturchio, and S.R. Sutton, 254
- Duke, E.F., see Kozak et al., 701
- Duong, L.V., see Klopogge et al., 266
- Durham, W.B., see Stern et al., 1162
- Du Boulay, D., see Kuze et al., 1022
- Dyar, M.D., see Gunter et al., Erratum,

- 1579
- Dyar, M.D., see Hughes et al., 447
- Dyar, M.D. see McCanta et al., 1685
- Eberl, D.D.: Quantitative mineralogy of the Yukon River system: Changes with reach and season, and determining sediment provenance, 1784
- Eeckhout, S.G., Corteel, C., Van Coster, E., De Grave, E., and De Paepe, P.: Crystal-chemical characterization of tourmalines from the English Lake District: Electron-microprobe analyses and Mössbauer spectroscopy, 1743
- Endisch, D., see Bell et al., 998
- Ertl, A., see Hughes et al., 447
- Ertl, A., see Hughes et al., 629
- Escamilla-Roa, E., see Sainz-Díaz et al., 1092
- Etschmann, B., Pring, A., Putnis, A., Grguric, B.A., and Studer, A.: A kinetic study of the exsolution of pentlandite (Ni,Fe)₉S₈ from the monosulfide solid solution (Fe,Ni)S, 39
- Ewing, R.C., see Palenik et al., 1359
- Fayek, M., see Labotka et al., 1822
- Fayek, M., see Labotka et al., 799
- Fei, Y., see De et al., 439
- Fei, Y., see De et al., Erratum, 920
- Fei, Y., van Westrenen et al., 197
- Feinberg, J.M., Wenk, H.-R., Renne, P.R., and Scott, G.R.: Epitaxial relationships of clinopyroxene-hosted magnetite determined using electron backscatter diffraction (EBSD) technique, 462
- Feng, R., see Cavell et al., 519
- Fenter, P., see Park et al., 1647
- Ferraris, G., see Burke and Ferraris, 1566
- Ferraris, G., see Leake et al., 883
- Ferreira, K., see Černý et al., 505
- Ferrini, V., see Bosi et al., 1367
- Ferro, O., Quartieri, S., Vezzalini, G., Ceriani, C., Fois, E., Gamba, A., and Cruciani, G.: Dehydration dynamics of bikitaite: Part I. In situ synchrotron powder X-ray diffraction study, 94
- Ferro, O., see Ceriani et al., 102
- Fialin, M., Bézos, A., Wagner, C., Magnien, V., and Humler, E.: Quantitative electron microprobe analysis of Fe³⁺/ΣFe: Basic concepts and experimental protocol for glasses, 654
- Filho, L.A.D.M., see Atencio et al., 1087
- Finch, R.J., van Westrenen et al., 197
- Finger, F., Krenn and Finger, 1323
- Fiquet, G.: Acceptance of the Mineralogical Society of America Award for 2003, 905
- Fleet, M.E., Liu, X., and King, P.L.: Accommodation of the carbonate ion in apatite: An FTIR and X-ray structure study of crystals synthesized at 2–4 GPa, 1422
- Fleet, M.E., see Harmer et al., 1026
- Fleet, M.E. and Liu, X.: A new rare earth disilicate (REE₂Si₂O₇; REE = Dy, Tm, Lu; type-L): Evidence for nonquenchable 10 GPa polymorph with silicon in fivefold trigonal bipyramidal coordination? 396
- Fois, E., see Ceriani et al., 102
- Fois, E., see Ferro et al., 94
- Foit Jr., F.F., see Gunter et al., Erratum, 1579
- Foit Jr., F.F. and Hughes, J.M.: Structural variations in mercurian tetrahedrite, 159
- Fontan, F., see Roda et al., 110
- Forneris J.F. and Holloway, J.R.: Evolution of mineral compositions during eclogitization of subducting basaltic crust, 1516
- Franco, E., see Balassone et al., 1
- Frank, M.R., van Westrenen et al., 197
- Frindt, S., Haapala, I., and Pakkanen, L.: Anorogenic Gross Spitzkoppe granite stock in central western Namibia: Part I. Petrology and geochemistry, 841
- Frindt S. and Haapala, I.: Anorogenic Gross Spitzkoppe granite stock in central western Namibia: Part II. Structures and textures indicating crystallization from undercooled melt, 857
- Frost, R.L., see Klopogge et al., 266
- Frost, R.L., see Martens et al., 352
- Frost, R.L., Williams, P.A., Martens, W., Leverett, P., and Klopogge, J.T.: Raman spectroscopy of basic copper(II) and some complex copper(II) sulfate minerals: Implications for hydrogen bonding, 1130
- Fujii, N., see Nasdala et al., Reply, 914
- Fukushi, K., Sato, T., Yanase, N., Minato, J., and Yamada, H.: Arsenate sorption on schwertmannite, 1728
- Fumagalli, P., see Comodi et al., 647
- Funakoshi, K., see Kubo et al., 285
- Furuichi, H., Fujii, N., Ito, E., Kanno, Y., Watanabe S., and Tanaka, H.: Transformation of SiO₂ to the amorphous state by shearing at high pressure—Reply, 914
- G. Ryan, J.G., see Lang et al., 20
- Gaboriaud, F., see Jodin et al., 1456
- Galli, E., see Zanardi et al., 1033
- Gamba, A., see Ceriani et al., 102
- Gamba, A., see Ferro et al., 94
- García-Granda, S., see Jiménez et al., 600
- Gardner, J.E., see Coombs and Gardner, 725
- Garver, J.I., see Nasdala et al., 219
- Garver, J.I., see Rahn et al., 473
- Garvie, L.A.J., Zega, T.J., Rez, P., and Buseck, P.R.: Nanometer-scale measurements of Fe³⁺/ΣFe by electron energy-loss spectroscopy: A cautionary note, 1610
- Garvie, L.A.J. and Buseck, P.R.: Unoccupied states of pyrite probed by electron energy-loss spectroscopy (EELS), 485
- Gatta, G.D., Ballaran, T.B., Comodi, P., and Zanazzi, P.F.: Isothermal equation of state and compressional behavior of tetragonal edingtonite, 633
- Gborigi, M., see Riestenberg et al., 1240
- Gborigi, M., see Zatssepina et al., 1254
- Gehring, A.U., see Granwehr et al., 785
- Geisler, T., Seydoux-Guillaume, A.-M., Wiedenbeck, M., Wirth, R., Berndt, J., Zhang, M., Mihailova, B., Putnis, A., Salje, E.K.H., and Schlüter, J.: Periodic precipitation pattern formation in hydrothermally treated metamict zircon, 1341
- Genov, G., Kuhs, W.F., Staykova, D.K., Goreschnik, E., and Salamatin, A.N.: Experimental studies on the formation of porous gas hydrates, 1228
- Ghiorso, M.S.: Acceptance of the Dana Medal for the Mineralogical Society of America for 2003, 910
- Giesting, P.A., see Hofmeister et al., 132
- Gillet, P., see Lemelle et al., 547
- Giuli, G., Paris, E., Mungall, J., Romano, C., and Dingwell, D.: V oxidation state and coordination number in silicate glasses by XAS, 1640
- Gnos, E., see Armbruster et al., 1655
- Godec, Y.L., see Médoucin et al., 981
- Golden, D.C., Ming, D.W., Morris, R.V., Brearley, A.J., Lauer Jr., H.V., Treiman, A.H., Zolensky, M.E., Schwandt, C.S., Lofgren, G.E., and McKay, G.A.: Evidence for exclusively inorganic formation of magnetite in Martian meteorite ALH84001, 681
- González-Lucena, F., see Rancourt et al., 987
- Gordon, R.A., see Cavell et al., 519
- Gordon, R.A., see Jürgensen et al., 1110

- Goreshnik, E., see Genov et al., 1228
- Gottschalk, M., see Hovis et al., 85
- Gottschalk, M., see Hovis et al., Erratum, 1838
- Gottschalk, M., see Liebscher and Gottschalk, 31
- Graeser, S., see Atencio et al., 1087
- Granwehr, J., Weidler, P.G., and Gehring, A.U.: The fate of structure-bound Mn²⁺ during the decomposition of dolomite and in the resulting conversion products: An EPR study, 785
- Graziani, G., see Andreozzi et al., 1762
- Grew, E.S., see Christy and Grew, 327
- Grew, E.S., see Hughes et al., 447
- Grguric, B.A., see Etschmann et al., 39
- Grguric, B.A., see Patrick et al., 541
- Grice, J.D., see Leake et al., 883
- Grobóty, B., see Armbruster et al., 610
- Grove, M., see Breeding et al., 1067
- Gualtieri, A.F., see Perchiazzi et al., 767
- Gualtieri, A.F., see Scordair et al., 365
- Guillaume, D., see Buatier et al., 1807
- Gunter, M.E., Dyar, M.D., Twamley, B., Foit Jr., F.F., and Cornelius, S.: Erratum to Composition, Fe³⁺/ΣFe, and crystal structure of non-asbestiform and asbestiform amphiboles from Libby, 1579
- Günther, D., see Armbruster et al., 610
- Gwanmesia, G.D., see Hofmeister et al., 132
- Haapala, I., see Frindt and Haapala, 857
- Haapala, I., see Frindt et al., 841
- Hamed, A., see Hervig et al., 498
- Hammer, J.E.: Crystal nucleation in hydrous rhyolite: Experimental data applied to classical theory, 1673
- Hanchar, J.M., van Westrenen et al., 197
- Hargraves, R.B., see Robinson et al., 725
- Harlov, D., see Hovis et al., 85
- Harlov, D., see Hovis et al., Erratum, 1838
- Harlow, G.E.: Acceptance of the Distinguished Public Service Medal for 2003, 908
- Harmer, S.L., Pratt, A.R., Nesbitt, W.H., and Fleet, M.E.: Sulfur species at chalcopyrite (CuFeS₂) fracture surfaces, 1026
- Harmer, S.L., see Nesbitt et al., 382
- Harrison, R.J., see Robinson et al., 725
- Hart, R., see Loan et al., 1735
- Haskin, L.A., see Wang et al., 665
- Hassan, I., Antao, S.M., and Parise, J.B.: sodalite: high-temperature structures obtained from synchrotron radiation and Rietveld refinements, 359
- Hassan, I., see Antao et al., 1142
- Hassan, I., see Antao et al., 492
- Hawthorne, F.C., see Ishida et al., 232
- Hawthorne, F.C., see Leake et al., 883
- Hazen, R.M., see Churchill et al., 1048
- Heaney, P.J., see De et al., 439
- Heaney, P.J., see De et al., Erratum, 920
- Heaney, P.J., see Post and Heaney, 969
- Henriksen, K., Stipp, S.L.S., Young, J.R., and Marsh, M.E.: Biological control on calcite crystallization: AFM investigation of coccolith polysaccharide function, 1709
- Herd, C.D.K., Treiman, A.H., McKay, G.A., and Shearer, C.K.: The behavior of Li and B during planetary basalt crystallization, 832
- Hermann, J., see Spandler et al., 1795
- Hernández-Laguna, A., see Palin et al., 164
- Hernández-Laguna, A., see Sainz-Díaz et al., 1092
- Hervé, L., see Buatier et al., 1807
- Hervig, R.L., Mazdab, F.K., Danielson, L., Sharp, T.G., Hamed, A., and Williams, P.: SIMS microanalyses for Au in silicates, 498
- Herzhaft, B., see Dalmazzone et al., 1183
- Hickey, L., see Klopogge et al., 266
- Hirai, S. and Sanda, H.: Growth-controlling processes of CO₂ gas hydrates, 1260
- Hirose, K., see Kuwayama and Hirose, 273
- Hirowatari, F., see Ishida et al., 232
- Hofmeister, A.M., Giesting, P.A., Wopenka, B., Gwanmesia, G.D., and Jolliff, B.L.: Vibrational spectroscopy of pyrope-majorite garnets: Structural implications, 132
- Holloway, J.R., see Forneris and Holloway, 1516.
- Holtz, F., see Behrens et al., 301
- Holtz, F., see Iezzi et al., 640
- Hovis, G.L., Harlov, D., and Gottschalk, M.: Erratum to Solution calorimetric determination of the enthalpies of formation of NH₄-bearing minerals buddingtonite and tobelite, 1838
- Hovis, G.L., Harlov, D., and Gottschalk, M.: Solution calorimetric determination of the enthalpies of formation of NH₄-bearing minerals buddingtonite and tobelite, 85
- Hughes, J.M., Ertl, A., Bernhardt, H.-J., Rossman, G.R., and Rakovan, J.: Mn-rich fluorapatite from Austria: Crystal structure, chemical analysis, and spectroscopic investigations, 629
- Hughes, J.M., Ertl, A., Dyar, M.D., Grew, E.S., Wiedenbeck, M., and Brandstätter, F.: Structural and chemical response to varying ¹⁴B content in zoned Fe-bearing olenite from Korralpe, Austria, 447
- Hughes, J.M., see Foit and Hughes, 159
- Humbert, B., see Jodin et al., 1456
- Humler, E., see Fialin et al., 654
- Hýtch, M.J., see Johnson et al., 1374
- Iezzi, G., Della Ventura, G., Oberti, R., Cámara, F., and Holtz, F.: Synthesis and crystal-chemistry of Na(NaMg)Mg₃Si₈O₂₂(OH)₂, a *P2₁/m* amphibole, 640
- Ikedo, S., Nakano, T., Tsuchiyama, A., Uesugi, K., Suzuki, Y., Nakamura, K., Nakashima, Y., and Yoshida, H.: Nondestructive three-dimensional element-concentration mapping of a Cs-doped partially molten granite by X-ray computed tomography using synchrotron radiation, 1304
- Ikehata, K. and Arai, S.: Metasomatic formation of kosmochlor-bearing diopside in peridotite xenoliths from North Island, New Zealand, 1396
- Ishida, K., Hawthorne, F.C., and Hirowatari, F.: Shirozultite, KMn²⁺(Si₃Al)O₁₀(OH)₂, a new manganese-dominant trioctahedral mica: Description and crystal structure, 232
- Ishimatsu, N., see Kawamoto et al., 1433
- Ishimoto, H., see Wajima et al., 1694
- Ishizawa, N., see Kuze et al., 1022
- Isshiki, M., see Kawamoto et al., 1433
- Ito, E., see Nasdala et al., Reply, 914
- Jackson, J.M., Sinogeikin, S.V., Carpenter, M.A., and Bass, J.D.: Erratum to Novel phase transition in orthoestatite, 663
- Jackson, J.M., Sinogeikin, S.V., Carpenter, M.A., and Bass, J.D.: Novel phase transition in orthoestatite, 239
- Jacobsen, S.D., Reichmann and Jacobsen, 1061
- Jacobsen, S.D., see Bromiley et al., 941
- Jacobsen, S.D., see Bromiley et al., Erratum, 1352
- Quane, S.L., Russell, J.K., and Kennedy, L.A.: A low-load, high-temperature deformation apparatus for volcanological studies, 873
- Jacobsen, S.D., see Dobson and Jacob-

- sen, 807
- Jambor, J.L. and Roberts, A.C.: *New Mineral Names*, 1574
- Jambor, J.L. and Roberts, A.C.: *New Mineral Names*, 1826
- Jambor, J.L. and Roberts, A.C.: *New Mineral Names*, 249
- Jambor, J.L. and Roberts, A.C.: *New Mineral Names*, 467
- Jambor, J.L. and Roberts, A.C.: *New Mineral Names*, 894
- Javoy, M., see Busigny et al., 1625
- Jayasuriya, K.D., O'Neill, H.St.C., Berry, A.J., and Campbell, S.J.: A Mössbauer study of the oxidation state of Fe in silicate melts, 1597
- Jenkins, D.M., see Bozhilov et al., 74
- Jephcoat, A.P., see Welch et al., 1337
- Jiménez, A., Prieto, M., Salvadó, M.A., and García-Granda, S.: Structure and crystallization behavior of the (Ba,Sr)HAsO₄·H₂O solid-solution in aqueous environments, 600
- Jodin, M.-C., Gaboriaud, F., and Humbert, B.: Repercussions of size heterogeneity on the measurement of specific surface areas of colloidal minerals: Combination of macroscopic and microscopic analyses, 1456
- Johnson, C.L., Hýtch, M.J., and Buseck, P.R.: Displacement and strain fields around a [100] dislocation in olivine measured to sub-angstrom accuracy, 1374
- Johnson E.A. and Rossman, G.R.: A survey of hydrous species and concentrations in igneous feldspars, 586
- Johnston, C.T., see Sato et al., 1581
- Jolliff, B.L., see Hofmeister et al., 132
- Jolliff, B.L., see Wang et al., 665
- Jones, C.Y. and Peral, I.: Dynamics of trimethylene oxide in a structure II clathrate hydrate, 1176
- Jones, R.L., see Walker et al., 204
- Jürgensen, A., Widmeyer, J.R., Gordon, R.A., Bendell-Young, L.I., Moore, M.M., and Crozier, E.D.: The structure of the manganese oxide on the sheath of the bacterium *Leptothrix discophora*: An XAFS study, 1110
- Kampf, A.R., see Perchiazzi et al., 767
- Kampf, A.R.: *Minerals of Nevada*. By Stephen B. Castor and Gregory C. Ferdock, 1150
- Kanno, Y., see Nasdala et al., Reply, 914
- Karner, J., Papike, J.J., and Shearer, C.K.: Plagioclase from planetary basalts: Chemical signatures that reflect planetary volatile budgets, oxygen fugacity, and styles of igneous differentiation, 1101
- Karner, J.M., see Papike et al., 1557
- Katayama, I., see Ono et al., 185
- Kawamoto, T., Matsukage, K.N., Mibe, K., Isshiki, M., Nishimura, K., Ishimatsu, N., and Ono, S.: Mg/Si ratios of aqueous fluids coexisting with forsterite and enstatite based on the phase relations in the Mg₂SiO₄-SiO₂-H₂O system, 1433
- Keller, P., see Roda et al., 110
- Kennedy, A.K., see Nasdala et al., 219
- Kennedy, L.A., see Quane et al., 873
- Kepler, H., see Bromiley et al., 941
- Kepler, H., see Bromiley et al., Erratum, 1352
- Kesler, S.E., see Palenik et al., 1359
- Kessel, R., Ulmer, P., Pettke, T., Schmidt, M.W., and Thompson, A.B.: A novel approach to determine high-pressure high-temperature fluid and melt compositions using diamond-trap experiments, 1078
- Kikegawa, T., see Ono et al., 185
- Kimata, M., see Kyono and Kimata, 696
- Kimata, M., see Kyono and Kimata, 932
- King, P.L., see Fleet et al., 1422
- Kirby, S.H., see Circone et al., 1192
- Kirby, S.H., see Stern et al., 1162
- Kisch, H.J., see Leake et al., 883
- Kitamura, M., see Miyake et al., 1667
- Kitamura, M., see Seto et al., 257
- Kleppe, A.K., see Welch et al., 1337
- Kloprogge, J.T., Boström, T.E., and Weier, M.L.: In situ observation of the thermal decomposition of weddellite by heating stage environmental scanning electron microscopy, 245
- Kloprogge, J.T., Hickey, L., Duong, L.V., Martens, W.N., and Frost, R.L.: Synthesis and characterization of K₂Ca₅(SO₄)₆·H₂O, the equivalent of görgeyite, a rare evaporite mineral, 266
- Kloprogge, J.T., see Frost et al., 1130
- Kloprogge, J.T., see Martens et al., 352
- Koch-Müller, M., Matsyuk, S.S., and Wirth, R.: Hydroxyl in omphacites and omphacitic clinopyroxenes of upper mantle to lower crustal origin beneath the Siberian platform, 921
- Kogure, T. and Bunno, M.: Investigation of polytypes in lepidolite using electron back-scattered diffraction, 1680
- Koh, C.A., see Carstensen et al., 1215
- Konishi, H., Alviola, R., and Buseck, P.R.: 2111 biopyribole intermediate between pyroxene and amphibole: Artifact or natural product?, 15
- Kozak, P.K., Duke, E.F., and Roselle, G.T.: Mineral distribution in contact-metamorphosed siliceous dolomite at Ubehebe Peak, California, based on airborne imaging spectrometer data, 701
- Koziol, A.M.: Experimental determination of siderite stability and application to Martian Meteorite ALH84001, 294
- Krenn, E. and Finger, F.: Metamorphic formation of Sr-apatite and Sr-bearing monazite in a high pressure rock from the Bohemian Massif, 1323
- Krivovichev, S.V., Armbruster, T., Organova, N.I., Burns, P.C., Seredkin, M.V., and Chukanov, N.V.: Incorporation of sodium into the chlorite structure: the crystal structure of glagolevite, Na(Mg,Al)₆[Si₃AlO₁₀](OH)₈, 1138
- Krivovichev, S.V., see Armbruster et al., 1655
- Krivovichev, S.V., see Brugger et al., 339
- Krivovichev, S.V., Yakovenchuk, V.N., Armbruster, T., Döbelin, N., Pattison, P., Weber, H.-P., and Depmeier, W.: Porous titanosilicate nanorods in the structure of yuksporite, (Sr,Ba)₂K₄(Ca,Na)₁₄(□,Mn,Fe)₄{(Ti,Nb)₄(O,OH)₄[Si₆O₁₇]₂[Si₂O₇]₃}(H₂O,OH)_n, resolved using synchrotron radiation, 1561
- Krivovichev, S.V., Yakovenchuk, V.N., Armbruster, T., Pakhomovsky, Y.A., Weber, H.-P., and Depmeier, W.: Synchrotron X-ray diffraction study of the structure of shafranovskite, K₂Na₃(Mn,Fe,Na)₄[Si₉(O,OH)₂₇](OH)₂·nH₂O, a rare manganese phyllosilicate from the Kola peninsula, Russia, 1816
- Krivovichev, S.V. and Armbruster, T.: The crystal structure of jonesite, Ba₂(K,N a)[Ti₂(Si₅Al)O₁₈(H₂O)](H₂O)_n: A first example of titanosilicate with porous double layers, 314
- Krivovichev, V.G., see Leake et al., 883
- Kroll, H., see Benisek et al., 1496
- Krot, A.N., Brenker and Krot, 1280
- Kubo, T., Ohtani, E., and Funakoshi, K.: Nucleation and growth kinetics of the α-β transformation in Mg₂SiO₄ determined by in situ synchrotron powder X-ray diffraction, 285

- Kuebler, K.E., see Wang et al., 665
 Kuehner, S.M., see Witter and Kuehner, 57
 Kuhs, W.F., see Genov et al., 1228
 Kuwayama, Y. and Hirose, K.: Phase relations in the system Fe-FeSi at 21 GPa, 273
 Kuzawa, K., see Wajima et al., 1694
 Kuze, S., Du Boulay, D., Ishizawa, N., Saiki, A., and Pring, A.: X-ray diffraction evidence for a monoclinic form of stibnite, Sb_2S_3 , below 290 K, 1022
 Kyono, A. and Kimata, M.: Structural variations induced by difference of the inert pair effect in the stibnite-bismuthinite solid solution series $(Sb,Bi)_2S_3$, 932
 Kyono, A. and Kimata, M.: Structural reinvestigation of getchellite $As_{0.98}Sb_{1.02}S_{3.00}$, 696
 Labotka, T.C., Cole, D.R., Fayek, M., Riciputi, L.R., and Stadermann, F.J.: Coupled cation and oxygen-isotope exchange between alkali feldspar and aqueous chloride solution, 1822
 Labotka, T.C., Cole, D.R., Riciputi, L.R., and Fayek, M.: Diffusion of C and O in calcite from 0.1 to 200 MPa, 799
 Lahaye, Y., see Borisov et al., 564
 Lang, H.M., Wachter, A.J., Peterson, V.L., and G. Ryan, J.G.: Coexisting clinopyroxene/spinel and amphibole/spinel symplectites in metatroctolites from the Buck Creek ultramafic body, North Carolina Blue Ridge, 20
 Lang, H.M., Wachter, A.J., Peterson, V.L., and Ryan, J.G.: Erratum to Coexisting clinopyroxene/spinel and amphibole/spinel symplectites in metatroctolites from the Buck Creek ultramafic body, North Carolina Blue Ridge, 664
 Lasaga, A.C. and Lüttge, A.: Mineralogical approaches to fundamental crystal dissolution kinetics, 527
 Lauer Jr., H.V., see Golden et al., 681
 Lavrentiev, M.Yu., Purton, J.A., and Allan, N.L.: Ordering in spinels—A Monte Carlo study: Reply, 1149
 Leake, B.E., Woolley, A.R., Birch, W.D., Burke, E.A.J., Ferraris, G., Grice, J.D., Hawthorne, F.C., Kisch, H.J., Krivovichev, V.G., Schumacher, J.C., Stephenson, N.C.N., and Whittaker, E.J.W.: Nomenclature of amphiboles: Additions and revisions to the Inter
 Leech, M., see Yang et al., 1525
 Lemelle, L., Simionovici, A., Truche, R., Rau, C., Chukalina, M., and Gillet, P.: A new nondestructive X-ray method for the determination of the 3D mineralogy at the micrometer scale, 547
 Lengauer, C.L., see Nasadala et al., Comment, 912
 Leshner, C.E., see Tinker et al., 1701
 Leverett, P., see Frost et al., 1130
 Levitsky, V.I., see Sengupta et al., 819
 Levy, D., see Diella et al., 371
 Liang, L., see Riestenberg et al., 1240
 Liebscher, A. and Gottschalk, M.: The *T-X* dependence of the isosymmetric displacive phase transition in synthetic Fe^{3+} -Al zoisite: A temperature-dependent infrared spectroscopy study, 31
 Liou, J.G., see Mattinson et al., 1772
 Liou, J.G., see Tsujimori and Liou, 7
 Liu, X., see Fleet and Liu, 396
 Liu, X., see Fleet et al., 1422
 Liu, Y., Behrens, H., and Zhang, Y.: The speciation of dissolved H_2O in dacitic melt, 277
 Liu, Y., Tossell, J., and Nekvasil, H.: A theoretical study of structural factors correlated with ^{23}Na NMR parameters, 1314
 Llamedo, M., Anderson, R., and Tohidi, B.: Thermodynamic prediction of clathrate hydrate dissociation conditions in mesoporous media, 1264
 Loan, M., Cowley, J.M., Hart, R., and Parkinson, G.M.: Evidence on the structure of synthetic schwertmannite, 1735
 Lofgren, G.E., see Golden et al., 681
 López-Aguayo, F., see Mata et al., 1510
 Losic, D., see Snow et al., 1353
 Lucchesi, S., see Andreozzi et al., 1762
 Lucchesi, S., see Bosi et al., 1367
 Luo, S.-N., Tschauer, O., Asimow, P.D., and Ahrens, T.J.: A new dense silica polymorph: A possible link between tetrahedrally and octahedrally coordinated silica, 455
 Luttge, A., see Arvidson et al., 51
 Lüttge, A., see Lasaga and Lüttge, 527
 Maeda, J., see Morishita et al., 759
 Magnien, V., see Fialin et al., 654
 Maldener, J., see Bell et al., 998
 Maras, A., see Boiocchi et al., 1540
 Maresch, W.V., see Cámara et al., 1464
 Marsh, M.E., see Henriksen et al., 1709
 Marshall, W.G., see Médúcin et al., 981
 Martens, W., see Frost et al., 1130
 Martens, W.N., Rintoul, L., Klopogge, J.T., and Frost, R.L.: Single crystal raman spectroscopy of cerussite, 352
 Martens, W.N., see Klopogge et al., 266
 Martin, F., see Petit et al., 319
 Martin, S.T., see Duckworth and Martin, 554
 Mason, D.H., see Waite et al., 1202
 Mason, D.H., see Winters et al., 1221
 Mata, M.P., Peacor, D.R., and López-Aguayo, F.: Polytypism of cookeite in low-grade metapelites of the Cameros Basin, Spain: Lack of correlation of well-ordered polytypes with pressure, 1510
 Matioli, P.A., see Atencio et al., 1087
 Matioli, P.A., see Atencio et al., 721
 Matsukage, K.N., see Kawamoto et al., 1433
 Matsumoto, T., see Morishita et al., 759
 Matsyuk, S.S., see Koch-Müller et al., 921
 Mattia, C.-A., see Balassone et al., 1
 Mattinson, C.G., Zhang, R.Y., Tsujimori, T., and Liou, J.G.: Epidote-rich talc-kyanite-phengite eclogites, Sulu terrane, eastern China: *P-T-f_o* estimates and the significance of the epidote-talc assemblage in eclogite, 1772
 Mayne, R.G., see Taylor et al., 1617
 Mazdab, F.K., see Hervig et al., 498
 McCallum, S.D., see Zatssepina et al., 1254
 McCammon, C., see Bromiley et al., 941
 McCammon, C., see Bromiley et al., Erratum, 1352
 McCanta, M.C., Dyar, M.D., Rutherford, M.J., and Delaney, J.S.: Iron partitioning between basaltic melts and clinopyroxene as a function of oxygen fugacity, 1685
 McEnroe, S.A., see Robinson et al., 725
 McIntyre, N.S., see Nesbitt et al., 878
 McKay, G.A., see Golden et al., 681
 McKay, G.A., see Herd et al., 832
 Médúcin, F., Redfern, S.A.T., Godec, Y.L., Stone, H.J., Tucker, M.G., Dove, M.T., and Marshall, W.G.: Study of cation order-disorder in $MgAl_2O_4$ spinel by in situ neutron diffraction up to 1600 K and 3.2 GPa, 981
 Meisser, N., see Brugger et al., 339
 Mellini, M., see Capitani and Mellini, 147
 Merlino, S., see Perchiazzi et al., 767
 Mibe, K., see Kawamoto et al., 1433
 Mibe, K., see Ono et al., 1480
 Mihailova, B., see Geisler et al., 1341
 Milke, R.: Spiral growth of grossular under hydrothermal conditions, 211
 Minato, J., see Fukushi et al., 1728

- Ming, D.W., see Golden et al., 681
Miyake, A., see Seto et al., 257
Miyake, A., Shimobayashi, N., and Kitamura, M.: Isosymmetric structural phase transition of orthoenstatite: Molecular dynamics simulation, 1667
Miyashita, S., see Morishita et al., 759
Moecher D.P., and Brearley, A.J.: Mineralogy and petrology of a mullite-bearing pseudotachylyte: Constraints on the temperature of coseismic frictional fusion, 1486
Montagnoli, M., see Comodi et al., 647
Moore, M.M., see Jürgensen et al., 1110
Moreau, J.W., Webb, R.I., and Banfield, J.F.: Ultrastructure, aggregation-state, and crystal growth of biogenic nanocrystalline sphalerite and wurtzite, 950
Morishita, T., Maeda, J., Miyashita, S., Matsumoto, T., and Dick, H.J.B.: Magmatic srilankite (Ti_2ZrO_6) in gabbroic vein cutting oceanic peridotites: An unusual product of peridotite-melt interactions beneath slow-spreading ridges, 759
Morris, R.V., see Golden et al., 681
Morse, S.A. and Ross, M.: Kiglapait mineralogy IV: The augite series, 1380
Muenow, D.W., see Chio et al., 390
Mulder, W.H., see Antao et al., 1142
Müller, E., see Webb et al., 812
Mungall, J., see Giuli et al., 1640
Murrell, M.: Uranium-Series Geochemistry. Edited by B. Bourdon, G. M. Henderson, C. C. Lundstrom, and S. P. Turner, 1150
Mysen, B.O.: Mind over magma. by Davis A. Young, 916
Nagashima, M. and Akasaka, M.: An X-ray Rietveld study of piemontite on the join $\text{Ca}_2\text{Al}_3\text{Si}_3\text{O}_{12}(\text{OH})$ – $\text{Ca}_2\text{Mn}_3^+\text{Si}_3\text{O}_{12}(\text{OH})$ formed by hydrothermal synthesis, 1119
Nakamura, K., see Ikeda et al., 1304
Nakano, T., see Ikeda et al., 1304
Nakashima, Y., see Ikeda et al., 1304
Nasdala, L., Reiners, P.W., Garver, J.I., Kennedy, A.K., Stern, R.A., Balan, E., and Wirth, R.: Incomplete retention of radiation damage in zircon from Sri Lanka, 219
Nasdala, L., Wopenka, B., and Lengauer, C.L.: Transformation of SiO_2 to the amorphous state by shearing at high pressure—Comment, 912
Navrotsky, A.: Presentation of the Roebling Medal for 2003 of the Mineralogical Society of America to Charles T. Prewitt, 898
Nekvasil, H., see Liu et al., 1314
Nesbitt, H.W., Bancroft, G.M., Davidson, R., McIntyre, N.S., and Pratt, A.R.: Minimum XPS core-level line widths of insulators, including silicate minerals, 878
Nesbitt, H.W., Berlich, A.G., Harmer, S.L., Uhlig, I., Bancroft, G.M., and Szargan, R.: Identification of pyrite valence band contributions using synchrotron-excited X-ray photoelectron spectroscopy, 382
Nesbitt, W.H., see Harmer et al., 1026
Nestola, F., Ballaran, T.B., Benna, P., Tribaudino, M., and Bruno, E.: High-pressure phase transitions in $\text{Ca}_{0.2}\text{Sr}_{0.8}\text{Al}_2\text{Si}_2\text{O}_8$ feldspar, 1474
Nestola, F., Tribaudino, M., and Ballaran, T.B.: High-pressure behavior, transformation and crystal structure of synthetic iron-free pigeonite, 189
Nishimura, K., see Kawamoto et al., 1433
Nishio, M., see Song et al., 1247
Nishiyama, T., see Wajima et al., 1694
Niu, Y., see Song et al., 1330
Nixon, P.H. and Pearson, D.G.: Memorial for Francis R. “Joe” Boyd, 1835
O’Day, P.A., Rivera Jr., N., Root, R., and Carroll, S.A.: X-ray absorption spectroscopic study of Fe reference compounds for the analysis of natural sediments, 572
O’Neill, H.St.C., see Berry and O’Neill, 790
O’Neill, H.St.C., see Jayasuriya et al., 1597
Oberti, R., Cámara, F., and Caballero, J.M.: Ferri-ottoliniite and ferriwhitakerite, two new end-members of the new Group 5 for monoclinic amphiboles, 888
Oberti, R., see Cámara et al., 1464
Oberti, R., see Iezzi et al., 640
Ohishi, Y., see Ono et al., 1480
Ohtani, E., see Kubo et al., 285
Ono, K., see Sato et al., 1581
Ono, S., Ohishi, Y., and Mibe, K.: Phase transition of Ca-perovskite and stability of Al-bearing Mg-perovskite in the lower mantle, 1480
Ono, S., see Kawamoto et al., 1433
Ono, S., Tange, Y., Katayama, I., and Kikegawa, T.: Equations of state of ZrSiO_4 phases in the upper mantle, 185
Organova, N.I., see Krivovichev et al., 1138
Organova, N.N., see Armbruster et al., 1655
Osadchii, E.G. and Rappo, O.A.: Determination of standard thermodynamic properties of sulfides in the Ag–Au–S system by means of a solid-state galvanic cell, 1405
Otálora, F., see Sainz-Díaz et al., 307
Ottolini, L., see Boiocchi et al., 1540
Pakhomovsky, Y.A., see Krivovichev et al., 1816
Pakkanen, L., see Frindt et al., 841
Palenik, C.S., Utsunomiya, S., Reich, M., Kesler, S.E., Wang, L., and Ewing, R.C.: “Invisible” gold revealed: Direct imaging of gold nanoparticles in a Carlin-type deposit, 1359
Palin, E.J., Dove, M.T., Hernández-Laguna, A., and Sainz-Díaz, C.I.: A computational investigation of the Al/Fe/Mg order-disorder behavior in the dioctahedral sheet of phyllosilicates, 164
Palin, E.J. and Dove, M.T.: Investigation of Al/Si ordering in tetrahedral phyllosilicate sheets by Monte Carlo simulation, 176
Palme, H., see Borisov et al., 564
Papike, J.J., Karner, J.M., and Shearer, C.K.: Comparative planetary mineralogy: V/(Cr + Al) systematics in chromite as an indicator of relative oxygen fugacity, 1557
Papike, J.J., see Karner et al., 1101
Paris, E., see Giuli et al., 1640
Parise, J.B., see Antao et al., 1142
Parise, J.B., see Antao et al., 492
Parise, J.B., see Hassan et al., 359
Park, C., Fenter, P., Zhang, Z., Cheng, L., and Sturchio, N.C.: Structure of the fluorapatite (100)-water interface by high-resolution X-ray reflectivity, 1647
Parkinson, G.M., see Loan et al., 1735
Parseval, P.D., see Petit et al., 319
Patchen, A., see Taylor et al., 1617
Pattison, P., see Krivovichev et al., 1561
Patrick, R.A.D., van der Laan, G., Charnock, J.M., and Grguric, B.A.: Cu L_3 X-ray absorption spectroscopy and the electronic structure of minerals: Spectral variations in non-stoichiometric bornites, Cu_3FeS_4 , 541
Pavese, A., see Diella et al., 371
Peacor, D.R., see Mata et al., 1510
Pearce, T.H., Stewart and Pearce, 348

- Pearson, D.G., see Nixon and Pearson, 1835
- Pecher, I.A., see Winters et al., 1221
- Peral, I., see Jones and Peral, 1176
- Perchiazzi, N., Gualtieri, A.F., Merlino, S., and Kampf, A.R.: The atomic structure of bakerite and its relationship to datolite, 767
- Peretti, A., see Armbruster et al., 610
- Pesquera, A., see Roda et al., 110
- Peterson, V.L., see Lang et al., 20
- Peterson, V.L., see Lang et al., 664
- Petit, S., Martin, F., Wiewiora, A., Parseval, P.D., and Decarreau, A.: Crystal-chemistry of talc: A near infrared (NIR) spectroscopy study, 319
- Pettke, T., see Kessel et al., 1078
- Phelps, T.J., see Zatssepina et al., 1254
- Philippot, P., see Busigny et al., 1625
- Post, J.: Presentation of the Distinguished Public Service Medal of 2003 to George Harlow, 907
- Post, J.E., and Heaney, P.J.: Neutron and synchrotron X-ray diffraction study of the structures and dehydration behaviors of ramsdellite and "grout-ellite," 969
- Prasad, P.S.R. and Sarma, L.P.: A near-infrared spectroscopic study of hydroxyl in natural chondrodite, 1056
- Pratt, A.R., see Harmer et al., 1026
- Pratt, A.R., see Nesbitt et al., 878
- Prewitt, C.T.: Acceptance of the Roebling Medal of the Mineralogical Society of America for 2003, 900
- Prieto, M., see Jiménez et al., 600
- Princivalle, F., see Andreozzi et al., 1148
- Pring, A., see Etschmann et al., 39
- Pring, A., see Kuze et al., 1022
- Pring, A., see Snow et al., 1353
- Puliti, R., see Balassone et al., 1
- Purton, J.A., see Lavrentiev et al., 1149
- Putnis, A., see Etschmann et al., 39
- Putnis, A., see Geisler et al., 1341
- Pyle, J., see Cherniak et al., 1533
- Quartieri, S., see Ceriani et al., 102
- Quartieri, S., see Ferro et al., 94
- Rahn, M.K., Brandon, M.T., Batt, G.E., and Garver, J.I.: A zero-damage model for fission-track annealing in zircon, 473
- Raith, M.M., see Sengupta et al., 819
- Rakovan, J., see Cherniak et al., 1533
- Rakovan, J., see Hughes et al., 629
- Rancourt, D.G., González-Lucena, F., and Thibault, P.-J.: Magnetic granulometry from equilibrium magnetization measurements: Mineral magnetometry of superparamagnetic particles and application to synthetic ferrihydrites, 987
- Rappo, O.A., see Osadchii and Rappo, 1405
- Rau, C., see Lemelle et al., 547
- Rauch, F., see Bell et al., 998
- Redfern, S.A.T., see Méducin et al., 981
- Redhammer, G.J., Tippelt, G., Roth, G., and Amthauer, G.: Structural variations in the brownmillerite series $\text{Ca}_2(\text{Fe}_{2-x}\text{Al}_x)\text{O}_5$: Single-crystal X-ray diffraction at 25 °C and high-temperature X-ray powder diffraction (25 °C $\leq T \leq 1000$ °C), 405
- Reich, M., see Palenik et al., 1359
- Reichmann, H.J. and Jacobsen, S.D.: High-pressure elasticity of a natural magnetite crystal, 1061
- Reiners, P.W., see Nasdala et al., 219
- Ren, M.: Partitioning of Sr, Ba, Rb, Y, and LREE between alkali feldspar and peraluminous silicic magma, 1290
- Renne, P.R., see Feinberg et al., 462
- Reusser, E., see Armbruster et al., 610
- Rez, P., see Garvie et al., 1610
- Riciputi, L.R., see Labotka et al., 1822
- Riciputi, L.R., see Labotka et al., 799
- Riestenberg, D., Chiu, E., Gborigi, M., Liang, L., West, O.R., and Tsouris, C.: Investigation of jet breakup and droplet size distribution of liquid CO_2 and water systems—implications for CO_2 hydrate formation for ocean carbon sequestration, 1240
- Riestenberg, D., see Zatssepina et al., 1254
- Rintoul, L., see Martens et al., 352
- Rivera Jr., N., see O'Day et al., 572
- Roberts, A.C., see Jambor and Roberts, 1574
- Roberts, A.C., see Jambor and Roberts, 1826
- Roberts, A.C., see Jambor and Roberts, 249
- Roberts, A.C., see Jambor and Roberts, 467
- Roberts, A.C., see Jambor and Roberts, 894
- Robinson, P., Harrison, R.J., McEnroe, S.A., and Hargraves, R.B.: Nature and origin of lamellar magnetism in the hematite-ilmenite series, 725
- Roda, E., Pesquera, A., Fontan, F., and Keller, P.: Phosphate mineral associations in the Cañada pegmatite (Salamanca, Spain): Paragenetic relationships, chemical compositions, and implications for pegmatite evolution, 110
- Romano, C., see Giuli et al., 1640
- Root, R., see O'Day et al., 572
- Roselle, G.T., see Kozak et al., 701
- Ross, M., see Morse and Ross, 1380
- Rossman, G.R., see Bell et al., 998
- Rossman, G.R., see Hughes et al., 629
- Rossman, G.R., see Johnson and Rossman, 586
- Roth, G., see Redhammer et al., 405
- Rubatto, D., see Spandler et al., 1795
- Rubin, A.E.: Aluminian low-Ca pyroxene in a Ca-Al-rich chondrule from the Semarkona meteorite, 867
- Rupke, A.L., see Breeding et al., 1067
- Russell, J.K., see Quane et al., 873
- Russo, U., see Andreozzi et al., 1762
- Rutherford, M.J., see McCanta et al., 1685
- Ryan, J.G., see Lang et al., 664
- Saiki, A., see Kuze et al., 1022
- Sainz-Díaz, C.I., Escamilla-Roa, E., and Hernández-Laguna, A.: Pyrophyllite dehydroxylation process by First Principles calculations, 1092
- Sainz-Díaz, C.I., see Palin et al., 164
- Sainz-Díaz, C.I., Villacampa, A., and Otálora, F.: Crystallographic properties of the calcium phosphate mineral, brushite, by means of First Principles calculations, 307
- Salamatin, A.N., see Genov et al., 1228
- Salje, E.K.H., see Geisler et al., 1341
- Salvadó, M.A., see Jiménez et al., 600
- Sanda, H., see Hirai and Sanda, 1260
- Sani, A., see Diella et al., 371
- Santillán, J. and Williams, Q.: A high pressure X-ray diffraction study of aragonite and the post-aragonite phase transition in CaCO_3 , 1348
- Sarma, L.P., see Prasad and Sarma, 1056
- Sato, H., Ono, K., Johnston, C.T., and Yamagishi, A.: First-principle study of polytype structures of 1:1 dioctahedral phyllosilicates, 1581
- Sato, T., see Fukushi et al., 1728
- Schlüter, J., see Geisler et al., 1341
- Schmidt, M.W., see Kessel et al., 1078
- Schumacher, J.C., see Leake et al., 883
- Schwandt, C.S., see Golden et al., 681
- Scordari, F., Ventrucci, G., and Gualtieri, A.F.: The structure of metahohmannite, $\text{Fe}_3^+[\text{O}(\text{SO}_4)_2] \cdot 4\text{H}_2\text{O}$, by in situ synchrotron powder diffraction, 365
- Scott, G.R., see Feinberg et al., 462
- Self, P., see Snow et al., 1353
- Sengupta, P., Raith, M.M., and Levitsky,

- V.I.: Compositional characteristics and paragenetic relations of magnesiohög-bomite in aluminous amphibolites from the Belomorian complex, Baltic Shield, Russia, 819
- Seredkin, M.V., see Krivovichev et al., 1138
- Seto, Y., Shimobayashi, N., Miyake, A., and Kitamura, M.: Composition and $I4/m-P4_2/n$ phase transition in scapolite solid solutions, 257
- Seydoux-Guillaume, A.-M., see Geisler et al., 1341
- Seydoux-Guillaume, A.-M., see Geisler et al., 1341
- Shapter, J., see Snow et al., 1353
- Sharma, S.K., see Chio et al., 390
- Sharp, T.G., see Hervig et al., 498
- Shearer, C.K., see Herd et al., 832
- Shearer, C.K., see Karner et al., 1101
- Shearer, C.K., see Papike et al., 1557
- Sherriff, B.L., see Zhou and Sherriff, 377
- Shimobayashi, N., see Miyake et al., 1667
- Shimobayashi, N., see Seto et al., 257
- Shlyukova, Z.V., see Armbruster et al., 1655
- Simionovici, A., see Lemelle et al., 547
- Simoncic, P. and Armbruster, T.: Peculiarity and defect structure of the natural and synthetic zeolite mordenite: A single-crystal X-ray study, 421
- Sinogeikin, S.V., see Jackson et al., 239
- Sinogeikin, S.V., see Jackson et al., 663
- Skogby, H., see Andreozzi et al., 1148
- Sloan, E.D.: Introductory overview: Hydrate knowledge development, 1155
- Smeds, S.-A., see Cerný et al., 505
- Snow, M.R., Pring, A., Self, P., Losic, D., and Shapter, J.: The origin of the color of pearls in iridescence from nano-composite structures of the nacre, 1353
- Song, S., Zhang, L., and Niu, Y.: Ultra-deep origin of garnet peridotite from the North Qaidam ultrahigh-pressure belt, Northern Tibetan Plateau, NW China, 1330
- Song, Y., Chen, B., Nishio, M., and Akai, M.: Measurement of clathrate hydrate precipitation from CO₂ solution by a nondestructive method, 1247
- Spandler, C., Hermann, J., and Rubatto, D.: Exsolution of thortveitite, yttrialite, and xenotime during low-temperature recrystallization of zircon from New Caledonia, and their significance for trace element incorporation in zircon, 1795
- Spry, P.G., see Bindi et al., 1043
- Stadermann, F.J., see Labotka et al., 1822
- Staykova, D.K., see Genov et al., 1228
- Stebbins, J.F., see Allwardt and Stebbins, 777
- Steffen, K.: An automated system for phase identification and quantitative composition determination using the electron microprobe: Theory and applications, 1546
- Stephenson, N.C.N., see Leake et al., 883
- Stern, L.A., Kirby, S.H., Circone, S., and Durham, W.B.: Scanning Electron Microscopy investigations of laboratory-grown gas clathrate hydrates formed from melting ice, and comparison to natural hydrates, 1162
- Stern, R.A., see Nasdala et al., 219
- Sternk L.A., see Circone et al., 1192
- Stewart, M.L. and Pearce, T.H.: Sieve-textured plagioclase in dacitic magma: Interference imaging results, 348
- Stipp, S.L.S., see Henriksen et al., 1709
- Stone, H.J., see Méducin et al., 981
- Studer, A., see Etschmann et al., 39
- Sturchio, N.C., see Park et al., 1647
- Sugawara, T. and Akaogi, M.: Calorimetry of liquids in the system Na₂O-Fe₂O₃-SiO₂, 1586
- Suzuki, Y., see Ikeda et al., 1304
- Szargan, R., see Nesbitt et al., 382
- Tabacchi, G., see Ceriani et al., 102
- Tacker, R.C.: Hydroxyl ordering in igneous apatite, 1411
- Tait, K.T., see Bobev and Tait, 1208
- Tamada, O., see Wajima et al., 1694
- Tamic, N., see Behrens et al., 301
- Tanaka, H., see Nasdala et al., Reply, 914
- Tange, Y., see Ono et al., 185
- Taylor, D.-H., see Taylor et al., 1617
- Taylor, L.A., Patchen, A., Mayne, R.G., and Taylor, D.-H.: The most reduced rock from the moon, Apollo 14 basalt 14053: Its unique features and their origin, 1617
- Teng, H., see Churchill et al., 1048
- Thibault, P.-J., see Rancourt et al., 987
- Thompson, A.B., see Kessel et al., 1078
- Thompson R.M. and Downs, R.T.: Model pyroxenes II: Structural variation as a function of tetrahedral rotation, 614
- Tinker, D., Leshner, C.E., Baxter, G.M., Uchida, T., and Wang, Y.: High-pressure viscometry of polymerized silicate melts and limitations of the Eyring equation, 1701
- Tippelt, G., see Redhammer et al., 405
- Tohidi, B., see Llamedo et al., 1264
- Tossell, J., see Liu et al., 1314
- Treiman, A.H., see Golden et al., 681
- Treiman, A.H., see Herd et al., 832
- Tribaudino, M., see Nestola et al., 1474
- Tribaudino, M., see Nestola et al., 189
- Truche, R., see Lemelle et al., 547
- Tschauner, O., see Luo et al., 455
- Tsouris, C., see Riestenberg et al., 1240
- Tsuchiyama, A., see Ikeda et al., 1304
- Tsujimori, T., see Mattinson et al., 1772
- Tsujimori, T. and Liou, J.G.: Coexisting chromian omphacite and diopside in tremolite schist from the Chugoku Mountains, SW Japan: The effect of Cr on the omphacite-diopside immiscibility gap, 7
- Tucker, M.G., see Méducin et al., 981
- Twamley, B., see Gunter et al., Erratum, 1579
- Uchida, T., see Tinker et al., 1701
- Uesugi, K., see Ikeda et al., 1304
- Uhlig, I., see Nesbitt et al., 382
- Ulmer, P., see Kessel et al., 1078
- Utsunomiya, S., see Palenik et al., 1359
- Vaniman, D.: The Petrographic Microscope. By Daniel E. Kile, 1580elch, M.D., Kleppe, A.K., and Jephcoat, A.P.: Novel high-pressure behavior in chlorite: A synchrotron XRD study of clinocllore to 27 GPa, 1337
- Vaniman, D.T., see Bish et al., 248
- Van Coster, E., see Eeckhout et al., 1743
- van der Laan, G., see Patrick et al., 541
- van Westrenen, W., Frank, M.R., Hanchar, J.M., Fei, Y., Finch, R.J., and Zha, C.-S.: In situ determination of the compressibility of synthetic pure zircon (ZrSiO₄) and the onset of the zircon-reidite phase transition, 197
- Veblen, D.R., see Bozhilov et al., 74
- Veblen, D.R., see Ding and Veblen, 961
- Ventruti, G., see Scordair et al., 365
- Verma, P.K., see Walker et al., 204
- Vezzalini, G., see Ceriani et al., 102
- Vezzalini, G., see Ferro et al., 94
- Vicenzi, E.P., see De et al., 439
- Vicenzi, E.P., see De et al., Erratum, 920
- Villacampa, A., see Sainz-Díaz et al., 307
- Wachter, A.J., see Lang et al., 20
- Wachter, A.J., see Lang et al., 664
- Wagner, C., see Fialin et al., 654
- Waite, W.F., see Winters et al., 1221

- Waite, W.F., Winters, W.J., and Mason, D.H.: Methane hydrate formation in partially water-saturated Ottawa sand, 1202
- Wajima, T., Kuzawa, K., Ishimoto, H., Tamada, O., and Nishiyama, T.: The synthesis of zeolite-P, Linde Type A, and hydroxysodalite zeolites from paper sludge ash at low-temperature (80 °C): Optimal ash-leaching condition for zeolite synthesis, 1694
- Walker, D., Verma, P.K., Cranswick, L.M.D., Jones, R.L., Clark, S.M., and Buhre, S.: Halite-sylvite thermoelasticity, 204
- Wallace, G.S. and Bergantz, G.W.: Constraints on mingling of crystal populations from off-center zoning profiles: A statistical approach, 64
- Wang, A., Kuebler, K.E., Jolliff, B.L., and Haskin, L.A.: Raman spectroscopy of Fe-Ti-Cr-oxides, case study: Martian meteorite EETA79001, 665
- Wang, Y., see Tinker et al., 1701
- Wang, L., see Palenik et al., 1359
- Wasylenki, L.E., see Davis et al., 714
- Watanabe S., see Nasdala et al., Reply, 914
- Webb, M.A., see Cavell et al., 519
- Webb, R.I., see Moreau et al., 950
- Webb, S.L., Müller, E., and Büttner, H.: Anomalous rheology of peraluminous melts, 812
- Weber, H.-P., see Krivovichev et al., 1561
- Weber, H.-P., see Krivovichev et al., 1816
- Weber, T., see Armbruster et al., 1655
- Weidler, P.G., see Granwehr et al., 785
- Weier, M.L., see Klopogge et al., 245
- Welch, M.D., see Cámara et al., 1464
- Wenk, H.-R., see Feinberg et al., 462
- West, O.R., see Riestenberg et al., 1240
- Wheat, C.G., see Buatier et al., 1807
- Whittaker, E.J.W., see Leake et al., 883
- Widmeyer, J.R., see Jørgensen et al., 1110
- Wiedenbeck, M., see Geisler et al., 1341
- Wiedenbeck, M., see Geisler et al., 1341
- Wiedenbeck, M., see Hughes et al., 447
- Wiewiora, A., see Petit et al., 319
- Williams, P., see Hervig et al., 498
- Williams, P.A., see Frost et al., 1130
- Williams, Q., see Santillán and Williams, 1348.
- Winters, W.J., Pecher, I.A., Waite, W.F., and Mason, D.H.: Physical properties and rock physics models of sediment containing natural and laboratory-formed methane gas hydrate, 1221
- Winters, W.J., see Waite et al., 1202
- Wirth, R., see Geisler et al., 1341
- Wirth, R., see Geisler et al., 1341
- Wirth, R., see Koch-Müller et al., 921
- Wirth, R., see Nasdala et al., 219
- Witter, J.B. and Kuehner, S.M.: A simple empirical method for high-quality electron microprobe analysis of fluorine at trace levels in Fe-bearing minerals and glasses, 57
- Woolley, A.R., see Leake et al., 883
- Wopenka, B., see Hofmeister et al., 132
- Wopenka, B., see Nasdala et al., Comment, 912
- Xu, W.: Modeling dynamic marine gas hydrate systems, 1271
- Xu, Z.Q., see Yang et al., 1525
- Yakovenchuk, V.N., see Armbruster et al., 1655
- Yakovenchuk, V.N., see Krivovichev et al., 1561
- Yakovenchuk, V.N., see Krivovichev et al., 1816
- Yamada, H., see Fukushi et al., 1728
- Yamagishi, A., see Sato et al., 1581
- Yanase, N., see Fukushi et al., 1728
- Yang, T.N., Xu, Z.Q., and Leech, M.: Mass balance during retrogression of eclogite-facies minerals in the Rongcheng eclogite, eastern Sulu ultrahigh-pressure terrane, China, 1525
- Yoshida, H., see Ikeda et al., 1304
- Young, J.R., see Henriksen et al., 1709
- Zanardi, S., Cruciani, G., Alberti, A., and Galli, E.: Dehydration and rehydration process in boggsite: An in situ X-ray single-crystal study, 1033
- Zanazzi, P.F., see Comodi et al., 647
- Zanazzi, P.F., see Gatta et al., 633
- Zatsepina, O.Y., Riestenberg, D., McCallum, S.D., Gborigi, M., Brandt, C., Buffett, B.A., and Phelps, T.J.: Influence of water thermal history and overpressure on CO₂-hydrate nucleation and morphology, 1254
- Zega, T.J., see Garvie et al., 1610
- Zha, C.-S., van Westrenen et al., 197
- Zhang, L., see Song et al., 1330
- Zhang, M., see Geisler et al., 1341
- Zhang, R.Y., see Mattinson et al., 1772
- Zhang, Y., see Liu et al., 277
- Zhang, Z., see Park et al., 1647
- Zhou, B. and Sherriff, B.L.: Quantum calculations of the electronic structure and NMR quadrupolar interaction parameters for tugtupite, 377
- Zolensky, M.E., see Golden et al., 681